Author Index

Abbruzzese M, 866
Abdul-Ahad A, 986A
Abe K, 444A
Aberg J, 467A
Åberg L, 799
Aboumatar SM, 472A
Abouzahr MK, 450A
Abramsky O, 987A
Abramson I, 679
Abrey LE, 430A
Absence Study Group, 489A
Abu-Shakra S, 455A
Achim CL, 963
Acsadi G, 498A
ACTG 243 Team, 426A
Adams LM, 458A
Adams RJ, 699
Adler CH, 448A
Aerts JM, 613
Agid Y, 712
Aguglia U, 245
Ahmad A, 453A
Ahmad BK, 417A
Ahmad I, 417A
Ahmed A, 453A
AIDS Clinical Trial Group Protocol 242 Study Team, 429A
Aisen PS, 400A
Aiyagari V, 440A
Ajmar F, 866
Akaike A, 159
Akçören Z, 222
Akiyama H, 399A
Akman-Demir G, 273
Aksamit AJ Jr, 426A
Alam JJ, 987A
Alam TA, 453A
Albert SM, 393A
Albrecht S, 138
Al-Chalabi A, 803
Alexander GM, 448A
Alfonso G, 410A
Alkersam H, 465A
Allen JC, 536A
Allen PS, 454A
Allison JD, 508A
Allred E, 493A
Almasy L, 670
Alpert N, 443A
Al-Shahi R, 397A, 407A
Alter M, 440A
Alvarez RB, 451A, 815
Amato AA, 415A
Aminoff MJ, 411A, 622
Amoiridis G, 924
An K-N, 421A
An SF, 34
Andermann F, 272, 530A, 737
Anderson B, 401A
Anderson JH, 933
Anderson MC, 393A
Anderson P, 405A
Anderson PA, 427A
Anderson V, 497A
Andersson PB, 468A
Andreadis A, 794
Anselm I, 502A
Ansorge I, 393A
Antel J, 379, 422A
Antunes NL, 521A, 534A, 537A
Anvret M, 516A
Aoki M, 412A
Apfel SC, 457A
Apostolski S, 130
Arai H, 492A
Arai Y, 534A
Archelos JJ, 416A
Argov Z, 987A
Arioglu E, 444A
Armstrong BA, 531A
Arnaudo E, 180, 416A
Arnold DL, 737
Arnold S, 490A
Aron J, 398A
Aronin N, 604
Ashizawa T, 413A
Ashwal S, 508A, 526A, 527A, 528A, 532A
Askanas V, 414A, 451A, 815
Atkinson D, 504A
Atkinson JH, 963, 679
Aubourg P, 498A
Auburger G, 111
Auerbach SA, 376
Augood SJ, 215
Austin MT, 408A
Autti T, 799
Awaad Y, 517A
Axelrod F, 515A, 531A
Ayala R, 507A
Azizi SA, 422A

Baba M, 595
Baberon MC, 424A
Baborie A, 364
Bacha PA, 450A
Backhovens H, 108
Backmund H, 422A
Baethmann M, 495A
Baeumer M, 471A
Bailey K, 433A
Baird AE, 164
Baiyewu O, 659
Bakay RAE, 129, 409A
Baker M, 124, 794
Baker N, 305
Baker NS, 455A
Bakker E, 108
Balashov KE, 313
Ballantyne A, 465A
Baloh RW, 390A, 468A
Bandele AN, 442A
Bandy DJ, 496A, 535A
Baram TZ, 495A, 505A
Barash V, 987A
Bardien S, 428A
Barkhof F, 982
Barkovich AJ, 272
Barnes D, 986A
Barnes P, 430A
Barnett JB, 396A
Barnier JV, 847
Barohn RJ, 305, 455A
Baron MS, 129, 410A
Bar-Peled O, 452A
Barresi R, 249
Barth PG, 50
Bartolucci A, 401A
Barton NW, 613
Bartuli A, 532A
Bash C, 421A, 460A
Bateman D, 492A
Bates D, 986A
Battistini S, 442A
Bauer B, 406A
Bawden HN, 523A
Beal MF, 261, 326, 644
Bebin M, 60
Beccariam L, 468A
Becher B, 422A
Beck RW, 815
Beckett AAJ, 34
Beckmann JS, 222
Begeer JH, 50
Behan PO, 410A, 460A, 462A
Behar KL, 473A
Behen M, 666
Beighton P, 428A
Belden DS, 418A, 473A
Belendiuk GW, 405A
Bell K, 397A
Bellone E, 866
Benabid AL, 129
Benabid A-L, 283
Ben-Arie L, 408A
Benavides J, 527A
Ben-David K, 511A
Benecke R, 111, 424A
Benfield A, 164
Ben-Menachem E, 393A
Bennett MJ, 513A
Benson M, 533A
Bentlage H, 661
Ben-Zeev B, 512A
Berenson F, 453A
Berent S, 85
Berger A, 471A
Berger JR, 400A, 444A, 461A
Bergia BM, 502A
Bergin A, 499A
Berglund LF, 392A
Bergqvist AGC, 505A
Berkovic SF, 505A
Berliner J, 523A
Bernard E, 885
Bernard I, 495A
Bernardini GL, 425A
Bernstein Z, 418A
Bertelsmann F, 986A
Bertini E, 495A, 499A, 531A, 532A, 661
Bettecken T, 512A
Bhambhani K, 506A
Bhardwaj A, 434A, 474A
Bhatia KP, 406A
Bhide PG, 604
Bhullar N, 420A
Bianchetti A, 403A
Bianchin MM, 395A, 470A
Bick D, 532A
Bicknese AR, 494A
Bilak MM, 451A
Biller J, 441A, 519A
Bione S, 249
Bird TD, 402A, 655
Birnbaum R, 527A
Biton V, 502A
Bitsch A, 783
Bittigau P, 500A
Bix GJ, 494A
Björklund A, 95
Blaivas M, 414A
Bluestone DL, 503A
Blumenthal DT, 431A
Blumhardt L, 986A
Boden-Albala B, 392A
Bodensteiner JB, 506A
Boespflug-Tanguy O, 495A
Bohmer J, 448A
Bojko AS, 529A
Bomprezzi R, 423A
Bonanni P, 272
Bone I, 436A
Bonetti B, 74
Bonilla E, 180
Bönnemann CG, 531A
Booms P, 445A
Boot J, 452A
Born DE, 402A
Bornebroek M, 108
Börner A, 471A
Borowicz LM, 391A

July issue, pp 1–134; August issue, pp 135–274; September issue, pp 275–538; October issue, pp 539–674; November issue, pp 675–818; December issue, pp 818–1048.

Copyright © 1997 by the American Neurological Association

Bosman C, 661
Bosque PJ, 986A
Böttcher T, 424A
Bounthavong M, 495A
Bourdette D, 468A
Bourgeois BFD, 503A
Bousser M-G, 885
Boustany R-M, 490A
Bower JH, 447A
Bowtell R, 632
Bowyer B, 439A
Boyce SM, 434A
Boyd C, 454A
Boyett J, 497A, 536A
Brady RO, 613
Brahic M, 984
Brambilla D, 699
Brambrink AM, 335, 503A
Brand N, 512A
Brandt T, 983
Brannagan TH III, 368
Brashear A, 401A
Brasher P, 430A, 463A, 464A
Braund KG, 416A
Braverman N, 515A
Bredesen DE, 135
Breiter SN, 496A
Brenguier L, 222
Bressman SB, 407A, 447A, 670
Breteler MMB, 776
Brewer F, 409A, 410A
Brice A, 712
Briley DP, 436A
Brin MF, 407A, 411A, 670
Bristol LA, 412A, 452A
Brock K, 699
Broderick J, 398A
Brody JM, 534A
Bromley E, 467A
Bronstein AM, 117
Brooke MH, 454A
Brooks AJ, 402A
Brooks BR, 418A, 473A
Brooks DJ, 95, 720
Brooks JA, 436A
Brooks-Kayal AR, 505A
Brouwer OF, 50
Broux O, 222
Brown P, 390A
Brown R, 95
Brown RD Jr, 432A, 433A
Brown RH, 274
Brown RH Jr, 412A, 428A, 644
Brown WD, 534A
Brown WT, 512A
Browne SE, 644
Browne TR, 300
Brownscheidle CM, 816
Brück W, 783
Brück Y, 783
Brundin P, 95
Bruno A, 441A
Brunstrom JE, 494A
Brust JCM, 416A, 492A
Bryan W, 305
Bryan WW, 455A
Bryer A, 428A
Buchanan CP, 509A
Buchanon K, 490A
Buchmann J, 424A
Buckwalter JG, 398A
Buée L, 356
Buée-Scherrer V, 356
Burack G, 522A
Burden N, 454A
Bureau J-F, 984
Burger PC, 496A
Burgess C, 514A, 516A
Burke D, 438A
Burt J, 398A
Burton DB, 473A
Burzynski C, 164
Buschke H, 400A
Busenbark K, 292
Bushara KO, 418A
Buttinelli C, 423A
Büttner T, 924

Cabana MD, 510A
Cadavid D, 391A
Caggiano AO, 456A
Cailloux F, 495A
Cairncross JG, 464A
Calhoun D, 446A
Calne D, 446A
Camfield CS, 523A
Camfield PR, 523A
Camicioli R, 655
Campbell KP, 222
Campbell MS, 434A
Campion M, 987A
Canady A, 500A
Canapicchi R, 272
Cancel G, 712
Cannon SC, 253
Caponnetto C, 866
Caputo D, 419A
Caramanos Z, 737
Caramelli P, 138
Cardozo-Pelaez F, 457A
Carl EM, 699
Carlo J, 410A
Carniciu S, 440A
Carrá A, 461A
Carrilho PM, 138
Carroll JE, 517A, 530A
Carson BS, 496A
Carson K, 401A
Cartegni L, 249
Carter JH, 349, 446A
Carter TA, 41
Carton H, 986A
Caruso JM, 534A
Carvey PM, 408A
Casaer P, 360
Casale EJ, 489A, 507A
Cascino TL, 428A
Casey J, 502A
Cassiman JJ, 360
Castaneda G, 515A
Castejon S, 418A
Castellani RJ, 516A
Castillo P, 471A
Castora F, 514A, 516A
Cataldo AM, 396A
Catsman-Berrevoets CE, 50
Cattabeni F, 403A
Cavanagh AC, 423A
Caviness JN, 448A
Caviness VS, 504A, 951
Cayetano J, 986A
Cecillon M, 885
Cendes F, 737
Cervenáková L, 390A
Ceulemans B, 360
Chakeres D, 432A
Chakraborty PK, 518A, 666
Chamberlain MC, 431A, 463A, 464A, 536A
Chan G, 446A
Chan J, 446A
Chan S, 435A
Chance PF, 489A
Chang J, 443A
Chapan F, 416A
Charles PD, 408A, 447A
Chase K, 604
Chase TN, 409A
Chatterjee A, 401A
Chaturvedi S, 429A, 437A
Chaudhry V, 453A
Chaudhuri A, 410A, 460A, 462A
Chaudhuri KR, 407A
Chaudhuri R, 411A
Chelly J, 499A
Chen C, 507A, 508A
Chen J, 580
Chen K, 496A
Chen M, 419A
Chen S, 398A
Cheng H-L, 418A
Cheng Y, 402A
Cherlow J, 536A
Chersi A, 423A
Chervin RD, 401A
Cheyette SR, 505A
Chez MG, 490A, 509A
Chiba A, 461A
Children's Cancer Group, 536A
Chin B, 528A
Chin SS, 435A
Chioza B, 803
Chiriboga CA, 492A
Chitnis T, 422A
Chofflon M, 986A
Choi DW, 427A
Chou SM, 404A, 415A, 531A
Chouinard S, 670
Christensen D, 528A
Christensen JR, 510A
Christodoulou K, 414A
Chu T, 398A
Chugani DC, 429A, 490A, 492A, 497A, 527A, 666
Chugani HT, 429A, 490A, 492A, 497A, 518A, 527A, 666
Chun R, 491A, 521A
Chung K, 426A
Chung SM, 457A
Chutorian AM, 529A
Chythil F, 457A
Cicora KM, 503A
Cilio MR, 506A, 531A
Claes S, 360
Clare S, 632
Clark GD, 494A, 495A
Clark HB, 933
Clark PO, 489A
Clarke A, 409A, 410A
Clarke BM, 406A
Clawson L, 412A
Clawson S, 463A
Clergé-Darpoux F, 424A
Clough C, 411A
Clouse R, 393A
Coats M, 987A
Cobianchi F, 249
Cohan SL, 419A
Cohen B, 537A
Cohen FE, 986A
Cohen LG, 394A
Cohn RD, 512A
Colao R, 245
Cole D, 532A
Cole GM, 398A
Cole SA, 129
Coleman LT, 501A, 533A
Collins F, 208
Collins K, 497A
Collins MP, 415A, 416A
Colvin M, 394A
Comella CL, 448A
Comi AM, 524A
Confavreux C, 379
Conitch H, 467A
Conley J, 519A
Connelly A, 756
Connolly AM, 490A
Connolly CC, 417A
Connor A, 164
Conry J, 502A
Contant C, 448A
Conti AM, 451A, 838
Conturo TE, 493A
Cook A, 417A
Cooper CM, 986A
Cooper JM, 443A
Cordes D, 418A
Cornblath DR, 453A
Cornelio F, 249
Corse AM, 451A
Cortez TL, 470A
Cote L, 411A
Couch RA, 405A
Cournu I, 424A
Courtois V, 495A
Covalt J, 433A
Cowan M, 498A
Cox C, 498A
Cox DK, 438A

Coxon R, 632
Coyle PK, 395A, 466A, 467A
Craft JM, 506A
Crain BJ, 396A
Cramer B, 523A
Crawford TO, 499A, 510A, 532A
Crawley AP, 530A
Crittenden M, 498A
Cronin MF, 689
Crook R, 124, 794
Cross H, 272
Crowley T, 504A
Cryer P, 469A
Crystal HA, 399A
Cudkowicz ME, 274
Culverhouse EH, 507A
Cumming T, 394A
Cummings JL, 395A, 402A
Curatolo P, 527A
Curfman BL, 426A
Curtis R, 519A
Cusmai R, 532A
Cutter G, 379
Cwik VA, 454A

Daffner KR, 393A, 394A
Dager AP, 529A
Dahle E, 517A
Dalakas MC, 428A
Dalal M, 421A
Dalmau JO, 430A, 463A, 534A
Dalton AJ, 400A
Dambrosia JM, 613
Dammann O, 493A
Dana Consortium on the Therapy of HIV Dementia and Related Cognitive Disorders, 425A
Dark F, 794
Darras BT, 531A
Daru KR, 436A, 472A
Das K, 41
Dasgupta S, 420A
da Silva EA, 492A, 518A, 527A, 666
Davidoff-Feldman B, 407A
Davig J, 473A
Davis D, 400A
Davis J, 409A
Davis K, 513A
Davis R, 507A, 510A, 521A
Davis TL, 408A, 447A, 951
Dawson J, 394A
Dawson LE, 448A
Day D, 470A
Day NC, 200
D'Cruz OF, 406A
Dean A, 393A
DeAngelis LM, 430A, 431A, 463A, 521A, 537A
De Armas L, 531A
DeArmond SJ, 986A
Deburgrave N, 222
deChadarevian JP, 514A
de Chadarevian JP, 515A
DeClue JE, 230
de Coo IFM, 50
De Gasperi R, 442A
DeGraba T, 613
Deiana GA, 424A
Delacourte A, 356
Delanty N, 442A
de la Torre JC, 398A
Del Dotto P, 409A
de Leon D, 670
Delgado-Escueta AV, 987A
DeLong GR, 11
DeLong MR, 129, 409A
DeLong MS, 410A
Delves HT, 130
Demeritte E, 508A
de Munain AL, 885
DeNardis M, 406A
Dence C, 469A
Denckla MB, 529A
Dennis LJ, 441A
Densel MB, 503A
Denson MA, 638
Deschauer M, 414A
Deserra F, 424A
Desmond DW, 435A, 472A
des Portes V, 499A
de Toma C, 222
Deuel RK, 490A
Deufel T, 430A, 471A
Deutz P, 108
deVeber GA, 519A
Developmental Epidemiology Network Investigators, 493A
De Vivo DC, 256, 491A, 521A
Devriendt K, 360
Devys D, 712
Dewitt C, 473A
Diamond E, 393A
Diamond SG, 456A
Diaz-Villoslada P, 459A
Di Blasi C, 249
DiCaprio MJ, 580
Di Capua M, 532A
Dickson D, 415A
Dickson DW, 399A, 541, 595
DiFazio MP, 507A, 521A
DiFiglia M, 604
DiFrancesco LM, 463A
Dilenge ME, 529A
Di Luca M, 403A
DiMauro S, 180, 256, 516A
Dinçer P, 222
Dinh L, 529A
Dionisi-Vici C, 499A, 661
Dobko T, 446A
Dobyns WB, 933
Dodd P, 794
Dodge P, 491A, 521A
Dodson W, 491A, 521A
Dodson WE, 503A
Dogan S, 528A
D'Olhaberriague L, 437A, 438A
Dom L, 360
Domingues R, 534A
Donahue B, 535A
Donati MA, 249
Dong Q, 419A
Dorflinger E, 408A
Dostrovsky JO, 767
Dougherty PM, 807
Downing KA, 416A
Drachman DA, 816
Drachman DB, 450A
Drane WE, 511A
Droogan AG, 457A
Duane DD, 396A, 524A
Dubeau F, 272, 737
Dubovsky EC, 502A
Ducros A, 885
Duke L, 401A
Dulac O, 272
Dumiguan M, 455A
Duncan B, 507A
Duncan JD, 496A
Duncan JS, 756
Dupont F, 986A
Durso R, 300
Dutka AJ, 470A
Duyn J, 421A, 460A

Eaton B, 470A
Ebers GC, 986A
Eccles CU, 390A
Echenne B, 885
Edelman RR, 164
Edwards DR, 464A
Eggert T, 891
Eghbal-Ahmadi M, 495A
Ehlers JA, 395A
Eichenbaum S, 424A
Eidelberg D, 447A, 529A
Eidelman BH, 270
Eisen A, 411A
El-Fatatry MA, 500A
Ellerby LM, 135
Ellis RJ, 124, 679, 963
Ellison G, 379
El-Shahawi M, 256
Elterman R, 503A
Emelin JK, 270
Emson PC, 215
Enayat ZE, 130, 803
Ende G, 194, 829
Engel AG, 815
Engel WK, 414A, 451A, 815
Enger C, 391A
England S, 522A
English C, 446A
Ensley J, 462A
Epplen JT, 924
Epstein CJ, 457A
Epstein L, 393A
Erdem S, 416A
Eslin D, 533A
Evans A, 467A
Evans BA, 300
Evans C, 473A
Evans D, 525A
Evans EM, 430A
Evans JE, 300
Evatt M, 409A
Evers S, 430A
Evidente VGH, 417A, 448A

Faber PW, 265
Fadic R, 443A
Faerber EN, 511A, 521A
Fagan AM, 988A
Fahn S, 120, 407A, 670
Fakhouri M, 429A
Fanelli C, 469A
Fang J, 409A
Fariello G, 499A, 661
Farlow MR, 401A
Farrer LA, 376
Farrer M, 794
Fattal-Valevski A, 526A
Faught E, 60
Faull RLM, 215
Feener CA, 531A
Fein G, 829
Feldman EL, 414A, 418A, 419A
Feng L, 397A
Fernández JA, 438A
Fernandez LNT, 470A
Ferrante P, 419A
Ferrante RJ, 326, 644
Ferrarese C, 444A
Ferreira A, 885
Ferreira NP, 470A
Ferriero DM, 133
Fett C, 272
Fiedler-Kelly JB, 508A
Fife TD, 470A
Figlewicz DA, 986A
Figueroa R, 699
Filler AG, 444A
Finelli DA, 518A
FineSmith RB, 525A
Finlay J, 536A
Fiore SM, 494A
Fischer G, 471A
Fischer J, 379
Fischer SJ, 838
Fischman AJ, 443A
Fish D, 272
Fish I, 515A
Fisher J, 497A
Fisher PG, 496A, 536A
Fishman M, 491A, 521A
Fitzpatrick D, 406A
Flachenecker P, 171
Flanders AE, 529A

Flasterstein B, 518A
Fleck JD, 441A
Flitman SS, 394A
Foer DR, 496A
Foley CM, 514A
Fontaine B, 424A
Fontan D, 495A
Ford B, 407A, 670
Ford-Jones EL, 520A
Forman S, 120
Forno GD, 401A
Forrester JD, 986A
Forsyth PA, 430A, 463A, 464A, 465A
Foster NL, 85, 403A
Fox G, 400A
Frackowiak R, 283
Fraioli L, 532A
Francis G, 459A, 467A
Frank J, 421A, 460A
Frank LM, 489A
Franz DN, 509A
Frattola L, 444A
Fredericks DN, 120
Freedman M, 986A
Freeman JA, 236
Freeman JM, 502A
Freeman MC, 416A
Freimer ML, 416A
French Research Group on Genetic Susceptibility to Multiple Sclerosis, 424A
Frey KA, 85, 401A
Freyer G, 411A
Friday G, 440A
Friefeld S, 519A
Friess E, 428A
Frigo M, 444A
Frucht SJ, 529A, 533A
Frye VH, 524A
Fryns JP, 360
FSH-DY group, 450A
Fujimoto Y, 402A
Fujita N, 444A
Fulton DS, 430A, 463A, 464A
Furman JM, 189
Futamura N, 402A
Fux C, 439A

Gaa J, 469A
Gage B, 420A
Gaillard WD, 502A
Gajdusek DC, 390A
Galasko D, 124
Galasso JM, 491A
Galazka A, 986A
Galvin JE, 396A, 595
Gama Sosa MA, 442A
Gambardella A, 245
Gambetti P, 402A
Gammack JT, 933
Gan R, 434A, 441A
Gancher ST, 446A, 447A
Gandevia SC, 438A
Gao S, 659
García-Rondón MT, 410A, 440A
Garg BP, 519A, 520A
Garnett W, 405A
Gascon GG, 507A
Gash DM, 208
Gaskell PC, 376
Gaskill M, 398A
Gass A, 469A
Gaudino E, 395A
Gayowski T, 270
Gean A, 467A
Gearing M, 319
Geddes JF, 34
Gee M, 987A
Geerling I, 500A
Gehrking E, 449A
Gelbman BD, 408A
Geller BA, 412A
Genain CP, 458A, 459A
George AL Jr, 253, 811
Georgiadis D, 437A, 471A
Gerth A, 505A
Geyer JD, 434A, 435A, 436A, 472A
Geyer R, 536A
Ghadge GD, 425A
Ghasri JP, 398A
Gherardi G, 866
Giang DW, 459A
Gilbert DL, 502A
Gilles EE, 495A
Gilliam F, 60
Gilliam TC, 41
Gilman JT, 504A
Gilmore RL, 429A
Giometto B, 34
Giordani B, 85, 403A
Giraud G, 495A
Giuliani MJ, 132
Giuliano J, 528A
Giuliano JD, 533A
Gjedde A, 528A
Glass JD, 418A
Glauser TA, 489A, 503A, 509A
Glazier BS, 401A
Glick B, 512A
Goate A, 564
Goel V, 503A
Goertler M, 471A
Goetz CG, 408A, 445A
Goforth HW, 470A
Goh W, 530A
Golden JA, 489A
Goldfarb LG, 390A
Goldman JE, 397A
Goldsborough MA, 391A
Goldsmith IL, 428A
Goldstein DS, 512A
Goldthwaite PT, 496A
Golomb M, 504A
Gomez CM, 933
Gomez CR, 434A, 435A, 436A, 472A
Gonik B, 528A
Goodkin DE, 443A, 468A, 987A
Goodman AD, 422A, 459A
Goodwin-Culver D, 418A
Gospe SM Jr, 441A, 509A
Gourfinkel-An I, 712
Gräber S, 430A
Grabowski TJ, 564
Gracies J-M, 438A
Graf M, 364
Graf WD, 501A, 505A
Grafman J, 394A
Graham CA, 420A, 457A
Graham DI, 436A
Granata R, 407A
Grant I, 963, 679
Grasela TH, 508A
Grasser A, 422A
Gravell M, 426A
Gray F, 847
Graybiel A, 417A
Gray-Swain MR, 494A
Graziano J, 411A
Greco G, 423A
Green DS, 253
Green J, 129
Greenberg B, 521A
Greenberg DA, 275, 580
Greenberg R, 417A
Greene J, 283
Greene P, 407A
Greene PE, 670
Greenlee JE, 463A
Greenstone H, 527A
Greenwood RS, 500A
Gress DR, 674
Grevet E, 395A
Griffin H, 406A
Griffin JH, 438A
Griffin JW, 412A, 413A
Griggs RC, 305, 428A, 986A
Grimslid H, 655
Grisold W, 414A
Groft LL, 464A
Grond M, 433A
Groothuis DR, 432A
Gropman A, 513A
Grossman MH, 514A
Grossman RG, 408A, 446A
Gross-Tsur V, 512A, 522A, 525A
Grothusen JR, 448A
Grotta JC, 471A
Grover WD, 454A, 511A, 514A, 521A
Groves M, 34
Growdon JH, 376
Gruber A, 438A
Guerini FR, 419A
Guerrini R, 272
Guha A, 230
Guibert B, 847
Guillozet AL, 909
Günther M, 430A
Gupta H, 441A
Gureje O, 659
Gurian J, 471A
Gurney ME, 326
Gustavii B, 95
Guthrie B, 60
Gutierrez JA, 417A
Gutmann DH, 230
Gutrecht JA, 463A
Guttmann CR, 393A
Guys M, 506A
Gwinn KA, 448A

Haan J, 108
Haas RH, 261
Hafler DA, 313
Hagell P, 95
Hagen NA, 430A, 463A, 464A, 465A
Hahn AF, 428A
Hahn JS, 504A
Haida M, 404A
Haines JL, 376
Haley BE, 452A
Hall C, 399A, 426A
Hall KS, 659
Haller RG, 413A
Hallet JJ, 533A
Hallett M, 807
Hallupp M, 794
Haltalski CG, 495A
Haltia T, 124
Hamada T, 419A, 455A
Hamed LM, 511A
Hammerstad JP, 446A
Hamre M, 506A
Handler JS, 300
Hanemann CO, 364
Hanley DF, 474A
Hanna MG, 412A
Hansen B, 533A
Hanstock CC, 454A
Hao D, 463A
Hara A, 404A
Harati Y, 454A
Hardjowijono MA, 975
Hardy J, 124, 794
Harel S, 509A, 510A, 526A
Hariharan S, 521A
Harness J, 423A
Haroon S, 436A
Harper CM Jr, 421A
Harrell LE, 401A
Harris R, 498A
Harrison JK, 491A
Harrison MB, 445A
Hart C, 514A, 516A
Hart PJ, 135
Hartlage PL, 508A
Hartmann A, 437A
Hartung H-P, 171, 986A
Harvey AS, 501A, 505A, 533A
Hashimoto T, 129, 409A
Haslam RHA, 513A
Hastings AE, 420A
Hauben L, 18
Hauger R, 460A
Haun JJ, 416A

Hauser R, 292
Hauser SL, 458A, 459A
Hauser WA, 492A
Hawkins RA, 829
Hawkins SA, 420A, 457A, 982
Hayashi M, 987A
Hayes CE, 444A
Hayman M, 533A
Hays AP, 368, 397A, 450A
Hayward LJ, 253
Hayward N, 794
Heaton RK, 963, 679
Hecht ST, 509A
Heidebrink JL, 403A
Heideman RL, 230
Heier L, 529A
Heiman GA, 670
Heinz ER, 11
Heiss W-D, 406A, 433A
Henderson A, 398A
Henderson VW, 398A
Hendgen T, 111
Hendrie HC, 659
Hennerici MG, 469A
Henningsen H, 418A
Henry D, 500A
Hentati A, 453A
Hentati F, 453A
Herman ST, 402A
Hermans G, 18
Herndon R, 468A
Herndon RM, 987A
Herrmann M, 393A
Hery C, 847
Hetherington HP, 498A
Hetzel C, 514A
Heurter H, 520A
Heyes MP, 613
Hilt D, 208
Hinshaw DB Jr, 527A, 528A
Hirabuki N, 444A
Hirano M, 180, 402A, 407A
Hirono N, 394A
Hirsch EC, 712
Hitoshi S, 461A
HIV Neurobehavioral Research Center Group, 679
HNRC Group, 963
Ho GJ, 446A
Ho TW, 412A
Hoang KBN, 511A
Hobart JC, 236
Hobbs GR, 494A
Hobdell E, 514A
Hof PR, 356
Hoffman M, 505A
Hofman A, 776
Hogan EL, 420A
Hohol MJ, 393A
Holcomb P, 394A
Holden J, 446A
Holsboer F, 422A, 428A
Holshouser BA, 527A, 528A
Holtzman D, 507A
Holtzman DM, 988A
Hommes O, 986A
Honma Y, 879
Hopkins IJ, 505A, 533A
Horasek S, 988A
Horikawa Y, 879
Horvit A, 454A
Horvitz HR, 412A
Hosler BA, 412A
Hou J, 426A
Houlden H, 794
Hourihane JM, 434A
Househam E, 411A
Hsia K, 679
Hu B-R, 439A
Huang Y, 987A
Hubble J, 292
Hübner C, 500A, 512A
Huff JS, 471A
Huff K, 500A
Hughes RAC, 986A
Hui C, 507A
Hui SL, 659
Hülser P-J, 466A
Humberg-Roether S, 504A
Humberstone M, 632
Hund M, 442A
Hung W-Y, 453A
Hunter JV, 372, 518A
Hunter K, 393A
Hurley CK, 420A
Hutchinson M, 403A
Hutchison WD, 767
Huth C, 393A
Hutton M, 124, 794
Huynh VT, 847
Hykin J, 632
Hyland K, 512A

Iannaccone S, 305
Iasemidis LD, 429A
Ichord RN, 503A
Idrisoglu H, 273
Igarashi S, 879
Ihara Y, 899
Ikeda K, 450A
Ikeda M, 394A
Ikejiri Y, 394A
Ikeno K, 404A
Ikeuchi T, 879
Ikonomidou C, 500A
Imagawa M, 115
Imai T, 402A
Imaiso Y, 407A
Imamura T, 394A
Imbert G, 712
Ince PG, 200
Inglese C, 517A
Ingram DA, 68
Inoue K, 879
Inoue M, 415A
Insoft RM, 493A
Ironside JW, 436A
Irvin S, 580
Isaacs A, 794
Ishii T, 492A
Ito Y, 899
Itoh Y, 404A
Iughetti P, 138
Ivnik RJ, 397A
Iwabuchi K, 419A
Iwasaki Y, 450A
Iwatsubo T, 396A, 595
Iyengar D, 417A

Jackson GD, 501A
Jackson M, 803
Jackson-Lewis V, 442A
Jacobs IB, 518A
Jacobs L, 468A
Jacobs LD, 816, 987A
Jacobson L, 391A
Jacoby LB, 513A
Jaffa AJ, 526A
Jahanshahi M, 95
Jakab M, 393A
Jakacki R, 536A
Jakubiczka S, 512A
Jambaqué I, 272, 498A
James TL, 986A
Janas SJ, 305
Jani A, 498A
Janjigian M, 460A
Jankovic J, 407A, 408A, 446A, 448A, 449A
Jansen P, 508A
Järvelä I, 799
Jayakar P, 507A
Jeanpierre M, 222
Jellinger K, 407A
Jen JC, 390A, 468A
Jenkins D, 441A
Jennings D, 300
Jensen P, 426A
Jerome EH, 405A, 588
Jimi T, 415A
Jin K, 580
Jin L-W, 402A
Jog MS, 417A
Johanns JR, 403A
Johns DR, 443A
Johnson ES, 409A, 410A
Johnson J Jr, 537A
Johnson JP, 444A
Johnson M, 421A
Johnson R, 399A
Johnson RT, 1
Johnson WG, 512A
Johnston SC, 405A, 588
Jolesz FA, 393A
Jones AC, 670
Jones D, 513A
Jones H, 533A
Jones HR, 463A
Jones-Gotman M, 272
Josephs E, 300
Joutel A, 885
Joyce JN, 410A
Juel VC, 458A
Jung D, 222

Kaba SE, 816
Kaczmarski A, 512A
Kaczmarski W, 512A
Kadan-Lottick NS, 536A
Kadimi S, 435A
Kaga M, 524A
Kakishita K, 492A
Kalmijn S, 776
Kamada K, 554
Kamath M, 406A
Kamboj RK, 200
Kaminaga T, 444A
Kamino K, 115
Kaminski HJ, 416A, 453A
Kamrin AL, 521A
Kanazawa I, 461A
Kaneko K, 986A
Kaneoke Y, 129
Kanner R, 474A
Kaplan AM, 496A, 535A
Kaplan E, 951
Kaplan J-C, 222
Kaplan LR, 446A
Kapoor RP, 670
Kappos L, 986A
Kargman DE, 392A
Karmazin N, 515A
Kasarskis EJ, 452A
Kase R, 404A
Kashiwase K, 28
Kasnicka I, 501A
Kass-Iliyya F, 705
Kastrukoff LF, 426A
Katenhäuser M, 554
Katirji B, 453A
Kato H, 978
Katsetos CD, 515A
Katz M, 400A
Kaufman LD, 396A
Kaufmann P, 516A
Kawaguchi F, 404A
Kawas CH, 396A, 401A
Kaye J, 655
Kean MJ, 501A
Keir E, 497A
Kelly EA, 410A
Kennedy DN, 951
Kennedy WR, 727
Kerfoot C, 270
Kerr LD, 408A
Kerrigan JF, 503A
Kessler JA, 441A, 456A
Kessler KR, 111
Ketelsen U-P, 364
Khakoo Y, 496A, 534A
Khoury J, 398A
Khoury SJ, 313
Kida E, 512A
Kieburtz K, 393A, 429A
Kiessling L, 533A
Kihara T, 159
Kikinis R, 393A
Killewich LA, 438A
Kim G, 499A
Kim J, 425A
Kim KS, 400A
Kim S, 421A, 426A

Kim SU, 424A, 427A
Kimmel DW, 428A
Kimura A, 978
Kimura J, 159
King DW, 508A
King J, 986A
King MD, 756
King PH, 462A
Kinkel RP, 423A
Kinnett K, 509A
Kinney C, 401A
Kinoshita M, 450A
Kinsman SL, 533A
Kirk CW, 420A, 457A
Kirsch J, 528A
Kissel JT, 415A, 416A, 986A
Kitagaki H, 394A
Kitamoto T, 986A
Kiyosawa M, 987A
Klein C, 449A
Kliemann FAD, 470A
Kliot M, 444A
Knapp LE, 504A
Knapp M, 111
Knierim D, 528A
Knowlton RC, 194, 622, 829
Kobayashi T, 115, 450A
Kober H, 554
Kobylarz E, 470A
Kocen R, 117
Kochiyama H, 159
Koehler NKU, 458A, 459A
Koehler RC, 335, 503A
Koennecke HC, 437A
Koide R, 879
Koizumi H, 404A
Kojima H, 415A
Kokmen E, 397A
Kolenda H, 783
Koliatsos V, 452A
Koller W, 292
Kollros PR, 529A
Kolodny EH, 442A
Kolski HK, 520A
Konno S, 399A
Koo B, 500A
Korinthenberg R, 364
Kormanik P, 431A, 463A, 464A
Kormos T, 292
Kornberg AJ, 533A
Kornhuber AW, 466A
Korones DN, 536A
Koslowe P, 470A
Kosofsky BE, 523A
Kossoff SB, 425A
Kostic V, 442A
Kothare SV, 493A
Kovacs D, 423A
Kowall NW, 326, 644
Kowatschev E, 471A
Krack P, 129
Kraig RP, 435A, 445A, 456A
Kramer PL, 670
Kramer U, 509A, 510A
Kranz-Eble P, 256
Krapf H, 466A
Kratz K, 398A
Krauss JK, 408A
Kraut M, 462A
Krishman KRK, 500A
Krishnamoorthy KS, 493A, 504A
Krivit W, 498A
Kronn D, 513A
Krupp LB, 395A, 396A, 466A, 467A
Kryscio R, 208
Kuban KCK, 493A, 512A
Kubota Y, 417A
Kucera S, 794
Kuempfel T, 428A
Kugler AR, 504A
Kugler SL, 520A, 522A
Kuhl DE, 85, 401A
Kuhn ER, 401A
Kulkantrakorn K, 457A
Kumagai J, 987A
Kumar S, 573
Kume T, 159
Kuncl RW, 451A, 532A
Kunkel LM, 531A
Kunkler PE, 435A, 445A
Kunz WS, 393A, 454A
Kuo Y-H, 511A
Kurita D, 404A
Kurth MC, 408A
Kurtzke JF, 469A
Kusaka H, 402A
Kuslansky G, 400A
Kusner LL, 416A
Kusunoki S, 461A
Kutai M, 526A
Kuzniecky R, 60, 272
Kwee IL, 418A
Kwok JBJ, 794
Kyriakides T, 414A

Lacomis D, 132
Ladiwala U, 422A
Lagae L, 360
LaGuardia J, 458A
Lai EC, 408A, 446A
Lai S-M, 440A
Laird K, 394A
Lammers C-H, 455A
Lamminranta S, 799
Lane JB, 498A
Lang A, 292
Lang AE, 767
Lang B, 147, 452A
Lang D, 500A
Langdon DW, 236
Lange DJ, 450A
Lange M, 533A
Lanier ER, 689
Lannuzel A, 847
Lanska D, 444A
Lapchak PA, 208
Lappi DA, 429A, 445A
Lara P, 461A
Lassmann H, 783
Latov N, 368, 450A
Latronico N, 131
Lau A, 426A
Launer LJ, 776
Laurino J, 533A
Lavenstein B, 532A
Law PA, 524A
Lawson MA, 496A, 535A
Lawson TA, 466A
Laxer KD, 194, 405A, 588, 622, 829
Lazzarini A, 512A
Lebel C, 208
LeBlanc A, 138
Lederman HM, 510A
Lee BCP, 493A
Lee DA, 503A
Lee MK, 396A, 499A
Lee MR, 508A
Lee S, 519A
Lee S-H, 455A
Lee VM-Y, 396A, 595
Legido A, 454A, 511A, 514A, 515A, 521A
Leheta BJ, 458A
Lehmann C, 335
Leigh PN, 130, 273, 803
Leira E, 457A
Leitner Y, 526A
Lekieffre D, 527A
LeMay L, 404A
Lempert T, 117
Lenz FA, 807
Lenzi GL, 403A
Leopold DA, 513A
Leshner RT, 531A
Leslie D, 391A
Lesser RP, 390A
Leturcq F, 222
Leube B, 111
Leurgans S, 408A, 448A
Leventer RJ, 501A
Leveugle B, 356
Levey AI, 418A, 445A
Levine SR, 437A, 438A
Leviton A, 493A
Levy B, 405A
Levy HL, 512A
Levy L, 393A
Levy R, 767
Lewin D, 522A
Lewis B, 421A, 460A
Lewis D, 514A, 516A
Lewis DW, 519A
Lewis J, 517A
Lewis S, 501A
LeWitt P, 408A
Li D, 986A
Li J, 441A
Li M, 415A
Liblau R, 424A
Lidov HGW, 531A
Lieberman D, 526A
Lim J, 398A
Lim P, 489A
Limousin P, 129, 283
Limperopoulos C, 524A
Lin C-LG, 412A
Lin G, 390A
Lin I-F, 392A, 434A
Lin J, 394A
Lincoln S, 794
Lindner A, 471A
Lindvall O, 95
Linfante I, 448A
Ling ZD, 408A
Lins H, 454A
Linsley PS, 450A
Liporace JD, 873
Lippa CF, 399A
Lipton RB, 399A, 400A
Lischner HW, 521A
Litaker M, 699
Litt M, 655
Little RJA, 403A
Litvan I, 395A, 407A
Liu H-G, 60
Lobato C, 412A
Locke PA, 376
Lockman L, 498A
Lodi R, 573
Loes D, 498A
Logan WJ, 530A
Lonce S, 408A
Lopez-Yunez AM, 438A
Lossos A, 987A
Lotto M, 473A
Lotz BP, 443A
Louis E, 411A
Louis ED, 120, 407A
Lövblad K-O, 164
Lozano AM, 292, 767
Lublin F, 379
Ludolph AC, 445A
Lufkin RB, 444A
Luna-Gonzales H, 471A
Lutz Y, 712
Lynch T, 120, 397A, 402A, 407A, 435A, 442A
Lyon-Caen O, 424A
Lyons T, 463A

Ma L, 425A
Mabie PC, 456A
MacCollin M, 513A
Macdonald IA, 632
MacDonald ME, 265
MacGregor DL, 519A, 520A
Machkhas H, 454A
Machleder H, 444A
MacKinnon J, 464A
Macko RF, 427A, 438A
Madras BK, 443A
Maeda N, 517A
Maeda T, 159
Maggisano R, 439A
Maiese K, 417A
Maisonobe T, 416A
Maize JC Jr, 230
Majnemer A, 524A, 527A

Major EO, 426A
Makris N, 951
Malamut BL, 873
Malapira T, 292
Malkoff MD, 441A
Mallory M, 963
Maloni H, 421A, 460A
Manasco P, 489A, 507A
Mancall AC, 463A
Mancardi G, 866
Mandel J-L, 712
Mandelbaum DE, 520A, 522A
Mandich P, 866
Mandrich M, 526A
Manfredi G, 180
Mangner TJ, 518A, 666
Mangone CA, 407A
Maniar S, 462A
Mann DMA, 595
Mannu L, 469A
Manor O, 522, 525A
Manwaring KH, 496A, 535A
Maragakis NJ, 390A
Maraganore DM, 447A
Maravilla K, 444A
Marchetti P, 423A
Marcotte TD, 963
Marder K, 393A, 397A, 411A
Margishvili GM, 399A
Maria BL, 504A, 511A
Markham CH, 456A
Markham J, 469A
Marmur R, 456A
Maroun F, 523A
Marsden CD, 95, 406A
Marson D, 401A
Martin LJ, 335, 503A
Martin WRW, 454A
Martinez K, 405A
Marx A, 469A
Masdeu J, 391A
Mash DC, 909
Masliah E, 460A, 963
Mason TBA, 511A
Mass MK, 466A, 987A
Mast H, 437A
Masur D, 396A
Mathews T, 470A
Matson GB, 194, 829
Matsuishi T, 978
Matsumura R, 402A
Matsuura T, 455A
Mattei C, 423A
Matthay KK, 496A, 534A
Matthews RT, 326, 644
Mattson DH, 422A
Mattson RH, 473A
Matz P, 432A
May B, 509A
Mayer A, 447A
Mayer SA, 425A
Mayeux R, 393A, 397A, 411A
Mazziotta J, 398A
McAllister JP, 533A
McArthur JC, 393A, 689
McCarron MO, 436A
McCarthy RJ, 411A
McCleary CA, 398A
McClernon DR, 689
McComb RD, 638
McCombe PA, 423A
McCormick ME, 528A
McCrea E, 422A
McCutchan JA, 963, 679
McDermott MP, 393A, 428A, 450A, 459A
McDonald CT, 493A
McDonald JW, 427A
McDonald WM, 129
McDonnell GV, 420A, 457A, 982
McDonnell SK, 447A
McFarland H, 421A, 460A
McFerrin J, 414A
McGarry JD, 516A
McGehee D, 394A
McGuire D, 467A
McIntosh KR, 450A
McKee A, 407A
McKhann GM, 391A, 412A
McKie K, 699
McKie VC, 699
McKinstry RC, 493A
McLean AM, 405A
McLeod J, 986A
McManis PG, 428A
McNeil DE, 537A
McNeil RS, 495A
Medaer R, 986A
Mediati M, 419A
Medina MT, 987A
Mega MS, 395A, 398A, 402A
Mehler MF, 456A
Mehta PD, 400A
Mehta S, 490A
Mehta SP, 400A
Meiner V, 987A
Meiner Z, 987A
Meissner I, 433A
Melendez E, 443A
Mellen Center MD/RN Group, 423A
Mellow AM, 403A
Melnick A, 407A
Melvin J, 515A
Memolli M, 461A
Mendell JR, 415A, 416A, 428A, 986A
Meola G, 305
Merchant C, 397A
Merlini L, 249
Mertens C, 424A
Meschia JF, 441A
Messenheimer JA, 405A, 406A
Mesulam MM, 394A, 909
Mewes K, 409A
Meyer FB, 433A
Meyer J, 517A
Meyer JS, 399A
Meyer R, 988A
Meyer T, 445A
Middleton LT, 414A
Mielke R, 406A
Mifsud V, 434A
Miki T, 115
Mikulis DJ, 530A
Miles DK, 511A, 514A
Miller A, 379
Miller CM, 816
Miller J, 519A
Miller R, 34
Miller SP, 530A
Milman E, 391A
Mimault C, 495A
Min JK, 405A, 588
Minoshima S, 85, 401A, 403A
Mirabella M, 815
Mirra S, 319
Misawa H, 492A
Mix E, 424A
Miyawaki E, 292
Miyoshi Y, 208
Mizuguchi M, 271
Mizusawa H, 987A
Mock BJ, 418A
Mohammad Y, 417A
Mohr DC, 443A
Mohr JP, 435A, 437A, 441A
Mokri B, 433A
Moller D, 501A
Möller M, 554
Monaghan EP, 503A
Mong BH, 453A
Montesanti R, 245
Montesperelli C, 423A
Montouris GD, 502A
Mora M, 249
Morales AG, 531A
Morales J, 521A
Morandi L, 249
Morgan-Hughes JA, 412A
Morgello S, 431A
Morgenstern LB, 471A, 919
Mori E, 394A, 439A
Morishima-Kawashima M, 899
Moroney JT, 435A
Morris JC, 564
Morris PG, 632
Morrish P, 95
Morrison KE, 803
Morrison S, 446A
Morro G, 461A
Mortel KF, 399A
Morton H, 423A
Morton LD, 503A, 504A
Moser AB, 510A, 515A
Moser H, 498A
Moser HW, 498A, 510A, 515A
Moss F, 452A
Moss SD, 496A, 535A
Mostofsky SH, 529A
Mountz J, 60
Mouradian MM, 409A, 455A
Moviglia GA, 461A
MRI-AC for the North American Linomide Trialists, 458A
Mulkern R, 507A
Mull B, 420A
Mullan BP, 503A
Mullany CJ, 433A
Müller K, 705
Müller R-A, 518A
Mullett M, 494A
Multiple Sclerosis Collaborative Research Group, 468A
Münch C, 445A
Munoz S, 500A, 517A
Munsat TL, 412A
Murahashi M, 415A
Murakami Y, 978
Murata K, 402A
Murayama S, 461A
Murdock GA, 398A
Murgia B, 469A
Murphy PL, 397A
Muzik H, 464A
Muzik O, 497A, 518A, 666
Mygland A, 416A

Nabai L, 455A
Nabangchang C, 465A
Nabers MJ, 434A, 436A
Nabors LB, 462A
Nachamkin I, 412A
Nacmias B, 399A
Nagamitsu S, 978
Nagra RM, 426A
Naidu K, 457A
Naidu S, 3, 498A, 513A, 514A, 515A, 516A, 517A
Naini AB, 435A
Nakada T, 418A
Nakamura M, 444A
Nakao N, 879
Nakayama N, 418A
Nance P, 466A
Nance-Sproson TE, 689
Narayana PA, 458A
Narayanan V, 515A, 517A
Nardine TN, 448A
Nash N, 418A
Nash SM, 416A
Natarajan R, 450A
Nations SP, 455A
Naumann M, 973
Navarro X, 727
Neil JJ, 493A
Nelson IP, 412A
Nelson JA, 963, 679
Nelson N, 398A
Nelson SF, 390A, 468A

Nelson TY, 503A
Neto JFL, 395A
Neurology Chief Residents of The Johns Hopkins Hospital, 817
Nevo Y, 510A
Newman DS, 417A
Newsom-Davis J, 147, 452A, 986A
Newton HB, 432A
Nguyen K, 491A
Niaz FE, 447A
Nichols FT, 699
Nicholson HS, 536A
Nicoll JAR, 436A
Nigro MA, 500A, 508A, 517A, 528A
Nigro V, 249
Niimura K, 429A, 492A, 497A, 527A
Nikbakht K, 490A
Nishimura RN, 458A
Nishiwaki Y, 115
Nitrini R, 138
Nixon RA, 396A
Nobbio L, 866
Nochlin D, 402A
Noetzel M, 491A
Nofs J, 508A
Nolan T, 497A
Nonomura Y, 115
Norregaard T, 292
Norris JW, 439A
North American Tizanidine Study Group, 466A
Noseworthy JH, 421A
Nossaman LM, 518A
Nuovo GJ, 368
Nutt JG, 349, 655
Nygaard TG, 447A, 529A, 670
Nylander KD, 535A
Nystrom L, 393A

Oaklander AL, 988A
O'Brien PC, 421A
O'Brien TJ, 503A
O'Connor MJ, 873
O'Connor P, 423A
Odel J, 120
Odin P, 95
Oehler M, 432A
O'Fallon WM, 432A, 433A
Oger J, 986A
Ogihara T, 115
Ogino I, 492A
Ogino MJ, 493A
O'Gorman AM, 530A
O'Grady J, 394A
Ogunniyi A, 659
O'Halloran H, 461A
Ohene-Frempong K, 518A
Ohsugi K, 492A
Okeda R, 987A
Oken B, 655
Okuda O, 492A
Olanow CW, 292, 411A
Oleinik OE, 501A
Olek M, 393A
Oleszak EL, 515A
Oletsky H, 393A
Olinsky S, 515A, 517A
Oliver K, 613
Olivera C, 391A
Oliveri RL, 245
Olney RK, 411A
Oluwole S, 659
Ondo WO, 446A, 449A
O'Neill BP, 431A
O'Neill T, 391A
Onifade MK, 988A
Oniki H, 415A
Onishi Y, 879
Onstead L, 794
Openshaw H, 473A
Oral Myelin Study Group, 459A
Orav J, 393A
Orrell RW, 986A
Osborn B, 417A
Osipov A, 437A
Ostrow P, 434A
Ostuni J, 421A, 460A
Ott A, 776
Ouahchi K, 453A
Ovadia Z, 208
Overby A, 449A

Pachner AR, 391A
Packer RJ, 497A, 513A, 536A
Padovani A, 403A
Pagano M, 493A
Page WF, 469A
Pahwa R, 292
Paik MC, 392A, 472A
Paleologos NA, 432A
Palleros CA, 461A
Pan JW, 498A
Pancelius M, 986A
Pandya DN, 951
Pang JJ, 987A
Panitch H, 459A
Panter S, 432A
Papadimitriou GM, 951
Papadopoullou E, 414A
Papadopoulos M, 138
Pappas BA, 398A
Pappert EJ, 408A
Paramore D, 469A
Parchi P, 402A
Parekh P, 434A
Park YD, 508A
Parker CC, 613
Parkinson Study Group, 747
Parnell J, 473A
Parry-Fielder B, 497A
Parthasarathy A, 457A
Paschall TM, 638
Pasini A, 527A
Passos-Bueno MR, 138
Passov D, 261
Pastorino L, 403A
Patel H, 520A
Paterson DL, 270
Patterson C, 519A
Patterson F, 521A
Patterson MC, 613
Paty D, 986A
Payami H, 655
Pearce RKB, 407A
Pearce WJ, 532A
Pearlman AL, 494A
Pearson A, 461A
Peca B, 441A
Pecora N, 444A
Pedder S, 408A
Peeden JN, 524A
Pelletier G, 465A
Pellock JM, 503A, 504A
Penchaszadeh GK, 41
Pendergrass JC, 452A
Penev PD, 545
Penney J, 604
Penney S, 523A
Percy AK, 498A, 978
Perera M, 423A
Perez J, 403A
Perez-Tur J, 124
Pericak-Vance MA, 376, 453A
Periquet MI, 415A, 416A
Perkin RM, 508A, 528A
Perl DP, 356
Perlman JM, 525A
Perlman SL, 933
Pernin M-O, 986A
Perry R, 699
Pestronk A, 490A
Petajan JH, 452A
Peters C, 498A
Petersen RC, 397A
Petkau J, 379
Petraroli R, 399A
Petric M, 520A
Petroff OAC, 473A
Petterson TM, 421A
Pfeiffer RF, 638
Phelan EM, 501A
Phillips L, 508A
Phillips P, 537A
Phillips SA, 441A
Phulwani P, 502A
Piantadosi C, 499A, 661
Piccini P, 720
Piccolo F, 222
Piepgras DG, 433A
Pietrzyk U, 406A
Piña-Garza JE, 519A
Pinto A, 452A
Pinto R, 535A
Pirastru MI, 469A
Pirch HR, 463A
Planeta CS, 523A
Plioplys AV, 501A
Pocchiari M, 399A
Poewe W, 407A
Pohl D, 500A
Politano L, 249
Polizzi A, 391A
Pollack P, 129
Pollak P, 283
Pollina DA, 395A, 396A, 466A, 494A
Polman CH, 982
Portera-Cailliau C, 335
Posner E, 526A
Potts DC, 472A
Pourrabbani S, 402A
Powell JF, 130
Powers J, 418A
Powers WJ, 469A
Prass E, 512A
Prensky A, 491A, 521A
Price DL, 499A
Price RW, 467A, 675
Priller J, 265
Priore RL, 468A, 816
Pruitt JN, 530A
Prusiner SB, 986A, 986A
Przedborski S, 442A
Przuntek H, 924
Ptáček LJ, 305, 428A
Pugliatti M, 424A, 469A
Pulera MR, 458A
Pullicino P, 434A
Punnett H, 514A
Puranam KL, 490A
Pyzik P, 502A

Qian W-H, 490A
Qin Y, 422A
Quattrone A, 245
Quinn NP, 95, 406A
Quint SR, 405A, 406A
Quinto C, 391A
Quisling RG, 511A
Qureshi AI, 434A, 474A
Qureshi F, 519A

Rabin BA, 499A
Rabinovich H, 529A
Radda GK, 573
Radunović A, 130, 273
Raeymaekers P, 360
Raffaele di Barletta M, 249
Raghavan S, 442A
Rahman S, 412A
Raikhelkar D, 524A
Raine CS, 74
Raininko R, 799
Rajan AB, 440A
Rajasingham S, 513A
Rakugi H, 115
Raman R, 408A, 448A
Ramesar RS, 428A
Ransohoff RM, 461A
Rao S, 379
Raus J, 18
Raymond D, 447A, 670
Raymond GV, 510A
Reboul J, 424A
Reed LA, 564
Reese TG, 951

Rehncrona S, 95
Reich SG, 807
Reife R, 489A, 502A, 503A
Reiman EM, 496A, 535A
Reiners K, 171, 973
Reingold S, 379
Reinshagen M, 500A
Reiss AL, 529A
Reiss M, 443A
Reitz M, 705
Rekate H, 470A
Relman DA, 120
Remich S, 510A
Rensel MR, 423A
Revesz T, 756
Rewcastle NB, 464A
Reyes-Iglesias Y, 440A
Rhead WJ, 513A
Riccio P, 423A
Richard I, 222
Richards SD, 526A
Richardson S, 520A
Richert JR, 420A, 987A
Richert N, 421A, 460A
Riehl J, 426A
Riess O, 924
Rigamonti D, 434A
Riley P, 527A
Rinaldo P, 532A
Ririe D, 305
Ris D, 497A, 498A
Risch NJ, 670
Risner ME, 508A
Ristori G, 423A
Ritchie S, 526A
Ritter FJ, 489A, 503A
Riva R, 444A
Riviello JD, 502A
Rizzo GNV, 470A
Rizzo M, 245, 394A
Robberecht W, 130
Robbins-Tien D, 507A
Roberts D, 493A
Roberts TPL, 622
Robertson D, 408A
Robertson KR, 405A, 406A
Robertson P, 535A
Robinson ED, 420A
Rocca WA, 431A, 447A
Roddy SM, 526A
Rodriguez M, 421A
Roelke K, 473A
Rogers L, 462A
Rohlicek C, 524A
Role LW, 511A
Rollins BJ, 461A
Rollins N, 525A
Roman N, 521A
Romans K, 988A
Romeo E, 527A
Romme LJ, 421A
Ronen G, 523A
Ronnett GV, 513A
Roos RAC, 108
Roos RP, 425A
Roper SN, 429A
Rorke L, 537A
Rosario I, 426A
Rosati G, 424A, 469A
Rosemberg S, 138
Rosen BR, 951
Rosenbaum DM, 441A
Rosenbaum PS, 441A
Rosenblatt B, 524A, 530A
Rosenfeld J, 811
Roses AD, 319, 376
Rosman NP, 502A
Rosovsky M, 535A
Ross BM, 41
Rossman KM, 528A
Rothermel R, 666
Rothman DL, 473A
Rothstein JD, 335, 390A, 412A, 452A
Rothwell JC, 95, 282
Rotterdam H, 120
Roudaut C, 222
Rouhi M, 455A
Rowed DW, 439A
Rowland LP, 180, 397A
Rowley HA, 539, 622, 829
Royal W III, 412A
Rubin AJ, 512A
Rudick RA, 379, 987A
Rudnic EM, 405A
Rudnik-Schöneborn S, 364
Rudolf J, 433A
Ruitenbeek W, 661
Rupprecht R, 422A
Russell JW, 414A, 418A, 419A
Russo D, 443A
Rust RS, 491A, 517A, 521A
Ruth T, 446A
Ryan S, 372
Ryan SG, 489A
Ryan SJ, 400A
Ryoo HL, 410A

Saah AJ, 689
Sabatelli M, 531A
Sabetta G, 661
Sacchi RS, 518A
Sacco RL, 392A, 434A
Sachdeo RC, 489A
Sackellares JC, 429A
Saguer M, 554
Sahar E, 512A
Sahashi K, 879
Sahenk Z, 415A
Sahota A, 659
Sahota P, 425A
Said SM, 500A
Saint-Hilaire MH, 408A
Saito K, 28
Saitoh T, 453A
Sakai T, 115, 978
Sakhi S, 404A
Sakuraba H, 404A
Sakuragawa N, 492A, 534A
Salganicoff L, 511A, 514A
Salin D, 426A
Salowich-Palm L, 438A
Salvatore M, 399A
Salvetti M, 423A
Samuel W, 460A
Sanchez-Ramos J, 457A
Sandberg M, 986A
Sanjak M, 473A
Sanna G, 469A
Sano M, 256, 397A
Sanpei K, 419A
Sansone V, 305
Santavuori P, 799
Santorelli FM, 256
Santos DG, 458A
Saperstein E, 522A
Sapp E, 604
Sartorato E, 442A
Sasaki H, 419A, 455A
Sato K, 492A
Sato N, 115
Sato S, 425A
Saudou F, 712
Sauer M, 364
Saunders AM, 319, 376
Saunders-Pullman R, 447A, 670
Sawada H, 159
Sawaya KL, 438A
Sawle GV, 95, 632
Scaramocci J, 987A
Scaravilli F, 34
Scaravilli T, 34
Schaefer GB, 506A
Schaefer PW, 493A
Schägger H, 661
Schapira AHV, 412A, 443A, 573
Scheffer I, 497A
Schellenberg G, 655
Schelper RL, 564
Schenone A, 866
Scherzer CR, 265
Scheuerer W, 891
Schievink WI, 433A
Schiff D, 431A
Schiffer RB, 459A
Schiffmann R, 613
Schlaug G, 164
Schlotter B, 453A
Schmidt ML, 396A, 564, 595
Schneider S, 465A
Schnur JA, 496A
Schofield P, 794
Schöls L, 924
Schon EA, 180
Schor NF, 491A, 535A
Schreiber SS, 404A
Schreiber W, 469A
Schuette WH, 458A
Schuierer G, 442A
Schultz L, 505A
Schultz LR, 438A
Schulz JB, 326
Schulzer M, 446A
Schwartz A, 469A
Schwartz G, 433A
Schwartz K, 408A
Schwartz KO, 512A
Schwartzman RJ, 448A
Schwarz C, 604
Schwid SR, 422A, 459A
Scinto LFM, 394A
Scott JN, 464A
Scott M, 986A
Scott W, 305
Scott WK, 376
Sechi GP, 424A
Secic M, 423A
Seeber AC, 399A
Seeger RC, 534A
Seko Y, 987A
Sekul EA, 517A, 530A
Selak MA, 454A, 511A, 514A
Selcen D, 455A
Selhorst JB, 457A
Selnes OA, 391A
Sen A, 516A
Sepukty J, 390A
Sergent SM, 436A
Serruya J, 474A
Setty AB, 405A, 406A
Seyal M, 420A
Shackelford D, 439A
Shah N, 515A
Shah PU, 987A
Shalev RS, 512A, 522A, 525A
Shanks M, 124
Shanske S, 256
Shao L, 458A
Shapiro BE, 428A
Shapiro E, 498A
Shapiro FD, 531A
Sharief MK, 68
Sharp FR, 432A
Shaw CE, 130, 273
Shaw PJ, 200
Shaw S, 471A
Sheikh KA, 412A, 413A
Shellenberger K, 466A
Shellenberger MK, 466A
Shen H, 670
Sheps S, 433A
Sheremata WA, 466A
Sherman DL, 503A
Sheth RD, 494A, 526A
Shevell MI, 524A, 527A, 529A, 530A
Shibuya S, 415A
Shield LK, 533A
Shields WD, 503A
Shih AC, 459A
Shimada H, 899
Shimmoto M, 404A
Shimohama S, 159
Shimomura T, 394A
Shinkai Y, 899
Shinobu LA, 326
Shinohara Y, 404A, 453A
Shiojima T, 450A
Shiojiri T, 987A
Shiran SI, 493A

Shodis KA, 473A
Shoji H, 978
Shu SK, 508A, 527A, 528A
Shults CW, 261
Shungu DC, 435A
Shy M, 498A
Sicks JD, 432A, 433A
Siddique T, 453A
Siedenberg R, 405A, 588
Siewert B, 164
Siffert J, 535A
Silva AF, 534A
Silva KP, 534A
Silver K, 530A
Silver KHC, 427A
Silverstein FS, 491A
Sime E, 292
Simonian NA, 987A
Simpson D, 429A
Sindic C, 986A
Sindou Ph, 416A
Singer HS, 528A, 533A
Singh N, 270
Sinor A, 580
Sirikonda P, 525A
Sirven JI, 873
Sisodia SS, 499A
Slatkin NE, 473A
Sliwinski M, 400A
Sliwka U, 437A
Sloan-Brown K, 811
Slone W, 432A
Small S, 397A
Small SL, 270
Smietana S, 489A, 506A
Smiley JF, 909
Smiroldo J, 466A
Smit AAJ, 975
Smit LME, 50
Smith AG, 414A
Smith D, 292
Smith DR, 313
Smith GE, 397A
Smith GV, 427A
Smith JR, 508A
Smith KD, 498A
Smith MF, 504A
Smith RH, 463A
Smith TK, 535A
Smith TW, 399A
Smurawska LT, 439A
Snyder AZ, 493A
Snyder MA, 432A
So EL, 503A
Sobel E, 440A
Soffer D, 987A
Soinila S, 500A
Sokol DK, 519A
Solinas G, 469A
Solodkin A, 564
Soman TB, 493A
Song S, 457A
Sood S, 506A
Sorbi S, 399A
Sorensen AG, 951
Sorensen TL, 461A
Sorenson JA, 418A
Sorie AM, 507A
Sotgiu S, 469A
Sotrel A, 272
Spataro J, 535A
Spears WD, 919
Spector SA, 679
Speer A, 512A
Spencer S, 510A
Spencer T, 437A
Sperling MR, 873
Sperling RA, 393A
Spiera H, 411A
Spies JM, 413A
Spiro A, 415A
Sposto R, 536A
Spuler S, 815
Squires NK, 395A
Sripathi N, 417A
Stadthaus D, 500A
Stakes JW, 951
Staprans S, 675
Starr P, 409A
St Clair M, 689
Stebbins GT, 448A
Stefanatos GA, 529A
Stenroos S, 512A
Stern Y, 393A, 397A
Steup AD, 393A
Stevanin G, 712
Stević Z, 130
Steward BJ, 430A
Stewart WF, 400A
Stiefel M, 783
Stinissen P, 18
St Louis EK, 435A, 472A
Stockhausen WMv, 433A
Stocks A, 988A
Stoessl J, 446A
Stokes A, 523A
Stoll G, 364
Stolp-Smith KA, 421A
Stone L, 421A, 460A
Stram DO, 496A, 534A
Straube A, 891
Strawsburg RH, 489A
Stroke Prevention In Reversible Ischemia Trial (SPIRIT) Study Group, 857
Styles P, 573
Suarez JI, 434A, 474A, 807
Suman VJ, 431A
Sun H, 988A
Sun N, 404A
Sun Y, 988A
Sung G, 434A
Susac JO, 461A
Sussman JP, 522A
Sutherland DER, 727
Sutherland G, 430A
Sutherland RJ, 398A
Suzumura A, 402A
Swann JW, 495A
Swartz BE, 446A
Swash M, 68
Sweeney M, 573
Swink TD, 502A
Swoboda KJ, 512A
Syndulko K, 379
Szabo GK, 300
Szelies B, 406A
Szymanski S, 528A

Tabaraud F, 416A
Tabrizi SJ, 443A, 573
Tabuchi M, 439A
Tadokoro K, 28
Tagawa Y, 28
Tagaya N, 450A
Tagliati M, 431A
Takada A, 455A
Takahashi H, 879
Takahashi M, 28
Takano H, 879
Takashima S, 271
Takayanagi T, 402A
Takeoka M, 493A, 504A
Talbot CJ, 564
Tamargo RR, 434A
Tamaru Y, 402A
Tan E, 222
Tan Z, 404A
Tanaka H, 879
Tang M-X, 397A
Tang P-PZ, 452A
Tani M, 461A
Taniguchi A, 404A, 415A
Tanji K, 256
Tanne D, 438A
Tannenberg T, 794
Tardieu M, 847
Tarsy D, 292
Tashiro K, 419A, 455A
Tavolato B, 34
Tawil R, 305, 428A, 450A, 986A
Taylor DJ, 573
Taylor S, 444A
Tchervenkov C, 524A
Tecoma E, 465A
Tedeschi G, 613
Tein I, 513A, 516A
Teixeira da Silva LS, 138
Telling GC, 986A
Tenner M, 391A
Terakawa H, 444A
Terayama Y, 399A
Terry JB, 434A, 435A, 436A, 472A
Thakor NV, 503A
Thal LJ, 124
Thangavel R, 492A
Then Bergh FT, 422A, 428A
Theodore WH, 393A
Thiel A, 433A
Thirumalai SS, 498A, 522A
Thomas C, 438A
Thomas CE, 326
Thomas S, 436A
Thompson A, 379
Thompson AJ, 236
Thompson P, 398A
Thompson RB, 454A
Thompson RM, 933
Thorarensen O, 372, 518A
Tian HR, 532A
Tiejten GE, 437A
Tilkin P, 130
Tilley BC, 438A
Todak G, 393A
Toga AW, 398A
Tomasi LG, 527A, 528A
Tombran-Tink J, 451A
Tomer A, 526A
Tone B, 532A
Toniolo D, 249
Topaloğlu H, 222
Topaz S, 452A
Topiramate YL Study Group, 489A
Topiramate YP Study Team, 503A
Topiramate YTC Study Group, 502A
Tora L, 712
Tournier-Lasserve E, 885
Tourtellotte WW, 426A
Toyka KV, 973
Trabucchi M, 403A
Traeger EC, 520A
Trauner DA, 465A
Traystman RJ, 335, 503A
Trefz JI, 517A, 530A
Trenkwalder C, 422A, 428A
Trent J, 444A
Triche S, 409A
Trifiletti RR, 442A, 491A, 529A, 533A
Trojanowski JQ, 396A, 564, 595
Troncoso JC, 396A, 401A
Trosch RM, 408A
Trotter J, 491A
Trottier Y, 712
Truwit CL, 933
Tseng C-L, 472A
Tsuji S, 419A, 879
Tsukagoshi H, 879
Tsuruda JS, 444A
Tuchman R, 507A
Tudor C, 509A
Tuff L, 519A
Tuite P, 292
Tupler LA, 500A
Turner C, 432A
Turner RS, 129, 401A
Turski PA, 418A
Tycko B, 397A

Uc EY, 449A
Uchihara T, 987A
Uchino M, 404A
Uehara T, 439A
Ueno S, 402A, 407A
Uitdehaag BMJ, 982, 986A
Ulatowski J, 434A, 474A
Ung H, 412A

Unverzagt FW, 401A
Upton ARM, 406A
Urbanits S, 414A
Urtizberea JA, 222
U.S. Modafinil in Narcolepsy Multicenter Study Group, 425A
Uthman M, 471A
Uyama E, 404A
Uziel G, 495A

Vahedi K, 885
Valentine JS, 135
Valk J, 50
Vallat JM, 416A
Van Broeckhoven C, 108
Van Buchem MA, 108
Van den Berg-Loonen E, 18
van den Broeck M, 108
van den Munckhof P, 409A
van der Knaap MS, 50
Van Doom P, 986A
Van Hoesen GW, 564
Van Houten L, 349
Van Paesschen W, 756
van Waesberghe J-HTM, 982
Varela O, 461A
Vasconcellos EN, 519A
Vasconcelos MM, 534A
Vaughn BV, 405A, 406A
Vendenberghe A, 416A
Ventimiglia J, 508A
Verdecchia M, 527A
Verghese J, 399A
Verhagen Metman L, 409A, 807
Verhoef M, 465A
Verier A, 885
Vermathen P, 194
Vermersch P, 356
Vern BA, 458A
Verny M, 407A
Verweij BH, 528A
Vezina LG, 502A
Vicari S, 499A
Vick NA, 432A
Vidal G, 534A
Videen T, 469A
Vieira ARM, 534A
Vieregge P, 449A
Vieth J, 554
Vigen V, 432A
Vigevano F, 506A
Vignolo L, 403A
Villablanca P, 444A
Villemagne V, 528A
Vincent A, 391A
Vincent AM, 417A
Vincent JD, 847
Vinters HV, 270, 402A
Visintainer P, 391A
Vissing J, 413A
Vitek JL, 129, 409A, 410A
Vockley J, 513A
Voetsch B, 164
Voit T, 495A, 512A
Volk B, 364
Völkel H, 445A
Voll CL, 430A
Volpe J, 491A, 521A
von Brevern M, 117
von Moers A, 512A
Vonsattel JP, 604
Voskuhl RR, 421A
Vu TH, 180, 397A

Wabant EL, 468A
Wagner J, 491A
Wakayama Y, 415A
Wakisaka A, 419A, 455A
Walker RH, 407A, 411A
Wallace AC, 986A
Wallace MR, 679
Wallauer AP, 395A
Wallenberg J, 379
Wallesch C-W, 393A, 454A, 471A
Wallin MT, 469A
Walsh KK, 525A
Walsh M, 407A
Walters A, 522A
Walton DS, 515A
Walz R, 395A
Wanders RJA, 661
Wang AY, 402A
Wang CH, 41
Wang HS, 404A, 415A, 531A
Wang J, 498A
Wang S, 420A
Warach S, 164
Warfield SK, 393A
Waring SC, 397A
Warner JS, 519A
Warner TT, 411A
Warrior D, 449A
Wasay M, 436A
Washington C, 498A
Wasterlain CG, 458A
Watanabe Y, 444A
Watemberg N, 531A
Waterman SA, 147
Watkins PA, 498A
Watson CE, 518A
Weaver S, 430A
Webb S, 403A, 794
Weber A, 512A
Weber-Luxenburger G, 406A
Wedeen VJ, 951
Weeks RA, 720
Weimer LH, 416A
Weiner HL, 313, 393A
Weiner LP, 405A
Weiner MW, 194, 829
Weiner S, 699
Weingart JD, 496A
Weinshenker BG, 379, 421A
Weinstein A, 459A
Weinstein P, 432A
Weinstein S, 502A
Weinstock-Guttman B, 987A
Weis JA, 421A
Weiss KL, 508A
Welsh-Bohmer KA, 319
Wende K, 468A
Weng W, 515A
Wenning GK, 95, 407A
Wermuth P, 171
West WC, 394A
Wharam MD, 496A
Wheat JM, 418A
Wheat K, 473A
Whetsell WO, 408A
Whisnant JP, 421A, 433A
White AT, 452A
White MJ, 580
Whitney JB, 517A
Wicklow K, 554
Widner H, 95
Wiedau-Pazos M, 135
Wieling W, 975
Wienecke R, 230
Wienreb HJ, 440A
Wieser T, 414A, 430A
Wiideman AM, 457A
Wijdicks EFM, 433A, 435A, 472A
Wikström J, 986A
Wiley CA, 963
Wiley RG, 429A, 445A
Wilkinson S, 292
Williams JA, 496A
Williams L, 519A
Williams LS, 441A
Williams MA, 474A
Williams TL, 200
Willis K, 520A, 522A
Willison H, 412A
Willoughby E, 379
Wilner AN, 503A
Wilson JR, 438A
Wilson L, 438A
Windebank AJ, 421A, 451A, 838, 866
Winkelstein JA, 510A
Winkler K, 454A
Wirth B, 364
Wisniewski HM, 400A
Wisniewski KE, 512A
Witteman JCM, 776
Wittenberg L, 794
Wodrich DL, 496A
Wolfe GI, 455A
Wolinsky JS, 458A
Wollack JB, 516A
Womble GP, 489A, 508A
Wong DF, 528A
Wong H, 464A
Wong L-JC, 413A
Wong S, 471A
Wong STC, 622, 829
Wood NW, 412A, 573
Woodard JL, 129
Woodward WR, 349
Working Group on Periodic Paralysis, 428A
Worrall BB, 402A
Worth AJ, 951
Wragg MA, 564
Wrennall JA, 505A
Wszolek EK, 638
Wszolek ZK, 638
Wu J, 494A
Wu O, 951
Wu S, 988A
Wu S-C, 503A
Wu X-W, 420A

Xu J, 41
Xuereb JH, 443A

Yabe I, 455A
Yablon SA, 473A
Yajima S, 455A
Yalnızoğlu D, 222
Yamaguchi H, 595
Yamamoto H, 115
Yamashita H, 394A
Yamashita Y, 978
Yanagihara T, 444A
Yanagisawa K, 899
Yang C-C, 451A
Yang M, 659
Yang P, 431A
Yau MK, 508A
Yaylali I, 507A
Yeh R, 439A
Yeh T-L, 500A
Yepes M, 419A
Yiannoutsos CP, 429A
Yokoi F, 528A
Yokota T, 987A
Yoneda H, 115
Yoshii F, 453A
Yoshiiwa A, 115
Yoshimura M, 899
Young AB, 265, 604
Youngman S, 447A
Younkin DP, 372, 518A
Yount J, 670
Yue Q, 390A, 468A
Yuki N, 28

Zabriskie J, 533A
Zaczynska E, 515A
Zagardo MT, 516A
Zaidat O, 453A
Zamba E, 414A
Zappia M, 245
Zareparsi S, 655
Zatz M, 138
Zee DS, 933
Zee PC, 545
Zellner M, 973
Zerkowski HR, 471A
Zerres K, 364
Zettl UK, 424A
Zhang J, 18, 409A
Zhang L, 180

Zhang Q, 987A
Zhang T, 454A, 511A
Zhang Y, 405A
Zhang Z, 208
Zhao HZ, 987A
Zhong N, 512A
Zhu G, 456A
Zhu RL, 580
Ziegler R, 498A
Zierz S, 414A, 430A, 471A
Zimmerman AW, 524A
Zimmerman R, 537A
Zirzow GC, 613
Zivin JA, 439A
Zoghbi H, 517A
Zoia C, 444A
Zucker M, 490A, 509A
Zulianello L, 986A
Zupanc M, 491A, 521A
Zupanc ML, 503A

Subject Index

Abducens nerve
abducens nerve palsy after lumbar puncture: a literature analysis (Goforth et al) 1997;42:470A
Absence epilepsy; *see* Epilepsy, absence
Absorption
Zydis selegiline: evidence for rapid pregastric absorption of selegiline (Clarke et al) 1997;42:410A
Acanthocytes
dominantly inherited chorea-parkinsonism-dementia-acanthocytosis with red cell protein membrane abnormalities (Walker et al) 1997;42:407A
Accidents, traffic
simulated crashes at intersections in drivers with Alzheimer's disease (Rizzo et al) 1997;42:394A
Acetazolamide
CAG repeat expansion associated with acetazolamide-responsive episodic ataxia (Jen et al) 1997;42:390A
spontaneous mutation in CACNL1A4 caused acetazolamide-responsive episodic ataxia (Baloh et al) 1997;42:468A
Acetylcholine
human amniotic epithelial cells with acetylcholine metabolism are applicable for intracerebral allografting to treat neurological diseases (Sakuragawa et al) 1997;42:492A
Acetylcholine receptors; *see* Receptors, cholinergic
Acquired immunodeficiency syndrome; *see also* HIV
analysis of Epstein-Barr virus subtypes in AIDS-related primary CNS lymphoma (Tagliati and Morgello) 1997;42:431A
analysis of the presence of JC virus DNA in brain biopsy specimens and CSF specimens of AIDS patients with progressive multifocal leukoencephalopathy during treatment with cytosine arabinoside (Major et al) 1997;42:426A
cerebrospinal fluid human immunodeficiency virus type 1 RNA levels are elevated in neurocognitively impaired individuals with acquired immunodeficiency syndrome (Ellis et al) 1997;42:679
focal posterior hemisphere invasive cryptococcal encephalitis: a distinct clinical neuroimaging entity complicating cryptococcal meningitis in AIDS (McGuire et al) 1997;42:467A
Actins
cysteine protease–initiated cell death precedes disruption of the actin cytoskeleton in hyperglycemic neurons (Russell and Feldman) 1997;42:419A
platelet-activating factor receptor–mediated cytoskeletal rearrangements of microtubules and F-actin in developing neural processes (McNeil et al) 1997;42:495A
Activities of daily living
predictors of dependent living after stroke: the role of cognitive impairment (Aboumatar et al) 1997;42:472A
Acute disseminated encephalomyelitis; *see* Encephalomyelitis
Acyl-CoA dehydrogenase; *see* Fatty acid desaturases
Adenoviruses
improved gene transfer into spinal and bulbar motor neurons by adenovirus-mediated gene transfer (Acsadi et al) 1997;42:498A
Adrenoleukodystrophy
bone marrow transplant for adrenoleukodystrophy: 5-year follow-up of 12 engrafted cases (Shapiro et al) 1997;42:498A
X-chromosome inactivation in symptomatic heterozygotes of X-linked adrenoleukodystrophy (Naidu et al) 1997;42:498A
Adult polyglucosan body disease; *see* Polyglucosans
Africa
genetic mutations in late-onset dominant and sporadic ataxia in South Africa (Bryer et al) 1997;42:428A
African Americans
apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A
apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659
triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919
Age factors
cerebellar reorganization after cortical injury is age dependent in humans (Niimura et al) 1997;42:527A
indices of oxidant stress change with age in the nigrostrial system (Sanchez-Ramos et al) 1997;42:457A
modulation of the age at onset of Parkinson's disease by apolipoprotein E genotypes (Zareparsi et al) 1997;42:655
sleep benefit is associated with younger age and milder Parkinson's disease (Comella et al) 1997;42:448A
spinocerebellar ataxia type 6: gaze-evoked and vertical nystagmus, Purkinje cell degeneration, and variable age of onset (Gomez et al) 1997;42:933
Aging
aging and risk factors for cognitive declines (Meyer et al) 1997;42:399A
aging and the brain: a new frontier (Drachman) 1997;42:816 (Neurological progress)
assessment of epidermal nerve fibers to determine the pathobiology of aging (Erdem et al) 1997;42:416A
mild cognitive impairment: normal aging or early Alzheimer's disease? (Petersen et al) 1997;42:397A
reversal of chronic memory impairment induced by long-term brain hypoperfusion in aging rats (de la Torre et al) 1997;42:398A
striatal dopamine transporters studied with methylphenidate decline during normal aging (Chan et al) 1997;42:446A
subjective memory complaints in aging: gender-associated cognitive differences (Murdock et al) 1997;42:398A
Aicardi's syndrome
natural history of Aicardi's syndrome (Rajasingham et al) 1997;42:513A

July issue, pp 1–134; August issue, pp 135–274; September issue, pp 275–538; October issue, pp 539–674; November issue, pp 675–818; December issue, pp 818–1048.

Copyright © 1997 by the American Neurological Association

AIDS; *see* Acquired immunodeficiency syndrome
AIDS dementia complex
relationship between human immunodeficiency virus–associated dementia and viral load in cerebrospinal fluid and brain (McArthur et al) 1997;42:689
Akinesia; *see* Movement disorders
Alleles
allelic association study of an interleukin-10 gene polymorphism in multiple sclerosis (McDonnell et al) 1997;42:420A
α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115
extensive DNA deletion associated with severe disease alleles on spinal muscular atrophy homologues (Wang et al) 1997;42:41
missense allele (A218V) in the rhizomelic chondrodysplasia punctata gene is associated with a milder phenotype (Moser et al) 1997;42:515A
Alteplase
survey of practice patterns of Indiana neurologists and emergency medicine physicians regarding the use of tissue plasminogen activator in acute ischemic stroke (Fleck et al) 1997;42:441A
Alternative medicine
prospective study of the use of alternative therapies in brain tumor patients (Verhoef et al) 1997;42:465A
Alzheimer's disease, analysis
pathological τ proteins in postencephalitic parkinsonism: comparison with Alzheimer's disease and other neurodegenerative disorders (Buée-Scherrer et al) 1997;42:356
plasma amyloid β 1–42 levels are increased in Down's syndrome but not in Alzheimer's disease (Mehta et al) 1997;42:400A
Alzheimer's disease, complications
psychosis and Alzheimer's disease (Harrell et al) 1997;42:401A
Alzheimer's disease, diagnosis
apolipoprotein E genotypes in a neuropathological series from the Consortium to Establish a Registry for Alzheimer's Disease (Welsh-Bohmer et al) 1997;42:319
APP isoforms ratio in platelets: a peripheral diagnostic marker of Alzheimer's disease? (Padovani et al) 1997;42:403A
early neuropathological lesions in late-onset Alzheimer's disease (Troncoso et al) 1997;42:396A
medial temporal lobe area helps differentiate Lewy body disease from Alzheimer's disease (Lippa et al) 1997;42:399A
mild cognitive impairment: normal aging or early Alzheimer's disease? (Petersen et al) 1997;42:397A
Alzheimer's disease, ethnicity
apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A
apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659
Alzheimer's disease, genetics
α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115
apolipoprotein E ε2 does not increase risk of early-onset sporadic Alzheimer's disease (Scott et al) 1997;42:376
apolipoprotein E genotype and survival in Alzheimer's disease (Forno et al) 1997;42:401A
apolipoprotein E genotypes in a neuropathological series from the Consortium to Establish a Registry for Alzheimer's Disease (Welsh-Bohmer et al) 1997;42:319
apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A
apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659
early-onset Alzheimer's disease with a presenilin-1 mutation at the site corresponding to the Volga German presenilin-2 mutation (Crook et al) 1997;42:124
GFAP-APOE transgenic mice: differences in biological effects of astrocyte produced apoE3 and apoE4/lipoproteins (Holtzman et al) 1997;42:987A
increased expression of cell cycle genes in Alzheimer's disease (Sun et al) 1997;42:404A
Alzheimer's disease, mortality
apolipoprotein E genotype and survival in Alzheimer's disease (Forno et al) 1997;42:401A
Alzheimer's disease, pathology
butyrylcholinesterase in the life cycle of amyloid plaques (Guillozet et al) 1997;42:909
decreased glutamate uptake in platelets from Alzheimer's patients (Ferrarese et al) 1997;42:444A
divergent Lewy body burden in limbic versus neocortex across Alzheimer's disease severity stages (Wang et al) 1997;42:402A
early neuropathological lesions in late-onset Alzheimer's disease (Troncoso et al) 1997;42:396A
FDG-PET corrected with synaptophysin density is inversely related to Aβ burden in Alzheimer's disease (Mega et al) 1997;42:398A
in vitro model system of Alzheimer's disease (Anderson et al) 1997;42:405A
metabolic reduction in the posterior cingulate cortex in very early Alzheimer's disease (Minoshima et al) 1997;42:85
Alzheimer's disease, physiopathology
amygdalar atrophy and emotional memory in Alzheimer's disease (Mori et al) 1997;42:394A
simulated crashes at intersections in drivers with Alzheimer's disease (Rizzo et al) 1997;42:394A
Amantadine
amantadine palliates motor response complications in Parkinson's disease (Verhagen Metman et al) 1997;42:409A
α-Amino-3-hydroxy-5-methyl-4-isoxazole propionic acid; *see* Propionic acids
Amitriptyline
double-blind, randomized clinical trial of amitriptyline and mexiletine for painful neuropathy in human immunodeficiency virus infection (Kieburtz et al) 1997;42:429A
Amygdaloid body
amygdalar atrophy and emotional memory in Alzheimer's disease (Mori et al) 1997;42:394A
Amyloid
butyrylcholinesterase in the life cycle of amyloid plaques (Guillozet et al) 1997;42:909
Amyloid β-protein
amyloid β-protein deposition in the leptomeninges and cerebral cortex (Shinkai et al) 1997;42:899

nicotinic receptor stimulation protects neurons against β-amyloid toxicity (Kihara et al) 1997;42:159
plasma amyloid β 1–42 levels are increased in Down's syndrome but not in Alzheimer's disease (Mehta et al) 1997;42:400A

Amyloid β-protein precursor
accumulation of β-amyloid precursor protein in HIV encephalitis: relationship with neuropsychological abnormalities (Giometto et al) 1997;42:34

Amyloidosis
presenilin-1 polymorphism and hereditary cerebral hemorrhage with amyloidosis, Dutch type (Bornebroek et al) 1997;42:108

Amyotrophic lateral sclerosis, analysis
aberrant proteins in amyotrophic lateral sclerosis cerebrospinal fluid (Kasarskis et al) 1997;42:452A
calcium-permeable α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors: a molecular determinant of selective vulnerability in amyotrophic lateral sclerosis (Williams et al) 1997;42:200
elevated protein nitrotyrosine immunoreactivity in patients with amyotrophic lateral sclerosis (Delanty et al) 1997;42:442A
in vivo estimation of human cerebral glutamate with proton magnetic resonance spectroscopy: results of preliminary studies in amyotrophic lateral sclerosis (Cwik et al) 1997;42:454A
mutations in glutamate transporter gene (EAAT2) in amyotrophic lateral sclerosis (Aoki et al) 1997;42:412A
progressive accumulation of protein nitrotyrosine in brain and spinal cord in transgenic mice bearing FALS-associated (G93A) superoxide dismutase 1 (Trifiletti et al) 1997;42:442A

Amyotrophic lateral sclerosis, diagnosis
detection of mutant glutamate transporter mRNA species in amyotrophic lateral sclerosis: a diagnostic marker? (Lin et al) 1997;42:412A

Amyotrophic lateral sclerosis, etiology
do posttranslational modifications of CuZnSOD lead to sporadic amyotrophic lateral sclerosis? (Bredesen et al) 1997;42:135 (Point of view)
increased 3-nitrotyrosine in both sporadic and familial amyotrophic lateral sclerosis (Beal et al) 1997;42:644

Amyotrophic lateral sclerosis, genetics
copper and zinc levels in familial amyotrophic lateral sclerosis patients with CuZnSOD gene mutations (Radunović et al) 1997;42:130 (Letter)
copper/zinc superoxide dismutase 1 and sporadic amyotrophic lateral sclerosis: analysis of 155 cases and identification of a novel insertion mutation (Jackson et al) 1997;42:803
CuZnSOD-associated amyotrophic lateral sclerosis (Radunović et al) (Letter); (Cudkowicz and Brown) (Reply) 1997;42:273
heterogeneity in amyotrophic lateral sclerosis dementia: autopsy data in 14 cases (Al-Shahi et al) 1997;42:397A
linkage of a novel locus for autosomal recessive familial amyotrophic lateral sclerosis (Hentati et al) 1997;42:453A

Amyotrophic lateral sclerosis, pathology
neural serine-protease/serpin-like complexes in neurofilament aggregations of amyotrophic lateral sclerosis (Taniguchi et al) 1997;42:404A

Amyotrophic lateral sclerosis, physiopathology
economic-, caregiver-, and ventilator-dependent stages of amyotrophic lateral sclerosis: prospective correlation with ALS Functional Rating Scale, isometric muscle strength, pulmonary function, SF-36, and Sickness Impact Profile quality of life measures (Brooks et al) 1997;42:473A
insights into the pathophysiology of Parkinson's disease and amyotrophic lateral sclerosis provided by paired cortical magnetic stimulation (McCarthy et al) 1997;42:411A
usefulness of near-infrared light as a communication tool for amyotrophic lateral sclerosis patients (Shinohara et al) 1997;42:404A

Analgesia
analgesic rebound headache in children and adolescents (Vasconcellos et al) 1997;42:519A

Andersen's syndrome
Andersen's syndrome: a distinct periodic paralysis (Sansone et al) 1997;42:305

Angiography
MRA studies should have a more selective indication (Flasterstein et al) 1997;42:518A

Anisotropy
evaluation of apparent diffusion and diffusion anisotropy in normal premature and full-term infants (Neil et al) 1997;42:493A

Anoxia
cerebral hypoxia and glucose deprivation in Sturge-Weber syndrome (Maria et al) 1997;42:511A
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
thalamic echodensities identified by cranial ultrasound scan in the preterm infant: a marker of hypoxic injury? (Perlman et al) 1997;42:525A

Antibodies
antibodies to human basal ganglia and antistreptococcal antibodies in Tourette's syndrome (Singer et al) 1997;42:533A
anticardiolipin antibody titers and risk of recurrent thrombo-occlusive events or death (Tanne et al) 1997;42:438A
antineuronal antibodies in patients with neuroblastoma and paraneoplastic opsoclonus-myoclonus (Antunes et al) 1997;42:534A
association of *Campylobacter jejuni* serotype with antiganglioside antibody in Guillain-Barré syndrome and Fisher's syndrome (Yuki et al) 1997;42:28
effect of Lambert-Eaton myasthenic syndrome antibodies on autonomic neurons in the mouse (Waterman et al) 1997;42:147
focal cerebral ischemia and antiphospholipid antibodies: stroke subtypes and cardiac lesions (D'Olhaberriague et al) 1997;42:437A
GD1b-induced sensory ataxic neuropathy: anti-GD1b antibody is an essential pathogenetic factor (Kusunoki et al) 1997;42:461A
immunoblot characterization of antineuronal antibody targets in Sydenham's chorea (Frucht et al) 1997;42:533A
immunoreactivity of HuR, a novel paraneoplastic antigen: evidence for antibody subspecificity among Hu-positive sera (Nabors and King) 1997;42:462A
infection of chickens with *Campylobacter jejuni* induces an antiganglioside antibody response (Nachamkin et al) 1997;42:412A
mouse model for arthrogryposis multiplex congenita induced by placental transfer of human maternal anti-acetylcholine receptor antibodies (Vincent et al) 1997;42:391A

type I (anti-Yo) antibody–positive paraneoplastic cerebellar degeneration associated with transitional cell carcinoma of the bladder (Greenlee et al) 1997;42:463A

Antibodies, monoclonal

monoclonal antibodies to purified cortical Lewy bodies recognize the mid-size neurofilament subunit (Galvin et al) 1997;42:595

monoclonal antibodies to purified Lewy bodies recognize the mid-sized neurofilament subunit (Galvin et al) 1997;42:396A

SMI-31 immunoreactivity in inclusion body myositis (Spuler and Engel) (Letter); (Askanas et al) (Reply) 1997;42:815

Antichymotrypsin; *see* Chymotrypsin

Anticipation

anticipation and reading of single words alter cortical excitability (Seyal et al) 1997;42:420A

Anticoagulants

dilemma of discontinuation of anticoagulation in patients with intracranial hemorrhage and mechanical heart valve (Wijdicks et al) 1997;42:433A

randomized trial of anticoagulants versus aspirin after cerebral ischemia of presumed arterial origin (Stroke Prevention In Reversible Ischemia Trial Study Group) 1997;42:857

Anticonvulsants

prospective randomized study of prophylactic anticonvulsants in patients with primary or metastatic brain tumors and without prior seizures (Weaver et al) 1997;42:430A

withdrawal of anticonvulsant medication in children with brain tumors (Smietana et al) 1997;42:506A

Antigenic determinants

during scrapie prion propagation protein X binds to a discontinuous epitope on the cellular prion protein (Kaneko et al) 1997;42:986A

Antigens

immunoreactivity of HuR, a novel paraneoplastic antigen: evidence for antibody subspecificity among Hu-positive sera (Nabors and King) 1997;42:462A

T-cell response to mitochondrial antigens in multiple sclerosis and Leber's disease (Salvetti et al) 1997;42:423A

T-cell responses to myelin oligodendrocyte protein and other myelin antigens in multiple sclerosis (Diaz-Villoslada et al) 1997;42:459A

Antigens, CD56

CD56-dependent cytotoxicity of human oligodendrocytes (Antel et al) 1997;42:422A

Antisense oligonucleotides; *see* Oligonucleotides, antisense

Aortic diseases

aortic atherosclerosis is an independent risk factor for stroke (Rajan et al) 1997;42:440A

Aphasia

case-control study of prevalence of epileptiform electroencephalograms in developmental dysphasia (Collins et al) 1997;42:497A

developmental aphasia with epileptiform abnormalities on EEG: clinical features and response to prednisone (Trauner et al) 1997;42:465A

ketogenic diet in the treatment of acquired epileptic aphasia (Bergqvist and Brooks-Kayal) 1997;42:505A

Apnea

maturation of the suck reflex does not predict apnea of prematurity (Richards et al) 1997;42:526A

Apnea, central; *see* Sleep apnea syndromes

Apolipoprotein E

α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115

apolipoprotein E ε2 does not increase risk of early-onset sporadic Alzheimer's disease (Scott et al) 1997;42:376

apolipoprotein E genotype and survival in Alzheimer's disease (Forno et al) 1997;42:401A

apolipoprotein E genotypes in a neuropathological series from the Consortium to Establish a Registry for Alzheimer's Disease (Welsh-Bohmer et al) 1997;42:319

apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A

apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659

GFAP-APOE transgenic mice: differences in biological effects of astrocyte produced apoE3 and apoE4/lipoproteins (Holtzman et al) 1997;42:987A

modulation of the age at onset of Parkinson's disease by apolipoprotein E genotypes (Zareparsi et al) 1997;42:655

Apolipoproteins

APP isoforms ratio in platelets: a peripheral diagnostic marker of Alzheimer's disease? (Padovani et al) 1997;42:403A

Apomorphine

effects of apomorphine on globus pallidus neurons in parkinsonian patients (Hutchison et al) 1997;42:767

Apoptosis; *see* Cell death

Ara-C; *see* Cytarabine

Arachnoid

amyloid β-protein deposition in the leptomeninges and cerebral cortex (Shinkai et al) 1997;42:899

outcome for leptomeningeal metastases in childhood treated with intrathecal thiotepa (Fisher et al) 1997;42:536A

Arm

selective dorsal rhizotomy for cerebral palsy children: preoperative and intraoperative factors predicting improvement in upper limb function (Koo et al) 1997;42:500A

Aromatic amino acid decarboxylases

aromatic L-amino acid decarboxylase deficiency: expansion of the clinical phenotype and therapeutic intervention in 2 infants (Swoboda et al) 1997;42:512A

Arrhythmia

Andersen's syndrome: a distinct periodic paralysis (Sansone et al) 1997;42:305

proposed mutation, Val781Ile, associated with hyperkalemic periodic paralysis and cardiac dysrhythmia is a benign polymorphism (Green et al) 1997;42:253

Arterial occlusive diseases

frequency and clinical correlates of occlusive lesions of intracranial and extracranial arteries in stroke-free population: evaluation by MR angiography (Uehara et al) 1997;42:439A

Arteries, pathology

primary arteriopathy in traumatic cervicocephalic arterial dissections (Mokri et al) 1997;42:433A

Arteriovenous malformations

neurologic deficit, disability, and handicap among survivors of incident arteriovenous malformation hemorrhage (Hartmann et al) 1997;42:437A

Arthrogryposis
mouse model for arthrogryposis multiplex congenita induced by placental transfer of human maternal anti-acetylcholine receptor antibodies (Vincent et al) 1997; 42:391A
Artificial heart; *see* Heart, artificial
Ashkenazi Jews; *see* Jews
Asphyxia
seizures after asphyxic arrest in piglets are associated with increased neocortical injury (Ichord et al) 1997; 42:503A
Aspirin
randomized trial of anticoagulants versus aspirin after cerebral ischemia of presumed arterial origin (Stroke Prevention In Reversible Ischemia Trial Study Group) 1997;42:857
rapid decline of transcranial embolic signals in acute stroke patients after intravenous aspirin (Baeumer et al) 1997;42:471A
Astrocytes
cytokine networks in human CNS identified in cultured human neurons, astrocytes, and microglia (Kim) 1997; 42:424A
GFAP-APOE transgenic mice: differences in biological effects of astrocyte produced apoE3 and apoE4/lipoproteins (Holtzman et al) 1997;42:987A
host response to transplantation of astrocytes from adult brains, a possible role for transforming growth factor β (Azizi and Chitnis) 1997;42:422A
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
Astrocytoma
dissociated sleep components in a patient with a pontomesencephalic astrocytoma (Bianchin et al) 1997;42: 470A
8-in-1 chemotherapy and radiotherapy for high-grade spinal cord astrocytoma (Allen et al) 1997;42:536A
natural history of childhood low-grade astrocytomas: a preliminary analysis (Fisher et al) 1997;42:496A
reduced *TSC2* RNA and protein in sporadic astrocytomas and ependymomas (Wienecke et al) 1997;42:230
Ataxia
ataxia due to loss of the Purkinje cell–specific glutamate transporter EAAT4 (Maragakis et al) 1997;42:390A
CAG repeat expansion associated with acetazolamide-responsive episodic ataxia (Jen et al) 1997;42:390A
congenital X-linked nonprogressive ataxia: linkage studies in a second family (Bertini et al) 1997;42:499A
frataxin gene of Friedreich's ataxia is targeted to mitochondria (Priller et al) 1997;42:265 (Expedited publication)
GD1b-induced sensory ataxic neuropathy: anti-GD1b antibody is an essential pathogenetic factor (Kusunoki et al) 1997;42:461A
neurological outcome in chlidren with opsoclonus-myoclonus-ataxia syndrome and neuroblastoma: a report from the Children's Cancer Group (Khakoo et al) 1997;42:496A
otolith–ocular responses in familial episodic ataxia linked to chromosome 19p (Furman) 1997;42:189
severe form of ataxia with isolate vitamin E deficiency caused by exon skipping of α-tocopherol transfer protein mRNA (Ueno et al) 1997;42:402A
spontaneous mutation in CACNL1A4 caused acetazolamide-responsive episodic ataxia (Baloh et al) 1997; 42:468A
Ataxia, spinocerebellar; *see* Spinocerebellar degeneration
Ataxia telangiectasia
delayed diagnosis of ataxia-telangiectasia (Cabana et al) 1997;42:510A
Atherosclerosis
aortic atherosclerosis is an independent risk factor for stroke (Rajan et al) 1997;42:440A
clinical history and brain imaging features in cardioembolic and atherosclerotic strokes (Gan et al) 1997;42: 434A
Atrophy
evidence of apoptotic cell death in multiple-system atrophy (Charles et al) 1997;42:408A
hippocampal formation volumes: normal control data for children (Phulwani et al) 1997;42:502A
Attention
methylphenidate may unmask obsessive-compulsive symptoms in attention-disordered adults (Duane) 1997;42: 396A
Attention deficit disorder
attention-deficit disorder: rating scales do not add up (Thirumalai and Sussman) 1997;42:522A
differential neurological examination and cognitive characteristics of methylphenidate- versus pemoline-responsive boys with ADD/LD (Duane and Raikhelkar) 1997;42: 524A
Attention deficit disorder with hyperactivity
dopaminergic therapy in restless legs syndrome/periodic limb movements in sleep with attention-deficit hyperactivity disorder (Kugler et al) 1997;42:522A
evaluation of cerebellar size in attention-deficit hyperactivity disorder (Mostofsky et al) 1997;42:529A
Australia
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
Autism
altered serotonin synthesis in the dentatothalamocortical pathway in autistic boys (Chugani et al) 1997;42:666
childhood disintegrative disorder: Heller's "dementia infantilis" revisited (Rosman et al) 1997;42:502A
differences in brain serotonin synthesis capacity during development in autistic and nonautistic children (Chugani et al) 1997;42:497A
familial clustering of autoimmune diseases in autism (Comi et al) 1997;42:524A
Autoantibodies
serum autoantibodies to human temporal lobe cortex in children with epilepsy and language dysfunction (Connolly et al) 1997;42:490A
Autoantigens
testosterone therapy ameliorates experimental autoimmune encephalomyelitis and induces a Th2 bias in the autoantigen-specific T-lymphocyte response (Voskuhl et al) 1997;42:421A
Autoimmune diseases
acute myoclonus secondary to group A β-hemolytic streptococcus infection: a PANDAS variant (DiFazio et al) 1997;42:521A
familial clustering of autoimmune diseases in autism (Comi et al) 1997;42:524A
Automobile driving
impaired recognition of traffic signs in demented drivers (Brashear et al) 1997;42:401A
simulated crashes at intersections in drivers with Alzheimer's disease (Rizzo et al) 1997;42:394A

Autonomic nervous system
effect of Lambert-Eaton myasthenic syndrome antibodies on autonomic neurons in the mouse (Waterman et al) 1997;42:147
neuropathic and autonomic effects of intramuscular podophyllin (Freeman et al) 1997;42:416A
quantitative assessment of cardiovascular autonomic function in Guillain-Barré syndrome (Flachenecker et al) 1997;42:171
Autopsy
heterogeneity in amyotrophic lateral sclerosis dementia: autopsy data in 14 cases (Al-Shahi et al) 1997;42:397A
Autovaccine; *see* Vaccines
Axons
axonal form of Guillain-Barré syndrome in Japan (Yoshii et al) 1997;42:453A
calpains and calpastatin in axonal degeneration (Glass et al) 1997;42:418A
clinical application of magnetic resonance axonography (Nakada et al) 1997;42:418A
congenital axonal neuropathy caused by deletions in the spinal muscular atrophy region (Korinthenberg et al) 1997;42:364
inhibition of axonal growth from sensory neurons by excess nerve growth factor (Conti et al) 1997;42:838
insulin-like growth factor-1 promotes the interaction of Schwann cells with axons (Cheng et al) 1997;42:418A
meningeal derived chemotrophic factor inhibits growth of cerebellar granule cell axons (Bicknese et al) 1997;42:494A

Baclofen
progressive dystonia in a child with chromosome 18p deletion, treated with intrathecal baclofen therapy (Awaad et al) 1997;42:517A
Bacterial meningitis; *see* Meningitis, bacterial
Basal ganglia
antibodies to human basal ganglia and antistreptococcal antibodies in Tourette's syndrome (Singer et al) 1997;42:533A
multicenter clinicopathological study of corticobasal degeneration (Wenning et al) 1997;42:407A
neuropsychiatric features of corticobasal degeneration (Litvan et al) 1997;42:395A
novel basal ganglia disease with dominant inheritance (Hund and Schuierer) 1997;42:442A
Basal lamina; *see* Basement membrane
Basement membrane
altered immunoreactivity and ultrastructure changes of sarcolemma and basal lamina in limb-girdle muscular dystrophy (Li et al) 1997;42:415A
Batten disease; *see* Neuronal ceroid-lipofuscinosis
Bcl2 antisense oligonucleotides; *see* Oligonucleotides, antisense
Behavior
long-term cognitive and behavioral effects of the ketogenic diet on children and young adults (Demeritte et al) 1997;42:508A
Benzodiazepine receptors; *see* Receptors, GABA-benzodiazepine
β-Amyloid precursor protein; *see* Amyloid β-protein precursor
Bilateral perisylvian polymicrogyria; *see* Polymicrogyria
Biochemistry
neurodegenerative diseases with cytoskeletal pathology: a biochemical classification (Dickson) 1997;42:541 (Editorial)
Biopsy
motor nerve biopsy in Guillain-Barré syndrome (Lange et al) 1997;42:450A
treatment outcomes in children with biopsy-diagnosed gliomatosis cerebri (McNeil et al) 1997;42:537A
X-linked Emery-Dreifuss muscular dystrophy can be diagnosed from skin biopsy or blood sample (Mora et al) 1997;42:249
Biotin
induction of endogenous protein biotinylation after oxidative stress involves multiple intracellular signaling pathways (Nguyen et al) 1997;42:491A
Bladder neoplasms
type I (anti-Yo) antibody–positive paraneoplastic cerebellar degeneration associated with transitional cell carcinoma of the bladder (Greenlee et al) 1997;42:463A
Blood coagulation disorders
coagulation abnormalities in adults with cryptogenic stroke and patent foramen ovale (Chaturvedi) 1997;42:437A
Blood pressure
are portable folding chairs useful to combat orthostatic hypotension? (Smit et al) 1997;42:975
stroke prevention: assessment of risk in a community. the SPARC Study, Part 1: blood pressure trends, treatment, and control (Meissner et al) 1997;42:433A
Blood tests; *see* Hematologic tests
Blood transfusion
neurological outcome in patients with sickle syndromes and Moyamoya phenomenon (Thorarensen et al) 1997;42:518A
Blood volume
correlation of increases in cortical blood volume and cytochrome aa_3 oxidation with enhanced γ-electrocorticographic activity and eye movement bursts during REM sleep in cats (Vern et al) 1997;42:458A
B-OH butyrate; *see* Butyrates
Bone marrow transplantation
bone marrow transplant for adrenoleukodystrophy: 5-year follow-up of 12 engrafted cases (Shapiro et al) 1997;42:498A
critical illness polyneuropathy in patients with bone marrow transplantation for hematological malignancies (Openshaw and Slatkin) 1997;42:473A
Books
On Call Neurology, edited by Marshall and Mayer (Neurology Chief Residents of The Johns Hopkins Hospital) 1997;42:817
Cerebrovascular Disease, edited by Batjer (Gress) 1997;42:674
Neurology of Hereditary Metabolic Diseases of Children, ed 2, by Lyon et al (Ferriero) 1997;42:133
Borrelia burgdorferi
cognitive-specific deficits in chronic Lyme disease (Pollina et al) 1997;42:395A
localization of Lyme disease and relapsing fever spirochetes to the meninges and peripheral nerves in experimental neuroborreliosis by immunohistochemistry (Cadavid et al) 1997;42:391A
psychiatric status and cognitive functioning in Lyme disease (Krupp et al) 1997;42:395A
Botulinum toxins
treatment of gustatory sweating with botulinum toxin (Naumann et al) 1997;42:973

Brachial plexus
early EMG denervation after neonatal brachial plexus injury: neurophysiological correlates in newborn piglets (McCormick et al) 1997;42:528A
Brachytherapy
concurrent carboplatin and iodine-125 brachytherapy for recurrent glioblastoma multiforme (Chamberlain and Kormanik) 1997;42:431A
Brain, abnormalities
magnetic resonance imaging in classification of congenital muscular dystrophies with brain abnormalities (van der Knaap et al) 1997;42:50
malformations of cortical development: a pediatric perspective (Leventer et al) 1997;42:501A
new familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency (Dionisi-Vici et al) 1997;42:661
Brain, analysis
alteration of brain neutral glycosphingolipids in myelin disease (Hogan and Dasgupta) 1997;42:420A
developmental expression of carnosinase in rat brain and serum (Arai and Sakuragawa) 1997;42:534A
differential distribution of the normal and mutated forms of huntingtin in the human brain (Gourfinkel-An et al) 1997;42:712
huntingtin localization in brains of normal and Huntington's disease patients (Sapp et al) 1997;42:604
tuberin loss from cerebral tissues (Vinters et al) (Letter); (Mizuguchi and Takashima) (Reply) 1997;42:270
Brain, blood supply
ischemic brain tissue reperfused after early systemic thrombolytic therapy (Heiss et al) 1997;42:433A
reversal of chronic memory impairment induced by long-term brain hypoperfusion in aging rats (de la Torre et al) 1997;42:398A
Brain, growth and development
cavum septi pellucidi and cavum vergae in normal and developmentally delayed populations (Bodensteiner et al) 1997;42:506A
changes in brain volume in children with neurofibromatosis 1 (Greenwood et al) 1997;42:500A
Brain, metabolism
cerebral glucose transport and metabolism in diabetes mellitus (Powers et al) 1997;42:469A
Brain, microbiology
measuring the "viral load" in cerebrospinal fluid in human immunodeficiency virus infection: window into brain infection? (Price and Staprans) 1997;42:675 (Editorial)
relationship between human immunodeficiency virus–associated dementia and viral load in cerebrospinal fluid and brain (McArthur et al) 1997;42:689
Brain, physiology
aging and the brain: a new frontier (Drachman) 1997;42:816 (Neurological progress)
Brain, physiopathology
aging and the brain: a new frontier (Drachman) 1997;42:816 (Neurological progress)
changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease (Limousin et al) 1997;42:283
Brain, ultrasonography
neonatal sonography brain imaging may have a predictive value concerning developmental outcome in neural tube disorders (Ronen et al) 1997;42:523A
thalamic echodensities identified by cranial ultrasound scan in the preterm infant: a marker of hypoxic injury? (Perlman et al) 1997;42:525A
Brain abscess
brain abscesses in pediatric patients with cancer (Antunes et al) 1997;42:521A
Brain death
EEG evaluation of brain death in newborns (Roddy and Ashwal) 1997;42:526A
Brain diseases; *see also specific diseases*
complex I defects in children with encephalomyopathies and myopathies are associated with heterogenous clinical profiles (Selak et al) 1997;42:514A
immunovasculopathological basis of recurrent encephalopathies with endocrine disturbance (Behan and Chaudhuri) 1997;42:462A
maternally inherited encephalopathy associated with a single-base insertion in the mitochondrial tRNA ^{Trp} gene (Santorelli et al) 1997;42:256
microangiopathy of the brain, retina, and cochlea (Susac's syndrome): report of five new cases and review of the literature (Berger et al) 1997;42:461A
new familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency (Dionisi-Vici et al) 1997;42:661
possible defect in pyruvate transport in skeletal muscle mitochondria from four children with encephalomyopathies and myopathies (Selak et al) 1997;42:514A
underlying biochemical defects in mitochondrial encephalomyopathies do not correlate with clinical or neuroradiological findings (Selak et al) 1997;42:511A
Brain edema
hypertonic saline as a treatment method for cerebral edema and intracranial hypertension: clinical and radiographic correlation (Suarez et al) 1997;42:474A
Brain injuries
developmental sensitivity profile to traumatic injury in the rat brain: potentiation by NMDA receptor antagonists (Bittigau et al) 1997;42:500A
^{1}H-MR spectroscopy in acute brain injury: outcome prediction in pediatric patients (Ashwal et al) 1997;42:527A
predictive value of proton MRS in closed head injury in children (Shu et al) 1997;42:528A
twin study of cystic periventricular leukomalacia (Fine-Smith et al) 1997;42:525A
Brain neoplasms; *see also specific neoplasms*
functional brain mapping with PET in the preoperative neurosurgical planning for pediatric brain tumors (Kaplan et al) 1997;42:496A
herpes simplex encephalitis in two patients treated for metastatic brain tumor (Maniar et al) 1997;42:462A
intra-arterial carboplatin and intravenous etoposide for the treatment of metastatic brain tumors: preliminary results (Newton et al) 1997;42:432A
monofocal cerebral demyelination simulating brain tumors (Gutrecht et al) 1997;42:463A
mRNA expression of tissue inhibitors of metalloproteinases 1 to 4 in human brain tumors: a putative relationship between inhibitor levels and tumor histopathology (Groft et al) 1997;42:464A
natural history of childhood low-grade astrocytomas: a preliminary analysis (Fisher et al) 1997;42:496A
neurocognitive outcome in children with medulloblastoma: results of prospective, longitudinal testing (Packer et al) 1997;42:497A
permeability and physiological spaces in gliomas (Paleologos et al) 1997;42:432A
PET using [^{18}F]fluorodeoxyglucose and [^{11}C]L-methionine to metabolically characterize dysembryoplastic

neuroepithelial tumors (Kaplan et al) 1997;42:535A
primary brain tumors as a secondary malignancy in patients with systemic cancer (Blumenthal and DeAngelis) 1997;42:431A
prospective randomized study of prophylactic anticonvulsants in patients with primary or metastatic brain tumors and without prior seizures (Weaver et al) 1997;42:430A
prospective study of the use of alternative therapies in brain tumor patients (Verhoef et al) 1997;42:465A
treatment outcomes in children with biopsy-diagnosed gliomatosis cerebri (McNeil et al) 1997;42:537A
withdrawal of anticonvulsant medication in children with brain tumors (Smietana et al) 1997;42:506A

Brain stem
massive posterior inferior cerebellar artery infarction and brainstem compression with benign clinical course (Dennis et al) 1997;42:441A
patterns of recurrence of intrinsic infiltrating brainstem gliomas (Siffert et al) 1997;42:535A

Brain tissue transplantation
human amniotic epithelial cells with acetylcholine metabolism are applicable for intracerebral allografting to treat neurological diseases (Sakuragawa et al) 1997;42:492A
short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease (Wenning et al) 1997;42:95

Breast neoplasms
primary brain tumors as a secondary malignancy in patients with systemic cancer (Blumenthal and DeAngelis) 1997;42:431A

Bronchopulmonary dysplasia
bronchopulmonary dysplasia increases risk for later neurological sequelae in preterm survivors (Majnemer et al) 1997;42:527A

Butyrates
blood B-OH butyrate levels and management of the ketogenic diet (Gilbert et al) 1997;42:502A

Butyrylcholinesterase
butyrylcholinesterase in the life cycle of amyloid plaques (Guillozet et al) 1997;42:909

CAG repeats; *see* Trinucleotide repeats

Calcium
calcium-permeable α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors: a molecular determinant of selective vulnerability in amyotrophic lateral sclerosis (Williams et al) 1997;42:200
propagating calcium waves precede spreading depression (Kunkler and Kraig) 1997;42:435A

Calcium channels
calcium channels in neurological disease (Greenberg) 1997;42:275 (Neurological progress)
specificity of Lambert-Eaton myasthenic syndrome immunoglobulin (IgG) for cloned neuronal voltage-gated calcium channels (Pinto et al) 1997;42:452A
spinocerebellar ataxia type 6: CAG repeat expansion in α_{1A} voltage-dependent calcium channel gene and clinical variations in Japanese population (Ikeuchi et al) 1997;42:879

Calpain
calpains and calpastatin in axonal degeneration (Glass et al) 1997;42:418A

Calpastatin
calpains and calpastatin in axonal degeneration (Glass et al) 1997;42:418A

Campylobacter jejuni
association of *Campylobacter jejuni* serotype with antiganglioside antibody in Guillain-Barré syndrome and Fisher's syndrome (Yuki et al) 1997;42:28
infection of chickens with *Campylobacter jejuni* induces an antiganglioside antibody response (Nachamkin et al) 1997;42:412A

Canada
is the incidence of primary CNS lymphoma increasing? a population-based study of incidence, clinicopathological features, and outcomes in Alberta from 1975 to 1996 (Hao et al) 1997;42:463A
long-term glioblastoma multiforme survivors: a population-based study in Alberta from 1975 to 1991 (Scott et al) 1997;42:464A

Cancer; *see* Neoplasms

Capsid
human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847

Carbamazepine
neuromuscular transmission defect caused by carbamazepine (Zaidat et al) 1997;42:453A
pharmacokinetic evaluation of twice-daily controlled-release carbamazepine and four-times-daily immediate-release carbamazepine in patients with epilepsy (Garnett et al) 1997;42:405A

Carboplatin
concurrent carboplatin and iodine-125 brachytherapy for recurrent glioblastoma multiforme (Chamberlain and Kormanik) 1997;42:431A
intra-arterial carboplatin and intravenous etoposide for the treatment of metastatic brain tumors: preliminary results (Newton et al) 1997;42:432A

Carcinoma, non–small cell lung
carcinomatous meningitis secondary to non–small cell lung cancer: combined-modality therapy (Chamberlain and Kormanik) 1997;42:464A

Carcinoma, transitional cell
type I (anti-Yo) antibody–positive paraneoplastic cerebellar degeneration associated with transitional cell carcinoma of the bladder (Greenlee et al) 1997;42:463A

Cardiac arrest; *see* Heart arrest

Cardiac dysrhythmia; *see* Arrhythmia

Cardiac ischemia; *see* Coronary disease

Cardiomyopathy
new familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency (Dionisi-Vici et al) 1997;42:661
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A

Carnitine palmityltransferases
carnitine palmityltransferase II deficiency: three novel mutations (Wieser et al) 1997;42:414A
manifesting heterozygosity in carnitine palmitoyl transferase II deficiency resulting from the ser 113 leu mutation (Tein et al) 1997;42:516A

Carnosinase
developmental expression of carnosinase in rat brain and serum (Arai and Sakuragawa) 1997;42:534A

Carotid arteries, surgery
reducing costs of carotid surgery (Smurawska et al) 1997; 42:439A
Carotid stenosis
brain-specific protein C activation during carotid artery occlusion in humans (Macko et al) 1997;42:438A
MRI and pathology findings in low-flow ischemic lesions (Pullicino et al) 1997;42:434A
Cataract
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A
Caucasians
apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A
triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919
Cavum septi pellucidi/cavum vergae
cavum septi pellucidi and cavum vergae in normal and developmentally delayed populations (Bodensteiner et al) 1997;42:506A
Cell cycle
altered cell proliferative capacity in children with spina bifida (Graf and Oleinik) 1997;42:501A
increased expression of cell cycle genes in Alzheimer's disease (Sun et al) 1997;42:404A
Cell death
apoptosis and virus-induced demyelination (Roos et al) 1997;42:425A
CLN3 defines a novel antiapoptotic pathway operative in neurodegeneration and mediated by ceramide (Puranam et al) 1997;42:490A
cysteine protease–initiated cell death precedes disruption of the actin cytoskeleton in hyperglycemic neurons (Russell and Feldman) 1997;42:419A
evidence of apoptotic cell death in multiple-system atrophy (Charles et al) 1997;42:408A
human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
mitotic arrest, and not DNA damage, is the trigger for apoptosis or morphological differentiation in neural crest tumor cells (Schor et al) 1997;42:535A
multiple sclerosis: oligodendrocytes display cell death–related molecules in situ but do not undergo apoptosis (Bonetti and Raine) 1997;42:74
transforming growth factor β1 protects skeletal muscle cells from oxidative stress–induced injury and apoptosis (Selcen et al) 1997;42:455A
Cell line
in vitro model system of Alzheimer's disease (Anderson et al) 1997;42:405A
Cellular inclusions
increased accumulation of transciption factor NF-κB in vacuolated muscle fibers of inclusion body myositis (Yang et al) 1997;42:451A
molecular genetics of autosomal recessive hereditary inclusion body myopathy (Middleton et al) 1997;42:414A
SMI-31 immunoreactivity in inclusion body myositis (Spuler and Engel) (Letter); (Askanas et al) (Reply) 1997;42:815
Central apnea; *see* Sleep apnea syndromes
Central nervous system
monocyte chemoattractant protein-1 expression in the nervous system of trangenic mice (Tani et al) 1997;42: 461A
Central nervous system diseases
congenital panneuropathy with central nervous system involvement (Cilio et al) 1997;42:531A
polymerase chain reaction–based detection of *Tropheryma whippelii* in central nervous system Whipple's disease (Lynch et al) 1997;42:120
Central nervous system neoplasms
analysis of Epstein-Barr virus subtypes in AIDS-related primary CNS lymphoma (Tagliati and Morgello) 1997; 42:431A
is the incidence of primary CNS lymphoma increasing? a population-based study of incidence, clinicopathological features, and outcomes in Alberta from 1975 to 1996 (Hao et al) 1997;42:463A
risk factors for primary central nervous system lymphoma: a case-control study (Schiff et al) 1997;42:431A
Ceramides
CLN3 defines a novel antiapoptotic pathway operative in neurodegeneration and mediated by ceramide (Puranam et al) 1997;42:490A
Cerebellar ataxia
analysis of SCA6 mutation in late-onset pure cerebellar ataxia in the Japanese (Yabe et al) 1997;42:455A
autosomal dominant cerebellar ataxia: phenotypic differences in genetically defined subtypes? (Schöls et al) 1997;42:924
CAG repeat expansions in patients with sporadic cerebellar ataxia (Futamura et al) 1997;42:402A
Cerebellar diseases
clinical and neuroimaging features predictive of neurological deterioration in cerebellar hematomas (St. Louis and Wijdicks) 1997;42:435A
delayed-onset cerebellar syndrome (Lynch et al) 1997;42: 407A
massive posterior inferior cerebellar artery infarction and brainstem compression with benign clinical course (Dennis et al) 1997;42:441A
pharmacology of delayed-onset cerebellar tremors (Sechi et al) 1997;42:424A
proton magnetic resonance spectroscopy in patients with sporadic cerebellar degeneration (Terakawa et al) 1997; 42:444A
type I (anti-Yo) antibody–positive paraneoplastic cerebellar degeneration associated with transitional cell carcinoma of the bladder (Greenlee et al) 1997;42:463A
unilateral cerebellar lesions affect initiation of ipsilateral smooth pursuit eye movements in humans (Straube et al) 1997;42:891
Cerebellum
cerebellar reorganization after cortical injury is age dependent in humans (Niimura et al) 1997;42:527A
evaluation of cerebellar size in attention-deficit hyperactivity disorder (Mostofsky et al) 1997;42:529A
localization of neurotrophin-3 prohormone isoforms in developing and adult rat hippocampus and cerebellum (Huff et al) 1997;42:500A
meningeal derived chemotrophic factor inhibits growth of cerebellar granule cell axons (Bicknese et al) 1997;42: 494A
somatosensory representation of the hand in two separate areas of the human cerebellum (Bushara et al) 1997;42:

418A
tracing active demyelinating plaques in postmortem multiple sclerosis cerebellum (Tourtellotte et al) 1997;42:426A
Cerebral amyloid angiopathy
clinicopathological study of hemorrhage in cerebral amyloid angiopathy (McCarron et al) 1997;42:436A
Cerebral aneurysm
incidence and prevalence of intracranial saccular aneurysms and aneurysmal intracranial hemorrhage: a population-based study in Olmsted County, Minnesota, 1965–1995 (Vigen et al) 1997;42:432A
multiple intracranial aneurysms are associated with cigarette smoking (Qureshi et al) 1997;42:434A
Cerebral angiography
cerebral angiographic findings and risk factor profile in a Hispanic male population (García-Rondón and Reyes-Iglesias) 1997;42:440A
frequency and clinical correlates of occlusive lesions of intracranial and extracranial arteries in stroke-free population: evaluation by MR angiography (Uehara et al) 1997;42:439A
MRA studies should have a more selective indication (Flasterstein et al) 1997;42:518A
Cerebral artery disease
cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: clinical, pathological, and radiological findings in a North American family (Desmond et al) 1997;42:435A
detection of persistent fetal posterior cerebral artery by invasive and noninvasive methods (Boyce et al) 1997;42:434A
frequency and clinical correlates of occlusive lesions of intracranial and extracranial arteries in stroke-free population: evaluation by MR angiography (Uehara et al) 1997;42:439A
hyperechoic middle cerebral artery sign after acute occlusion detected by transcranial duplex ultrasonography (Kadimi et al) 1997;42:435A
motor activation in the temporal lobe after perinatal middle cerebral artery stroke: a single-case PET study (Müller et al) 1997;42:518A
Cerebral cortex
amyloid β-protein deposition in the leptomeninges and cerebral cortex (Shinkai et al) 1997;42:899
butyrylcholinesterase in the life cycle of amyloid plaques (Guillozet et al) 1997;42:909
cerebellar reorganization after cortical injury is age dependent in humans (Niimura et al) 1997;42:527A
GABA and reelin are expressed by NT-4–induced excess neurons in the marginal zone of developing neocortex (Brunstrom et al) 1997;42:494A
malformations of cortical development: a pediatric perspective (Leventer et al) 1997;42:501A
malformations of the cerebral cortex presenting with neonatal seizures (da Silva et al) 1997;42:492A
morphometry of in vivo human white matter association pathways with diffusion-weighted magnetic resonance imaging (Makris et al) 1997;42:951
multicenter clinicopathological study of corticobasal degeneration (Wenning et al) 1997;42:407A
neuropsychiatric features of corticobasal degeneration (Litvan et al) 1997;42:395A
ontogeny of ipsilateral corticospinal projections: a developmental study with transcranial magnetic stimulation (Müller et al) 1997;42:705
seizures after asphyxic arrest in piglets are associated with increased neocortical injury (Ichord et al) 1997;42:503A
Cerebral edema; *see* Brain edema
Cerebral embolism and thrombosis
clinical history and brain imaging features in cardioembolic and atherosclerotic strokes (Gan et al) 1997;42:434A
Doppler microembolic signals in 580 patients with prosthetic cardiac valves (Georgiadis and Sliwka) 1997;42:437A
effect of the learning curve on the detection of cardioembolic sources by transesophageal echocardiography (Nabers et al) 1997;42:436A
hyperechoic middle cerebral artery sign after acute occlusion detected by transcranial duplex ultrasonography (Kadimi et al) 1997;42:435A
rapid decline of transcranial embolic signals in acute stroke patients after intravenous aspirin (Baeumer et al) 1997;42:471A
Cerebral hemorrhage
clinical profiles predictive of outcome in pontine hemorrhage (Wijdicks and St. Louis) 1997;42:472A
clinicopathological study of hemorrhage in cerebral amyloid angiopathy (McCarron et al) 1997;42:436A
dilemma of discontinuation of anticoagulation in patients with intracranial hemorrhage and mechanical heart valve (Wijdicks et al) 1997;42:433A
incidence and prevalence of intracranial saccular aneurysms and aneurysmal intracranial hemorrhage: a population-based study in Olmsted County, Minnesota, 1965–1995 (Vigen et al) 1997;42:432A
intraventricular hemorrhage, ventriculomegaly, and white matter disease of prematurity (Kuban et al) 1997;42:493A
neurologic deficit, disability, and handicap among survivors of incident arteriovenous malformation hemorrhage (Hartmann et al) 1997;42:437A
presenilin-1 polymorphism and hereditary cerebral hemorrhage with amyloidosis, Dutch type (Bornebroek et al) 1997;42:108
triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919
Cerebral infarction
cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: clinical, pathological, and radiological findings in a North American family (Desmond et al) 1997;42:435A
diffusion-weighted images in neonates with focal cerebral ischemic infarction (Soman et al) 1997;42:493A
massive posterior inferior cerebellar artery infarction and brainstem compression with benign clinical course (Dennis et al) 1997;42:441A
Cerebral ischemia
Bcl-2 antisense oligonucleotide increases α-amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) toxicity in cortical cultures (White et al) 1997;42:580
cerebral hypoxia and glucose deprivation in Sturge-Weber syndrome (Maria et al) 1997;42:511A
core and prenumbral nitric oxide synthase activity during ischemia and reperfusion (Ashwal et al) 1997;42:532A
diffusion-weighted images in neonates with focal cerebral ischemic infarction (Soman et al) 1997;42:493A
DNA fragmentation in ischemic neonatal rat dentate gyrus and cortex (Pulera et al) 1997;42:458A
does leukoaraiosis predict morbidity and mortality? (Brooks et al) 1997;42:436A

effect of ischemia and reperfusion on the stress-activated protein kinases, JNK/SAPK (Shackelford et al) 1997; 42:439A
focal cerebral ischemia and antiphospholipid antibodies: stroke subtypes and cardiac lesions (D'Olhaberriague et al) 1997;42:437A
functional and metabolic analysis of cerebral ischemia using magnetoencephalography and proton magnetic resonance spectroscopy (Kamada et al) 1997;42:554
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
increased synthesis of $GABA_A$ receptor–active neurosteroids associated wtih global ischemia (Romeo et al) 1997;42:527A
noninvasive imaging of the ischemic penumbra (Rowley) 1997;42:539 (Editorial)
randomized trial of anticoagulants versus aspirin after cerebral ischemia of presumed arterial origin (Stroke Prevention In Reversible Ischemia Trial Study Group) 1997;42:857

Cerebral ischemia, transient
interleukin-converting enzyme YVAD protects the inner retina from transient ischemia (Rosenbaum et al) 1997; 42:441A
persistent phosphorylation of CREB and ATF-2 transcription factors in rat brain after transient cerebral ischemia (Hu et al) 1997;42:439A
transient ischemic attacks and risk of stroke recurrence (Friday et al) 1997;42:440A

Cerebral palsy
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
selective dorsal rhizotomy for cerebral palsy children: preoperative and intraoperative factors predicting improvement in upper limb function (Koo et al) 1997;42:500A

Cerebral ventricles
intraventricular hemorrhage, ventriculomegaly, and white matter disease of prematurity (Kuban et al) 1997;42: 493A

Cerebrospinal fluid
aberrant proteins in amyotrophic lateral sclerosis cerebrospinal fluid (Kasarskis et al) 1997;42:452A
cerebrospinal fluid human immunodeficiency virus type 1 RNA levels are elevated in neurocognitively impaired individuals with acquired immunodeficiency syndrome (Ellis et al) 1997;42:679
decreased cerebrospinal fluid levels of substance P in patients with Rett syndrome (Matsuishi et al) 1997;42: 978
measuring the "viral load" in cerebrospinal fluid in human immunodeficiency virus infection: window into brain infection? (Price and Staprans) 1997;42:675 (Editorial)
relationship between human immunodeficiency virus–associated dementia and viral load in cerebrospinal fluid and brain (McArthur et al) 1997;42:689

Cerebrovascular disorders, complications
anticardiolipin antibody titers and risk of recurrent thrombo-occlusive events or death (Tanne et al) 1997; 42:438A
coagulation abnormalities in adults with cryptogenic stroke and patent foramen ovale (Chaturvedi) 1997;42: 437A
delayed-onset cerebellar syndrome (Lynch et al) 1997;42: 407A
risk of stroke recurrence in well-controlled diabetics (Alter et al) 1997;42:440A
transient ischemic attacks and risk of stroke recurrence (Friday et al) 1997;42:440A

Cerebrovascular disorders, drug therapy
oncodiuretic therapy reduces the development of life-threatening edema after large ischemic stroke (Daru et al) 1997;42:472A

Cerebrovascular disorders, etiology
aortic atherosclerosis is an independent risk factor for stroke (Rajan et al) 1997;42:440A
effect of the learning curve on the detection of cardioembolic sources by transesophageal echocardiography (Nabers et al) 1997;42:436A
etiology and outcome of childhood stroke (Alkersam and Schneider) 1997;42:465A
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
ischemic strokes in the vertebrobasilar artery distribution in children (Sokol et al) 1997;42:519A

Cerebrovascular disorders, pathology
clinical history and brain imaging features in cardioembolic and atherosclerotic strokes (Gan et al) 1997;42: 434A
focal cerebral ischemia and antiphospholipid antibodies: stroke subtypes and cardiac lesions (D'Olhaberriague et al) 1997;42:437A
ischemic lesion volumes in acute stroke by diffusion-weighted magnetic resonance imaging correlate with clinical outcome (Lövblad et al) 1997;42:164

Cerebrovascular disorders, physiopathology
motor activation in the temporal lobe after perinatal middle cerebral artery stroke: a single-case PET study (Müller et al) 1997;42:518A
neurodevelopmental outcome after pediatric arterial ischemic stroke and sinovenous thrombosis (deVeber et al) 1997;42:519A
poor outcome after stroke in Brodmann's area 39 of the dominant hemisphere (Kornhuber et al) 1997;42:466A
predictors of dependent living after stroke: the role of cognitive impairment (Aboumatar et al) 1997;42:472A

Cerebrovascular disorders, prevention and control
high-density lipoprotein: a protective stroke risk factor—the Northern Manhattan Stroke Study (Kargman et al) 1997;42:392A
long-term stroke risk in children with sickle cell disease screened with transcranial Doppler (Adams et al) 1997; 42:699
randomized trial of anticoagulants versus aspirin after cerebral ischemia of presumed arterial origin (Stroke Prevention In Reversible Ischemia Trial Study Group) 1997;42:857
rapid decline of transcranial embolic signals in acute stroke patients after intravenous aspirin (Baeumer et al) 1997;42:471A
stroke prevention: assessment of risk in a community. the SPARC Study, Part 1: blood pressure trends, treatment, and control (Meissner et al) 1997;42:433A

Cerebrovascular disorders, rehabilitation
task-oriented treadmill exercise training reduces spasticity and improves hamstring strength in chronic hemiparetic stroke patients: a preliminary report (Smith et al) 1997;42:427A

Cerebrovascular disorders, therapy
survey of practice patterns of Indiana neurologists and emergency medicine physicians regarding the use of tis-

sue plasminogen activator in acute ischemic stroke (Fleck et al) 1997;42:441A
Cerebrum; *see* Brain
Cervicocephalic arteries
primary arteriopathy in traumatic cervicocephalic arterial dissections (Mokri et al) 1997;42:433A
Chairs
are portable folding chairs useful to combat orthostatic hypotension? (Smit et al) 1997;42:975
Charcot-Marie-Tooth disease
ultrastructural quantification of P0 immunoreactivity on biopsied sural nerves from patients with Charcot-Marie-Tooth disease type 1B (Vallat et al) 1997;42:416A
Chemokine receptors; *see* Receptors, chemokine
Chemotherapy; *see* Drug therapy
Childhood disintegrative disorder
childhood disintegrative disorder: Heller's "dementia infantilis" revisited (Rosman et al) 1997;42:502A
Chondrodysplasia punctata
missense allele (A218V) in the rhizomelic chondrodysplasia punctata gene is associated with a milder phenotype (Moser et al) 1997;42:515A
Chorea
dominantly inherited chorea-parkinsonism-dementia-acanthocytosis with red cell protein membrane abnormalities (Walker et al) 1997;42:407A
immunoblot characterization of antineuronal antibody targets in Sydenham's chorea (Frucht et al) 1997;42:533A
restricted unilateral Sydenham's chorea: reversible contralateral striatal hypermetabolism demonstrated on SPECT scanning (Dilenge et al) 1997;42:529A
Chromosome deletion
association of myopathy with large-scale mitochondrial DNA duplications and deletions: which is pathogenic? (Manfredi et al) 1997;42:180
clinical and magnetic resonance imaging findings in Batten disease: analysis of the major mutation (1.02-kb deletion) (Järvelä et al) 1997;42:799
congenital axonal neuropathy caused by deletions in the spinal muscular atrophy region (Korinthenberg et al) 1997;42:364
extensive DNA deletion associated with severe disease alleles on spinal muscular atrophy homologues (Wang et al) 1997;42:41
progressive dystonia in a child with chromosome 18p deletion, treated with intrathecal baclofen therapy (Awaad et al) 1997;42:517A
Chromosome mapping
X-linked infantile spasms syndrome (MIM 308350) maps to Xp11.4–Xpter in two pedigrees (Claes et al) 1997;42:360
Chromosomes, human, pair 1
mapping of a second locus for familial hemiplegic migraine to 1q21–q23 and evidence of further heterogeneity (Ducros et al) 1997;42:885
Chromosomes, human, pair 8
childhood absence epilepsy: linkage to chromosome 8q24 (Gee et al) 1997;42:987A
idiopathic torsion dystonia linked to chromosome 8 in two Mennonite families (Almasy et al) 1997;42:670
Chromosomes, human, pair 9
frataxin gene of Friedreich's ataxia is targeted to mitochondria (Priller et al) 1997;42:265 (Expedited publication)
Chromosomes, human, pair 17
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
Chromosomes, human, pair 18
progressive dystonia in a child with chromosome 18p deletion, treated with intrathecal baclofen therapy (Awaad et al) 1997;42:517A
sporadic focal dystonia in Northwest Germany: molecular basis on chromosome 18p (Leube et al) 1997;42:111
Chromosomes, human, pair 19
otolith–ocular responses in familial episodic ataxia linked to chromosome 19p (Furman) 1997;42:189
Chymotrypsin
α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115
α1-antichymotrypsin signal peptide polymorphism in sporadic Creutzfeldt-Jakob disease (Salvatore et al) 1997;42:399A
Cigarette smoking; *see* Smoking
Cingulate cortex; *see* Gyrus cinguli
Cingulate gyrus; *see* Gyrus cinguli
***CLN3*; *see* Genes**
Coat proteins; *see* Capsid
Cocaine
dose-response effect of fetal cocaine exposure on newborn neurological function (Chiriboga et al) 1997;42:492A
effects of prenatal cocaine on foot shock–induced behavior, neurochemistry, and CRF expression in the paraventricular nucleus (Planeta et al) 1997;42:523A
Cochlear diseases
microangiopathy of the brain, retina, and cochlea (Susac's syndrome): report of five new cases and review of the literature (Berger et al) 1997;42:461A
Coenzyme Q; *see* Ubiquinone
Coffin-Lowry syndrome
hyperexplexia in Coffin-Lowry syndrome (Cheyette et al) 1997;42:505A
Cognition
cognitive outcomes 5 years after coronary artery bypass grafting (McKhann et al) 1997;42:391A
cognitive performance and regional lesion burden in multiple sclerosis (Sperling et al) 1997;42:393A
differential neurological examination and cognitive characteristics of methylphenidate- versus pemoline-responsive boys with ADD/LD (Duane and Raikhelkar) 1997;42:524A
factors influencing electrophysiologic and behavioral response to novel events (Daffner et al) 1997;42:394A
long-term cognitive and behavioral effects of the ketogenic diet on children and young adults (Demeritte et al) 1997;42:508A
neuroactive steroids can enhance or impair cognition in the rat (Samuel et al) 1997;42:460A
neurocognitive outcome in children with medulloblastoma: results of prospective, longitudinal testing (Packer et al) 1997;42:497A
psychiatric status and cognitive functioning in Lyme disease (Krupp et al) 1997;42:395A
virtual maze navigation studied using PET (Flitman et al) 1997;42:394A
Cognition disorders
aging and risk factors for cognitive declines (Meyer et al) 1997;42:399A
cognitive impairment in families with "pure" hereditary spastic paraparesis (Webb and Hutchinson) 1997;42:

403A
cognitive-specific deficits in chronic Lyme disease (Pollina et al) 1997;42:395A
decrease in performance variability on the Coma Recovery Scale as an index of recovery from a vegetative state (Burton et al) 1997;42:473A
functional status of patients with HIV-1–associated cognitive motor disorders (Albert et al) 1997;42:393A
mild cognitive impairment: normal aging or early Alzheimer's disease? (Petersen et al) 1997;42:397A
predictors of dependent living after stroke: the role of cognitive impairment (Aboumatar et al) 1997;42:472A
randomized, double-blind, placebo-controlled trial of deprenyl and thioctic acid in HIV-associated cognitive impairment (Dana Consortium on the Therapy of HIV Dementia and Related Cognitive Disorders) 1997;42:425A
ventricular volume correlates best with cognitive function in vascular dementia: a prospective MRI study (Murdock et al) 1997;42:398A

Coma
contemporary etiology of coma presenting to an academic medical center (Huff) 1997;42:471A
decrease in performance variability on the Coma Recovery Scale as an index of recovery from a vegetative state (Burton et al) 1997;42:473A

Communication aids for handicapped
usefulness of near-infrared light as a communication tool for amyotrophic lateral sclerosis patients (Shinohara et al) 1997;42:404A

Complex I
coenzyme Q_{10} levels correlate with the activities of complexes I and II/III in mitochondria from parkinsonian and nonparkinsonian subjects (Shults et al) 1997;42:261
complex I defects in children with encephalomyopathies and myopathies are associated with heterogenous clinical profiles (Selak et al) 1997;42:514A
new familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency (Dionisi-Vici et al) 1997;42:661

Complex II/III
coenzyme Q_{10} levels correlate with the activities of complexes I and II/III in mitochondria from parkinsonian and nonparkinsonian subjects (Shults et al) 1997;42:261

Computed tomography; *see* Tomography, x-ray computed

Computerized posturography; *see* Urography

Computers
computerized registry for a movement disorders clinic (Uc) 1997;42:449A

Convulsions, febrile
febrile seizures: an appropriately aged model suitable for long-term studies (Baram et al) 1997;42:505A

Copolymer-1
neuropsychological status in patients with multiple sclerosis after treatment with copolymer-1 (Weinstein et al) 1997;42:459A

Copper
copper and zinc levels in familial amyotrophic lateral sclerosis patients with CuZnSOD gene mutations (Radunović et al) 1997;42:130 (Letter)
copper/zinc superoxide dismutase 1 and sporadic amyotrophic lateral sclerosis: analysis of 155 cases and identification of a novel insertion mutation (Jackson et al) 1997;42:803
CuZnSOD-associated amyotrophic lateral sclerosis (Radunović et al) (Letter); (Cudkowicz and Brown) (Reply) 1997;42:273
do posttranslational modifications of CuZnSOD lead to sporadic amyotrophic lateral sclerosis? (Bredesen et al) 1997;42:135 (Point of view)
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326

Coronary artery bypass
cognitive outcomes 5 years after coronary artery bypass grafting (McKhann et al) 1997;42:391A

Coronary disease
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:588

Corpus callosum
natural history of Aicardi's syndrome (Rajasingham et al) 1997;42:513A

Corpus striatum
dopamine D_1 and D_2 receptor gene expression in the striatum in Huntington's disease (Augood et al) 1997;42:215
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
indices of oxidant stress change with age in the nigrostrial system (Sanchez-Ramos et al) 1997;42:457A
restricted unilateral Sydenham's chorea: reversible contralateral striatal hypermetabolism demonstrated on SPECT scanning (Dilenge et al) 1997;42:529A
simultaneous multineuronal recordings from freely behaving rats (Jog et al) 1997;42:417A
striatal dopamine transporters studied with methylphenidate decline during normal aging (Chan et al) 1997;42:446A
striatonigral peptides, tolerance, and sensitization in a rodent model of Parkinson's disease (Gancher et al) 1997;42:447A

Corticobasal degeneration; *see* Basal ganglia; Cerebral cortex

Corticospinal projections; *see* Cerebral cortex; Spinal cord

Corticotropin-releasing hormone
corticotropin-releasing factor receptors are downregulated in chronically stressed developing rats (Gilles et al) 1997;42:495A
effects of prenatal cocaine on foot shock–induced behavior, neurochemistry, and CRF expression in the paraventricular nucleus (Planeta et al) 1997;42:523A

Costs and cost analysis
reducing costs of carotid surgery (Smurawska et al) 1997;42:439A

Crashes; *see* Accidents, traffic

Creutzfeldt-Jakob syndrome
α1-antichymotrypsin signal peptide polymorphism in sporadic Creutzfeldt-Jakob disease (Salvatore et al) 1997;42:399A
trends in Creutzfeldt-Jakob disease 1976–1996: the Mayo Clinic experience (Aksamit and Chung) 1997;42:426A

Critical illness
acute myopathy of intensive care (Latronico) (Letter); (Lacomis and Giuliani) (Reply) 1997;42:131
critical illness polyneuropathy in patients with bone marrow transplantation for hematological malignancies (Openshaw and Slatkin) 1997;42:473A
terminal extubation in critically ill neurological patients: frequency, procedures, and clinical course (Mayer et al)

1997;42:425A
Cryptococcus
focal posterior hemisphere invasive cryptococcal encephalitis: a distinct clinical neuroimaging entity complicating cryptococcal meningitis in AIDS (McGuire et al) 1997;42:467A
Cryptogenic sensory polyneuropathy; *see* Neuropathies, sensory
Cryptogenic stroke; *see* Cerebrovascular disorders
CT; *see* Tomography, x-ray computed
Cyclophosphamide
immune deviation following pulse cyclophosphamide/methylprednisolone treatment of multiple sclerosis: increased interleukin-4 production and associated eosinophilia (Smith et al) 1997;42:313
Cysteine
novel neuregulin isoform characterized in embryonic mouse (Mason et al) 1997;42:511A
Cysteine protease
cysteine protease–initiated cell death precedes disruption of the actin cytoskeleton in hyperglycemic neurons (Russell and Feldman) 1997;42:419A
Cystic periventricular leukomalacia; *see* Leukomalacia, periventricular
Cytarabine
analysis of the presence of JC virus DNA in brain biopsy specimens and CSF specimens of AIDS patients with progressive multifocal leukoencephalopathy during treatment with cytosine arabinoside (Major et al) 1997;42:426A
MPTP-like parkinsonism secondary to Ara-C: neurochemical and PET findings (Bojko et al) 1997;42:529A
Cytochrome c oxidase
correlation of increases in cortical blood volume and cytochrome aa_3 oxidation with enhanced γ-electrocorticographic activity and eye movement bursts during REM sleep in cats (Vern et al) 1997;42:458A
cytochrome c oxidase deficiency associated with a new stop codon mutation in mitochondrial DNA (Hanna et al) 1997;42:412A
Cytokines
cytokine networks in human CNS identified in cultured human neurons, astrocytes, and microglia (Kim) 1997;42:424A
cytokine profile of myelin basic protein–reactive T cells in multiple sclerosis and healthy individuals (Hermans et al) 1997;42:18
Cytoskeleton
neurodegenerative diseases with cytoskeletal pathology: a biochemical classification (Dickson) 1997;42:541 (Editorial)
platelet-activating factor receptor–mediated cytoskeletal rearrangements of microtubules and F-actin in developing neural processes (McNeil et al) 1997;42:495A

Databases
computerized registry for a movement disorders clinic (Uc) 1997;42:449A
Death
anticardiolipin antibody titers and risk of recurrent thrombo-occlusive events or death (Tanne et al) 1997;42:438A
survival rates of children with severe neurological disabilities (Plioplys et al) 1997;42:501A
triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919
Death, sudden
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:405A, 1997;42:588
Deglutition disorders
unusual presentation of familial inflammatory myopathy (Sripathi et al) 1997;42:417A
Dehydroepiandrosterone
neuroendocrine–immune system interactions: dehydroepiandrosterone plasma levels in multiple sclerosis (Kuempfel et al) 1997;42:428A
Dementia, diagnosis
childhood disintegrative disorder: Heller's "dementia infantilis" revisited (Rosman et al) 1997;42:502A
dementia with Lewy bodies: analysis of clinical criteria (Verghese et al) 1997;42:399A
Memory Impairment Screen: a very brief test of memory and dementia (Buschke et al) 1997;42:400A
screening for dementia: results from the Einstein aging study (Lipton et al) 1997;42:400A
Dementia, etiology
antemortem diagnosis and treatment of subacute diencephalic angioencephalopathy (Ryan et al) 1997;42:400A
early-onset dementia as a manifestation of the 4269 mitochondrial DNA mutation (Fadic et al) 1997;42:443A
Dementia, genetics
autosomal dominant dementia with widespread neurofibrillary tangles (Reed et al) 1997;42:564
familial parkinsonism, dementia, and Lewy body disease: study of Family G (Denson et al) 1997;42:638
heterogeneity in amyotrophic lateral sclerosis dementia: autopsy data in 14 cases (Al-Shahi et al) 1997;42:397A
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
Dementia, pathology
autosomal dominant dementia with widespread neurofibrillary tangles (Reed et al) 1997;42:564
dendritic injury is a pathologic substrate for human immunodeficiency virus–related cognitive disorders (Masliah et al) 1997;42:963
dominantly inherited chorea-parkinsonism-dementia-acanthocytosis with red cell protein membrane abnormalities (Walker et al) 1997;42:407A
Dementia, physiopathology
impaired recognition of traffic signs in demented drivers (Brashear et al) 1997;42:401A
Dementia, prevention and control
dietary fat intake and the risk of incident dementia in the Rotterdam study (Kalmijn et al) 1997;42:776
Dementia, surgery
pallidotomy as a treatment for medically intractable dementia (Vitek et al) 1997;42:409A
Dementia, vascular
ventricular volume correlates best with cognitive function in vascular dementia: a prospective MRI study (Murdock et al) 1997;42:398A
Demyelinating diseases
apoptosis and virus-induced demyelination (Roos et al) 1997;42:425A
circulating tumor necrosis factor-α correlates with electrodiagnostic abnormalities in Guillain-Barré syndrome (Sharief et al) 1997;42:68
inflammatory central nervous system demyelination: correlation of magnetic resonance imaging findings with lesion pathology (Brück et al) 1997;42:783

lymphocyte autovaccine for multiple sclerosis and other demyelinating autoimmune diseases: results of a Phase I-II clinical trial (Moviglla et al) 1997;42:461A
monofocal cerebral demyelination simulating brain tumors (Gutrecht et al) 1997;42:463A
tracing active demyelinating plaques in postmortem multiple sclerosis cerebellum (Tourtellotte et al) 1997;42:426A

Dendrites
dendritic injury is a pathologic substrate for human immunodeficiency virus–related cognitive disorders (Masliah et al) 1997;42:963

Denervation
early EMG denervation after neonatal brachial plexus injury: neurophysiological correlates in newborn piglets (McCormick et al) 1997;42:528A

Dependent living; *see* Activities of daily living

Deprenyl; *see* Selegiline

Developmental language disorders; *see* Language disorders

Developmentally disabled; *see* Handicapped

Diabetes
cerebral glucose transport and metabolism in diabetes mellitus (Powers et al) 1997;42:469A
risk of stroke recurrence in well-controlled diabetics (Alter et al) 1997;42:440A

Diabetic neuropathies
intravenous immunoglobulin—an often overlooked treatment—produces rapid, remarkable, sustained benefit in diabetic neuropathy complex, suggesting a dysimmune mechanism (Engel) 1997;42:414A
long-term effects of pancreatic transplantation on diabetic neuropathy (Navarro et al) 1997;42:727

Diaphragmatic paralysis; *see* Respiratory paralysis

Dichlorphenamide
dichlorphenamide is effective in the treatment of hypokalemic periodic paralysis (Griggs et al) 1997;42:428A

Diencephalic angioencephalopathy, subacute
antemortem diagnosis and treatment of subacute diencephalic angioencephalopathy (Ryan et al) 1997;42:400A

Dietary fats
dietary fat intake and the risk of incident dementia in the Rotterdam study (Kalmijn et al) 1997;42:776

Diffusion
detection of active multiple sclerosis lesions with T_2-weighted, echo planar, diffusion-weighted MRI (Gass et al) 1997;42:469A
diffusion-weighted images in neonates with focal cerebral ischemic infarction (Soman et al) 1997;42:493A
evaluation of apparent diffusion and diffusion anisotropy in normal premature and full-term infants (Neil et al) 1997;42:493A
ischemic lesion volumes in acute stroke by diffusion-weighted magnetic resonance imaging correlate with clinical outcome (Lövblad et al) 1997;42:164
morphometry of in vivo human white matter association pathways with diffusion-weighted magnetic resonance imaging (Makris et al) 1997;42:951

Dihydroergotamine
dihydroergotamine-precipitated myocardial infarction in a 53-year-old woman (Steward et al) 1997;42:430A

Diphtheria toxin
immunotherapy of experimental myasthenia gravis: selective effects of CTLA4Ig and synergistic combination with an IL-2 diphtheria toxin fusion protein (Drachman et al) 1997;42:450A

Disease susceptibility
genetic susceptibility to multiple sclerosis: a candidate gene approach (Liblau et al) 1997;42:424A

Dissection
primary arteriopathy in traumatic cervicocephalic arterial dissections (Mokri et al) 1997;42:433A

Dissociative disorders
dissociative disorder associated with HIV infection in a male patient (Bianchin et al) 1997;42:395A

Diuretics
oncodiuretic therapy reduces the development of life-threatening edema after large ischemic stroke (Daru et al) 1997;42:472A

DNA
DNA fragmentation in ischemic neonatal rat dentate gyrus and cortex (Pulera et al) 1997;42:458A
extensive DNA deletion associated with severe disease alleles on spinal muscular atrophy homologues (Wang et al) 1997;42:41
mitotic arrest, and not DNA damage, is the trigger for apoptosis or morphological differentiation in neural crest tumor cells (Schor et al) 1997;42:535A
molecular analysis of CLN3 to clarify an atypical, protracted juvenile neuronal ceroid lipofuscinosis (Wisniewski et al) 1997;42:512A

DNA, mitochondrial
association of myopathy with large-scale mitochondrial DNA duplications and deletions: which is pathogenic? (Manfredi et al) 1997;42:180
cytochrome c oxidase deficiency associated with a new stop codon mutation in mitochondrial DNA (Hanna et al) 1997;42:412A
early-onset dementia as a manifestation of the 4269 mitochondrial DNA mutation (Fadic et al) 1997;42:443A
is there a genetic marker for Rett syndrome on mitochondrial DNA? analysis of the 22 transfer RNA genes (Castora et al) 1997;42:516A
maternally inherited encephalopathy associated with a single-base insertion in the mitochondrial $tRNA^{Trp}$ gene (Santorelli et al) 1997;42:256
possible genetic markers for Rett syndrome on mitochondrial DNA: sequence analysis of the large ribosomal RNA gene (Castora et al) 1997;42:514A

Docosahexaenoic acids
docosahexaenoic acid therapy in peroxisome biogenesis disorders (Raymond et al) 1997;42:510A

Dopamine
destruction of midbrain dopaminergic neurons using intraventricular immunotoxin to the dopamine transporter (Wiley et al) 1997;42:445A
dopamine D_1 and D_2 receptor gene expression in the striatum in Huntington's disease (Augood et al) 1997;42:215
dopaminergic therapy in restless legs syndrome/periodic limb movements in sleep with attention-deficit hyperactivity disorder (Kugler et al) 1997;42:522A
increased intrasynaptic dopamine release in Tourette's syndrome (Singer et al) 1997;42:528A
PET imaging of the dopamine transporter in MPTP-treated monkeys: a window on dopamine neuron regeneration? (Madras et al) 1997;42:443A
short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease (Wenning et al) 1997;42:95
striatal dopamine transporters studied with methylphenidate decline during normal aging (Chan et al) 1997;42:446A

Dopamine receptors; *see* Receptors, dopamine
Doppler ultrasonography; *see* Ultrasonography
Dorsal root ganglia; *see* Ganglia, spinal
Down's syndrome
plasma amyloid β 1–42 levels are increased in Down's syndrome but not in Alzheimer's disease (Mehta et al) 1997;42:400A
Driving; *see* Automobile driving
Drug therapy
8-in-1 chemotherapy and radiotherapy for high-grade spinal cord astrocytoma (Allen et al) 1997;42:536A
Dysarthria
"voice matching" can quantify dysarthritic speech in multiple sclerosis (Pollins et al) 1997;42:466A
Dysautonomia, familial
paraparesis complicating scoliosis surgery in familial dysautonomia (Shah et al) 1997;42:515A
Dyscalculia; *see* Learning disorders
Dysembryoplastic neuroepithelial tumor; *see* Neuroepithelial tumor
Dyskinesia; *see* Movement disorders
Dysphasia; *see* Aphasia
Dysrhythmia; *see* Arrhythmia
Dystonia
clinical features and natural history of adult-onset predominantly axial dystonia (Bhatia et al) 1997;42:406A
gabapentin (Neurontin) for the treatment of dystonia (Niaz et al) 1997;42:447A
multiple transcripts due to alternative splicing of the GTP cyclohydrolase I RNA in dopa-responsive dystonia (Hirano et al) 1997;42:407A
pallidotomy for dystonia (Jankovic et al) 1997;42:446A
penicillamine-responsive dystonia with no Kayser-Fleischer rings and normal liver biopsy in an adolescent boy (Gascon and Robbins-Tien) 1997;42:507A
progressive dystonia in a child with chromosome 18p deletion, treated with intrathecal baclofen therapy (Awaad et al) 1997;42:517A
sporadic focal dystonia in Northwest Germany: molecular basis on chromosome 18p (Leube et al) 1997;42:111
typical parkinsonism in dopa-responsive dystonia (Saunders-Pullman et al) 1997;42:447A
Dystonia musculorum deformans
idiopathic torsion dystonia linked to chromosome 8 in two Mennonite families (Almasy et al) 1997;42:670
Dystrophin
clinical use of dystrophin immunohistochemical staining (Goh et al) 1997;42:530A
ultrastructural localization of α1-syntrophin and neuronal nitric oxide synthase in normal skeletal myofiber, and their relation to each other and to dystrophin (Wakayama et al) 1997;42:415A

Ear
effect of long-term hypogravity on the eye torsion responses governed by gravity receptors in the inner ear (Markham and Diamond) 1997;42:456A
Early pregnancy factor; *see* Pregnancy proteins
Echocardiography
effect of the learning curve on the detection of cardioembolic sources by transesophageal echocardiography (Nabers et al) 1997;42:436A
Edema
oncodiuretic therapy reduces the development of life-threatening edema after large ischemic stroke (Daru et al) 1997;42:472A
EEG; *see* Electroencephalography
Electric stimulation
changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease (Limousin et al) 1997;42:283
high-frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor (Koller et al) 1997;42:292
Electrocardiography
Andersen's syndrome: a distinct periodic paralysis (Sansone et al) 1997;42:305
Electroencephalography
case-control study of prevalence of epileptiform electroencephalograms in developmental dysphasia (Collins et al) 1997;42:497A
developmental aphasia with epileptiform abnormalities on EEG: clinical features and response to prednisone (Trauner et al) 1997;42:465A
EEG evaluation of brain death in newborns (Roddy and Ashwal) 1997;42:526A
electroencephalographic evaluation of night terrors with atypical features (Spencer et al) 1997;42:510A
interictal EEG and SPECT scan findings in children with language regression (Yaylali et al) 1997;42:507A
presurgical multimodality neuroimaging in electroencephalographic lateralized temporal lobe epilepsy (Knowlton et al) 1997;42:829
value of 24-hour EEG versus routine EEG in detecting occult epileptic activity in children with pervasive developmental delay (Chez et al) 1997;42:509A
Electromyography
anticipation and reading of single words alter cortical excitability (Seyal et al) 1997;42:420A
early EMG denervation after neonatal brachial plexus injury: neurophysiological correlates in newborn piglets (McCormick et al) 1997;42:528A
Electrophysiology
factors influencing electrophysiologic and behavioral response to novel events (Daffner et al) 1997;42:394A
Embryo
novel neuregulin isoform characterized in embryonic mouse (Mason et al) 1997;42:511A
Emergency medical services
clinical indications and the emergency CT scan (Serruya and Kanner) 1997;42:474A
contemporary etiology of coma presenting to an academic medical center (Huff) 1997;42:471A
status epilepticus in 149 consecutive pediatric patients (Shu et al) 1997;42:508A
survey of practice patterns of Indiana neurologists and emergency medicine physicians regarding the use of tissue plasminogen activator in acute ischemic stroke (Fleck et al) 1997;42:441A
Emery-Dreifuss muscular dystrophy; *see* Muscular dystrophy
EMG; *see* Electromyography
Emotional memory; *see* Memory
Encephalitis
accumulation of β-amyloid precursor protein in HIV encephalitis: relationship with neuropsychological abnormalities (Giometto et al) 1997;42:34
acute encephalitis registry, the Hospital for Sick Children, 1994–1996 (Kolski et al) 1997;42:520A
focal posterior hemisphere invasive cryptococcal encephalitis: a distinct clinical neuroimaging entity complicating cryptococcal meningitis in AIDS (McGuire et al) 1997;42:467A

herpes simplex encephalitis in two patients treated for metastatic brain tumor (Maniar et al) 1997;42:462A
pathological τ proteins in postencephalitic parkinsonism: comparison with Alzheimer's disease and other neurodegenerative disorders (Buée-Scherrer et al) 1997;42:356

Encephalitis periaxialis
nitric oxide and its toxic products in a patient with Schilder's disease: an immunohistochemical study (Oleszak et al) 1997;42:515A
"open-ring enhancement": a neuroimaging sign that separates myelinoclastic diffuse sclerosis from common causes of ring enhancement on CT or MRI (Masdeu et al) 1997;42:391A

Encephalitogenic basic proteins
cytokine profile of myelin basic protein–reactive T cells in multiple sclerosis and healthy individuals (Hermans et al) 1997;42:18
modeling of a myelin basic protein–specific human T-cell receptor (Wang et al) 1997;42:420A
polymorphism of the 5′ flanking region to the human MBP gene due to a deletion in the repetitive (TGGA)n area is related to multiple sclerosis in Italian HLA-DR2–positive patients (Guerini et al) 1997;42:419A

Encephalomyelitis
classification and outcome of acute disseminated encephalomyelitis (Rust et al) 1997;42:491A
postinfectious encephalomyelitis/multiple sclerosis versus Lyme disease (Coyle and Krupp) 1997;42:467A
recurrent acute disseminated encephalomyelitis (Chaudhuri and Behan) 1997;42:460A

Encephalomyelitis, autoimmune experimental
early pregnancy factor and experimental autoimmune encephalomyelitis (McCombe et al) 1997;42:423A
testosterone therapy ameliorates experimental autoimmune encephalomyelitis and induces a Th2 bias in the autoantigen-specific T-lymphocyte response (Voskuhl et al) 1997;42:421A

Encephalomyopathies; *see* Brain diseases; Muscular diseases

Encephalopathy; *see* Brain diseases

Encephalopathy, spongiform
familial spongiform encephalopathy associated with a novel prion protein gene mutation (Nitrini et al) 1997;42:138
unstable 24-nucleotide repeat expansion in transmissible spongiform encephalopathies (Cervenáková et al) 1997;42:390A

Endocrine diseases
immunovasculopathological basis of recurrent encephalopathies with endocrine disturbance (Behan and Chaudhuri) 1997;42:462A

Entacapone
entacapone improves motor fluctuations in levodopa-treated Parkinson's disease patients (Parkinson Study Group) 1997;42:747

Eosinophilia
immune deviation following pulse cyclophosphamide/methylprednisolone treatment of multiple sclerosis: increased interleukin-4 production and associated eosinophilia (Smith et al) 1997;42:313

Eosinophilia-myalgia syndrome
effects of pain, sleep, and fatigue on neuropsychological performance in eosinophilia-myalgia syndrome (Krupp et al) 1997;42:396A

Ependymoma
reduced *TSC2* RNA and protein in sporadic astrocytomas and ependymomas (Wienecke et al) 1997;42:230

Epidermis
assessment of epidermal nerve fibers to determine the pathobiology of aging (Erdem et al) 1997;42:416A

Epidural hematoma; *see* Hematoma, epidural

Epilepsy, absence
childhood absence epilepsy: linkage to chromosome 8q24 (Gee et al) 1997;42:987A
Lamictal is effective for the treatment of typical absence seizures in children and adolescents (Frank et al) 1997;42:489A

Epilepsy, analysis
molecular knockdown of neuronal glutamate transporter EAAT3 produces epilepsy and dysregulation of GABA metabolism (Sepukty et al) 1997;42:390A

Epilepsy, diagnosis
case-control study of prevalence of epileptiform electroencephalograms in developmental dysphasia (Collins et al) 1997;42:497A

Epilepsy, diet therapy
ketogenic diet in the treatment of acquired epileptic aphasia (Bergqvist and Brooks-Kayal) 1997;42:505A

Epilepsy, drug therapy
felbamate add-on in refractory epilepsy: an open-label study with long-term follow-up (Cilio and Vigevano) 1997;42:506A
lamotrigine therapy of epilepsy in tuberous sclerosis (Franz et al) 1997;42:509A
pharmacokinetic evaluation of twice-daily controlled-release carbamazepine and four-times-daily immediate-release carbamazepine in patients with epilepsy (Garnett et al) 1997;42:405A
population pharmacokinetics of add-on lamotrigine in pediatric patients (Chen et al) 1997;42:508A
rash associated with lamotrigine in children with epilepsy (Hahn et al) 1997;42:504A
single-dose pharmacokinetics of lamotrigine in children with epilepsy (Chen et al) 1997;42:507A

Epilepsy, etiology
intrinsic epileptogenesis of hypothalamic hamartomas in gelastic epilepsy (Kuzniecky et al) 1997;42:60

Epilepsy, generalized
idiopathic generalized tonic and tonic-clonic seizures of childhood (Kramer et al) 1997;42:510A

Epilepsy, genetics
family with epilepsy and mental retardation limited to females defines a new inheritance pattern: X-linkage with male sparing (Ryan et al) 1997;42:489A

Epilepsy, immunology
serum autoantibodies to human temporal lobe cortex in children with epilepsy and language dysfunction (Connolly et al) 1997;42:490A

Epilepsy, mortality
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:405A, 1997;42:588

Epilepsy, partial
magnetoencephalography in partial epilepsy: clinical yield and localization accuracy (Knowlton et al) 1997;42:622
practical utility of performing periictal SPECT in the evaluation of children with partial epilepsy (O'Brien et al) 1997;42:503A
proton magnetic resonance spectroscopy study of epilepsia partialis continua in children (Park et al) 1997;42:508A

Epilepsy, pathology
bilateral parasagittal parietooccipital polymicrogyria and epilepsy (Sotrel) (Letter); (Guerrini et al) (Reply) 1997; 42:272
hippocampal *N*-acetylaspartate in neocortical epilepsy and mesial temporal lobe epilepsy (Vermathen et al) 1997; 42:194
value of 24-hour EEG versus routine EEG in detecting occult epileptic activity in children with pervasive developmental delay (Chez et al) 1997;42:509A
Epilepsy, physiopathology
heart period variability in sleep of patients with epilepsy (Vaughn et al) 1997;42:406A
Epilepsy, temporal lobe
benzodiazepine receptor distribution and hippocampal volume in temporal lobe epilepsy (Szelies et al) 1997; 42:406A
dynamical interaction of the epileptogenic focus with extrafocal sites in temporal lobe epilepsy (Iasemidis et al) 1997;42:429A
etiology predicts seizure outcome in new-onset temporal lobe epilepsy in childhood (Harvey et al) 1997;42:505A
hippocampal *N*-acetylaspartate in neocortical epilepsy and mesial temporal lobe epilepsy (Vermathen et al) 1997; 42:194
outcome after temporal lobectomy in bilateral temporal lobe epilepsy (Sirven et al) 1997;42:873
presurgical multimodality neuroimaging in electroencephalographic lateralized temporal lobe epilepsy (Knowlton et al) 1997;42:829
proton magnetic resonance spectroscopic imaging and magnetic resonance imaging volumetry in the lateralization of temporal lobe epilepsy: a series of 100 patients (Cendes et al) 1997;42:737
quantitative neuropathology and quantitative magnetic resonance imaging of the hippocampus in temporal lobe epilepsy (Van Paesschen et al) 1997;42:756
Epilepsy, therapy
heart period variability during chronic vagal nerve stimulation (Setty et al) 1997;42:405A
six-year follow-up of autonomic (vagal) control of seizures (Clarke et al) 1997;42:406A
Epilepsy, tonic-clonic
idiopathic generalized tonic and tonic-clonic seizures of childhood (Kramer et al) 1997;42:510A
Episodic ataxia; *see* Ataxia
Epithelial cells
human amniotic epithelial cells with acetylcholine metabolism are applicable for intracerebral allografting to treat neurological diseases (Sakuragawa et al) 1997;42: 492A
Epitopes; *see* Antigenic determinants
Epstein-Barr virus
analysis of Epstein-Barr virus subtypes in AIDS-related primary CNS lymphoma (Tagliati and Morgello) 1997; 42:431A
Erythrocyte membrane
dominantly inherited chorea-parkinsonism-dementia-acanthocytosis with red cell protein membrane abnormalities (Walker et al) 1997;42:407A
Essential tremor; *see* Tremor
Ethnic factors
adult polyglucosan body disease (APBD) in Ashkenazi Jews caused by the Tyr329Ser mutation in the glycogen branching enzyme (GBE) gene (Lossos et al) 1997;42: 987A
apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A
cerebral angiographic findings and risk factor profile in a Hispanic male population (García-Rondón and Reyes-Iglesias) 1997;42:440A
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A
triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919
Ethylmalonic aciduria
ethylmalonic aciduria in short-chain acyl CoA dehydrogenase deficiency: recognition of the phenotype, genetic polymorphism, and clinical implications (Lavenstein et al) 1997;42:532A
Etoposide
intra-arterial carboplatin and intravenous etoposide for the treatment of metastatic brain tumors: preliminary results (Newton et al) 1997;42:432A
long-term oral VP-16 for recurrent medulloblastoma (Chamberlain) 1997;42:536A
Evoked potentials
evoked potential abnormality scores are a useful measure of disease burden in relapsing-remitting multiple sclerosis (O'Connor et al) 1997;42:423A
motor and somatosensory evoked potentials in uncomplicated hereditary spastic paraplegia presenting in childhood (Di Capua et al) 1997;42:532A
Evoked potentials, somatosensory
motor and somatosensory evoked potentials in uncomplicated hereditary spastic paraplegia presenting in childhood (Di Capua et al) 1997;42:532A
somatosensory representation of the hand in two separate areas of the human cerebellum (Bushara et al) 1997;42: 418A
Excitotoxins; *see* Neurotoxins
Exercise
fast multiecho phosphocreatine imaging shows localized changes in exercising muscle and seizing brain (Holtzman et al) 1997;42:507A
task-oriented treadmill exercise training reduces spasticity and improves hamstring strength in chronic hemiparetic stroke patients: a preliminary report (Smith et al) 1997;42:427A
Exons
phenotype/genotype trouble through duplication of dystrophin exon 18 (Hübner et al) 1997;42:512A
severe form of ataxia with isolate vitamin E deficiency caused by exon skipping of α-tocopherol transfer protein mRNA (Ueno et al) 1997;42:402A
Experimental allergic neuritis; *see* Neuritis, experimental allergic
Experimental autoimmune encephalomyelitis; *see* Encephalomyelitis, autoimmune experimental
Extrapontine myelinolysis; *see* Myelin
Eye
effect of long-term hypogravity on the eye torsion responses governed by gravity receptors in the inner ear (Markham and Diamond) 1997;42:456A
otolith–ocular responses in familial episodic ataxia linked to chromosome 19p (Furman) 1997;42:189
paroxysmal tonic upgaze: a reappraisal of outcome (Hayman et al) 1997;42:533A

Eye movements
unilateral cerebellar lesions affect initiation of ipsilateral smooth pursuit eye movements in humans (Straube et al) 1997;42:891

Facial nerve
clinical symptoms and Lyme serology in children with seventh nerve palsy (Mandelbaum et al) 1997;42:520A
Facioscapulohumeral dystrophy
application of definitive molecular diagnostic criteria in facioscapulohumeral dystrophy (FSHD): clinical implications of position effect variegation (Orrell et al) 1997;42:986A
distinct patterns of weakness in facioscapulohumeral muscular dystrophy (McDermott et al) 1997;42:450A
F-actin; *see* Actins
Factor V
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
Familial dysautonomia; *see* Dysautonomia, familial
Fas mRNA; *see* RNA, messenger
Fatigue
magnetic cortical stimulation and fatigue in multiple sclerosis (Petajan et al) 1997;42:452A
Fats
dietary fat intake and the risk of incident dementia in the Rotterdam study (Kalmijn et al) 1997;42:776
Fatty acid desaturases
ethylmalonic aciduria in short-chain acyl CoA dehydrogenase deficiency: recognition of the phenotype, genetic polymorphism, and clinical implications (Lavenstein et al) 1997;42:532A
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A
FDG-PET; *see* Tomography, emission-computed
Febrile seizures; *see* Convulsions, febrile
Felbamate
felbamate add-on in refractory epilepsy: an open-label study with long-term follow-up (Cilio and Vigevano) 1997;42:506A
Fetal development
detection of persistent fetal posterior cerebral artery by invasive and noninvasive methods (Boyce et al) 1997;42:434A
Fetal growth retardation
risk factors and clinical predictors in children with intrauterine growth retardation: a 4-year follow-up (Fattal-Valevski et al) 1997;42:526A
Fetus
effects of prenatal cocaine on foot shock–induced behavior, neurochemistry, and CRF expression in the paraventricular nucleus (Planeta et al) 1997;42:523A
incidence of bilateral cystic periventricular leukomalacia remains unchanged after introduction of antenatal steroids (Perlman) 1997;42:525A
Fibroblasts
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A
Fisher's syndrome
association of *Campylobacter jejuni* serotype with antiganglioside antibody in Guillain-Barré syndrome and Fisher's syndrome (Yuki et al) 1997;42:28
Floppy head syndrome
floppy head syndrome resulting from proximal myotonic dystrophy (Evidente and Cook) 1997;42:417A
Fluorescence microscopy; *see* Microscopy, fluorescence
Fluorodeoxyglucose
PET using [^{18}F]fluorodeoxyglucose and [^{11}C]L-methionine to metabolically characterize dysembryoplastic neuroepithelial tumors (Kaplan et al) 1997;42:535A
Focal adhesion kinase
high-dose nerve growth factor inhibition of neurite outgrowth correlates with reduced phosphorylation of focal adhesion kinase (Conti and Windebank) 1997;42:451A
Focal myositis; *see* Myositis
Folding chairs; *see* Chairs
Forebrain; *see* Prosencephalon
Fosphenytoin
fosphenytoin pharmacokinetics and safety in children (Morton et al) 1997;42:504A
intravenous fosphenytoin in infants (Takeoka et al) 1997;42:504A
Frataxin gene
frataxin gene of Friedreich's ataxia is targeted to mitochondria (Priller et al) 1997;42:265 (Expedited publication)
Friedreich's ataxia
frataxin gene of Friedreich's ataxia is targeted to mitochondria (Priller et al) 1997;42:265 (Expedited publication)
postmortem study of Friedreich-like ataxia with retinitis pigmentosa caused by the mutation of α-tocopherol transfer protein gene (Yokota et al) 1997;42:987A
Frontal lobe
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
Functional MRI; *see* Magnetic resonance imaging

GABA
GABA and reelin are expressed by NT-4–induced excess neurons in the marginal zone of developing neocortex (Brunstrom et al) 1997;42:494A
molecular knockdown of neuronal glutamate transporter EAAT3 produces epilepsy and dysregulation of GABA metabolism (Sepukty et al) 1997;42:390A
vigabatrin increases both cerebrospinal fluid GABA and brain GABA as measured by MRS (Theodore et al) 1997;42:393A
GABA receptor; *see* Receptors, GABA-benzodiazepine
Gabapentin
gabapentin (Neurontin) for the treatment of dystonia (Niaz et al) 1997;42:447A
gabapentin therapy for essential myoclonus in children (DiFazio and Davis) 1997;42:507A
orthostatic tremor responsive to gabapentin (Evidente et al) 1997;42:448A
Gadolinium
ibuprofen does not suppress active multiple sclerosis lesions on gadolinium-enhanced MR images (Barkhof et al) 1997;42:982 (Letter)
Galactosylceramidase
multiple mutations in the galactocerebrosidase gene are associated with a very mild late-onset form of globoid cell leukodystrophy (Kolodny et al) 1997;42:442A

Ganaxolone
ganaxolone in the treatment of refractory infantile spasms (Shields et al) 1997;42:503A
Ganglia, spinal
human immunodeficiency virus infection of dorsal root ganglion neurons detected by polymerase chain reaction in situ hybridization (Brannagan et al) 1997;42:368
infection of murine dorsal root ganglion neurons–neuroblastoma (N18TG2) hybrid cells with herpes simplex virus type I: an in vitro model of viral latency? (Kastrukoff et al) 1997;42:426A
Gangliosides
GD1b-induced sensory ataxic neuropathy: anti-GD1b antibody is an essential pathogenetic factor (Kusunoki et al) 1997;42:461A
infection of chickens with *Campylobacter jejuni* induces an antiganglioside antibody response (Nachamkin et al) 1997;42:412A
Gaucher's disease
prospective study of neurological responses to treatment with macrophage-targeted glucocerebrosidase in patients with type 3 Gaucher's disease (Schiffmann et al) 1997;42:613
Gaze-evoked nystagmus; *see* Nystagmus
GDNF; *see* Neurotrophic factors
Gelastic; *see* Laughter
Gender factors
subjective memory complaints in aging: gender-associated cognitive differences (Murdock et al) 1997;42:398A
Gene expression
dopamine D_1 and D_2 receptor gene expression in the striatum in Huntington's disease (Augood et al) 1997;42:215
excitotoxic injury stimulates chemokine receptor gene expression in neonatal rat brain (Galasso et al) 1997;42:491A
gene expression in selected brain regions during sleep (Apfel and Wiideman) 1997;42:457A
ryanodine receptor gene expression in thymomas (Kaminski et al) 1997;42:416A
Gene transfer; *see* Transfection
Genes
CLN3 defines a novel antiapoptotic pathway operative in neurodegeneration and mediated by ceramide (Puranam et al) 1997;42:490A
molecular analysis of CLN3 to clarify an atypical, protracted juvenile neuronal ceroid lipofuscinosis (Wisniewski et al) 1997;42:512A
Genes, neurofibromatosis 2
schwannomatosis resulting from somatic mosaicism of the NF2 gene (MacCollin et al) 1997;42:513A
Genes, reiterated
association of myopathy with large-scale mitochondrial DNA duplications and deletions: which is pathogenic? (Manfredi et al) 1997;42:180
phenotype/genotype trouble through duplication of dystrophin exon 18 (Hübner et al) 1997;42:512A
Genetics, biochemical
molecular analysis of CLN3 to clarify an atypical, protracted juvenile neuronal ceroid lipofuscinosis (Wisniewski et al) 1997;42:512A
molecular genetics of autosomal recessive hereditary inclusion body myopathy (Middleton et al) 1997;42:414A
molecular studies in patients with Rett syndrome (Narayanan et al) 1997;42:515A
Genotype
apolipoprotein E genotypes in a neuropathological series from the Consortium to Establish a Registry for Alzheimer's Disease (Welsh-Bohmer et al) 1997;42:319
apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659
modulation of the age at onset of Parkinson's disease by apolipoprotein E genotypes (Zareparsi et al) 1997;42:655
phenotype/genotype trouble through duplication of dystrophin exon 18 (Hübner et al) 1997;42:512A
Germany
early-onset Alzheimer's disease with a presenilin-1 mutation at the site corresponding to the Volga German presenilin-2 mutation (Crook et al) 1997;42:124
sporadic focal dystonia in Northwest Germany: molecular basis on chromosome 18p (Leube et al) 1997;42:111
Gerstmann-Sträussler syndrome
filamentous intraneuronal depositions in a patient with telencephalic Gerstmann-Sträussler syndrome (Jin et al) 1997;42:402A
Glioblastoma multiforme
concurrent carboplatin and iodine-125 brachytherapy for recurrent glioblastoma multiforme (Chamberlain and Kormanik) 1997;42:431A
long-term glioblastoma multiforme survivors: a population-based study in Alberta from 1975 to 1991 (Scott et al) 1997;42:464A
Glioma
patterns of recurrence of intrinsic infiltrating brainstem gliomas (Siffert et al) 1997;42:535A
permeability and physiological spaces in gliomas (Paleologos et al) 1997;42:432A
treatment outcomes in children with biopsy-diagnosed gliomatosis cerebri (McNeil et al) 1997;42:537A
Globoid cell leukodystrophy; *see* Leukodystrophy, globoid cell
Globus pallidus
changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease (Limousin et al) 1997;42:283
effects of apomorphine on globus pallidus neurons in parkinsonian patients (Hutchison et al) 1997;42:767
effects of pallidotomy on dyskinesias and motor signs in Parkinson's disease (Gancher et al) 1997;42:446A
levodopa-inhibiting effect of pallidal surgery (Krack et al) (Letter); (Baron et al) (Reply) 1997;42:129
movement time and reaction time after globus pallidus internum pallidotomy (Ben-Arie et al) 1997;42:408A
pallidotomy as a treatment for medically intractable dementia (Vitek et al) 1997;42:409A
pallidotomy for dystonia (Jankovic et al) 1997;42:446A
pallidotomy for hemiballismus: efficacy and characteristics of neuronal activity (Suarez et al) 1997;42:807
treatment of advanced Parkinson's disease by posterior GPi pallidotomy: long-term follow-up results of a pilot study (Baron et al) 1997;42:410A
1,4-α-Glucan branching enzyme
adult polyglucosan body disease (APBD) in Ashkenazi Jews caused by the Tyr329Ser mutation in the glycogen branching enzyme (GBE) gene (Lossos et al) 1997;42:987A
Glucocorticoid receptors; *see* Receptors, glucocorticoid
Glucose
cerebral glucose transport and metabolism in diabetes mellitus (Powers et al) 1997;42:469A

cerebral hypoxia and glucose deprivation in Sturge-Weber syndrome (Maria et al) 1997;42:511A
glucose-induced second "second wind" in McArdle's disease: implications for muscle oxidative metabolism (Haller and Vissing) 1997;42:413A
metabolic reduction in the posterior cingulate cortex in very early Alzheimer's disease (Minoshima et al) 1997; 42:85

Glucosylceramidase
prospective study of neurological responses to treatment with macrophage-targeted glucocerebrosidase in patients with type 3 Gaucher's disease (Schiffmann et al) 1997;42:613

Glutamates
ataxia due to loss of the Purkinje cell–specific glutamate transporter EAAT4 (Maragakis et al) 1997;42:390A
decreased glutamate uptake in platelets from Alzheimer's patients (Ferrarese et al) 1997;42:444A
detection of mutant glutamate transporter mRNA species in amyotrophic lateral sclerosis: a diagnostic marker? (Lin et al) 1997;42:412A
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
in vivo estimation of human cerebral glutamate with proton magnetic resonance spectroscopy: results of preliminary studies in amyotrophic lateral sclerosis (Cwik et al) 1997;42:454A
metatropic glutamate receptors: basic mechanisms for novel clinical therapy (Maiese et al) 1997;42:417A
molecular knockdown of neuronal glutamate transporter EAAT3 produces epilepsy and dysregulation of GABA metabolism (Sepukty et al) 1997;42:390A
mutations in glutamate transporter gene (EAAT2) in amyotrophic lateral sclerosis (Aoki et al) 1997;42:412A
pigment epithelial–derived factor protects motor neurons against chronic glutamate-mediated toxicity (Bilak et al) 1997;42:451A
sequence variant of the glutamate transporter gene GLT-1 in a family with autosomal dominant hereditary spastic paraplegia (Meyer et al) 1997;42:445A
superoxide dismutase inhibits nitric oxide–induced presynaptic release of glutamate through a cyclic GMP-independent pathway (Yepes et al) 1997;42:419A

Glutathione
bcl-2 alters glutathione handling in neural crest tumor cells: implications for targeted therapy of chemoresistant tumors (Schor) 1997;42:491A

Glycogen branching enzyme; *see* 1,4-α-Glucan branching Enzyme

Glycogen storage disease type V
glucose-induced second "second wind" in McArdle's disease: implications for muscle oxidative metabolism (Haller and Vissing) 1997;42:413A

Glycoproteins
GABA and reelin are expressed by NT-4–induced excess neurons in the marginal zone of developing neocortex (Brunstrom et al) 1997;42:494A

Glycosphingolipids
alteration of brain neutral glycosphingolipids in myelin disease (Hogan and Dasgupta) 1997;42:420A

Glycosylation
dissociation of glycosylation and phosphorylation in chromatolytic motor neurons of Werdnig-Hoffmann disease (Chou and Wang) 1997;42:531A

Gravity
effect of long-term hypogravity on the eye torsion responses governed by gravity receptors in the inner ear (Markham and Diamond) 1997;42:456A

Group A streptococcus; *see* *Streptococcus pyogenes*

GTP cyclohydrolase
multiple transcripts due to alternative splicing of the GTP cyclohydrolase I RNA in dopa-responsive dystonia (Hirano et al) 1997;42:407A

Guillain-Barré syndrome; *see* Polyradiculoneuritis

Gulf War
neurological diagnoses affecting Gulf War veterans: an analysis of the data in the Comprehensive Clinical Evaluation Program (Dutka et al) 1997;42:470A

Gustatory sweating; *see* Sweating, gustatory

Gyrus cinguli
behavioral effects of ketamine cannot be explained by cingulate activation (Heidebrink et al) 1997;42:403A
metabolic reduction in the posterior cingulate cortex in very early Alzheimer's disease (Minoshima et al) 1997; 42:85

Hallucinations
acute hallucinations in Parkinson's disease (Goetz) 1997; 42:445A

Hamartoma
intrinsic epileptogenesis of hypothalamic hamartomas in gelastic epilepsy (Kuzniecky et al) 1997;42:60

Hand
somatosensory representation of the hand in two separate areas of the human cerebellum (Bushara et al) 1997;42: 418A

Handicapped
cavum septi pellucidi and cavum vergae in normal and developmentally delayed populations (Bodensteiner et al) 1997;42:506A
etiology of acute hemiplegia in institutionalized developmentally disabled patients (Phillips et al) 1997;42:441A
risk factors and clinical predictors in children with intrauterine growth retardation: a 4-year follow-up (Fattal-Valevski et al) 1997;42:526A
value of 24-hour EEG versus routine EEG in detecting occult epileptic activity in children with pervasive developmental delay (Chez et al) 1997;42:509A

Head, growth and development
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A

Head injuries
delayed-onset cerebellar syndrome (Lynch et al) 1997;42: 407A

Headache; *see also* Migraine
acute headache in childhood (Lewis et al) 1997;42:519A
analgesic rebound headache in children and adolescents (Vasconcellos et al) 1997;42:519A
classification and treatment of adolescent chronic daily headache (Rust et al) 1997;42:517A
mapping of a second locus for familial hemiplegic migraine to 1q21–q23 and evidence of further heterogeneity (Ducros et al) 1997;42:885
neurological diagnoses affecting Gulf War veterans: an analysis of the data in the Comprehensive Clinical Evaluation Program (Dutka et al) 1997;42:470A
worst headache and subarachnoid hemorrhage: a prospective modern CT and spinal fluid analysis (Morgenstern

et al) 1997;42:471A
Hearing loss
hearing loss in essential tremor (Ondo and Jankovic) 1997;42:449A
Heart
heart period variability during chronic vagal nerve stimulation (Setty et al) 1997;42:405A
heart period variability in sleep of patients with epilepsy (Vaughn et al) 1997;42:406A
Heart, artificial
neurological complications associated with the use of left ventricular assist devices and total artificial hearts (Lopez-Yunez et al) 1997;42:438A
Heart, blood supply
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:405A
Heart arrest
effects of specific serotonergic antagonists on the rat cardiac arrest model of posthypoxic myoclonus (Pappert et al) 1997;42:408A
Heart diseases
focal cerebral ischemia and antiphospholipid antibodies: stroke subtypes and cardiac lesions (D'Olhaberriague et al) 1997;42:437A
Heart septal defects, atrial
coagulation abnormalities in adults with cryptogenic stroke and patent foramen ovale (Chaturvedi) 1997;42:437A
Heart surgery
prognostic value of S-100B and neuron-specific enolase blood levels in patients undergoing cardiac surgery (Georgiadis et al) 1997;42:471A
protein S-100B: a neurobiochemical marker for neuropsychological and neuropsychiatric disorders following heart surgery (Herrmann et al) 1997;42:393A
Heart valve prosthesis
dilemma of discontinuation of anticoagulation in patients with intracranial hemorrhage and mechanical heart valve (Wijdicks et al) 1997;42:433A
Doppler microembolic signals in 580 patients with prosthetic cardiac valves (Georgiadis and Sliwka) 1997;42:437A
Heart-assist devices
neurological complications associated with the use of left ventricular assist devices and total artificial hearts (Lopez-Yunez et al) 1997;42:438A
Hematologic tests
X-linked Emery-Dreifuss muscular dystrophy can be diagnosed from skin biopsy or blood sample (Mora et al) 1997;42:249
Hematological diseases
critical illness polyneuropathy in patients with bone marrow transplantation for hematological malignancies (Openshaw and Slatkin) 1997;42:473A
Hematoma
clinical and neuroimaging features predictive of neurological deterioration in cerebellar hematomas (St. Louis and Wijdicks) 1997;42:435A
Hematoma, epidural
spontaneous spinal epidural hematoma in children (Patel and Garg) 1997;42:520A
Hematuria
acute pediatric rhabdomyolysis: 7-year experience (Watemberg et al) 1997;42:531A
Heme oxygenase
pathogenesis of xanthochromia (Turner et al) 1997;42:432A
Hemiballismus
pallidotomy for hemiballismus: efficacy and characteristics of neuronal activity (Suarez et al) 1997;42:807
Hemiplegia
bilateral perisylvian polymicrogyria presenting as congenital hemiplegia: a report of three cases (Miller et al) 1997;42:530A
etiology of acute hemiplegia in institutionalized developmentally disabled patients (Phillips et al) 1997;42:441A
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
mapping of a second locus for familial hemiplegic migraine to 1q21–q23 and evidence of further heterogeneity (Ducros et al) 1997;42:885
stretched position of spastic muscles aggravates their cocontraction in hemiplegic patients (Gracies et al) 1997;42:438A
task-oriented treadmill exercise training reduces spasticity and improves hamstring strength in chronic hemiparetic stroke patients: a preliminary report (Smith et al) 1997;42:427A
Hereditary neuropathy with liability to pressure palsies; *see* Neuropathies, hereditary with liability to pressure palsies
Hereditary spastic paraparesis; *see* Paraparesis, tropical spastic
Hereditary spastic paraplegia; *see* Spastic paraplegia, hereditary
Herpes simplex
herpes simplex encephalitis in two patients treated for metastatic brain tumor (Maniar et al) 1997;42:462A
infection of murine dorsal root ganglion neurons–neuroblastoma (N18TG2) hybrid cells with herpes simplex virus type I: an in vitro model of viral latency? (Kastrukoff et al) 1997;42:426A
Herpes zoster
post-herpetic neuralgia pain correlates with a generalized decrease in number and function of cutaneous nerve fibers (Oaklander et al) 1997;42:987A
Herpesvirus infections
could a herpesvirus mimic tacrolimus-induced leukoencephalopathy? (Paterson et al) (Letter); (Small and Eidelman) (Reply) 1997;42:270
High-density lipoproteins; *see* Lipoproteins, HDL
Hippocampus
benzodiazepine receptor distribution and hippocampal volume in temporal lobe epilepsy (Szelies et al) 1997;42:406A
clinical syndrome of early-life bilateral hippocampal sclerosis (DeLong and Heinz) 1997;42:11
extrapontine myelinolysis with involvement of the hippocampus in three children with severe hypernatremia (Caruso et al) 1997;42:534A
hippocampal formation volumes: normal control data for children (Phulwani et al) 1997;42:502A
hippocampal *N*-acetylaspartate in neocortical epilepsy and mesial temporal lobe epilepsy (Vermathen et al) 1997;42:194
hippocampal spreading depression may trigger migraine pain (Kraig and Kunkler) 1997;42:445A
localization of neurotrophin-3 prohormone isoforms in developing and adult rat hippocampus and cerebellum (Huff et al) 1997;42:500A

quantitative neuropathology and quantitative magnetic resonance imaging of the hippocampus in temporal lobe epilepsy (Van Paesschen et al) 1997;42:756

Hispanics

apolipoprotein E risk differences among African Americans and Hispanics compared with Caucasians suggest other causes of Alzheimer's disease (Mayeux et al) 1997;42:397A

cerebral angiographic findings and risk factor profile in a Hispanic male population (García-Rondón and Reyes-Iglesias) 1997;42:440A

triethnic comparison of intracerebral hemorrhage mortality in Texas (Morgenstern and Spears) 1997;42:919

HIV

accumulation of β-amyloid precursor protein in HIV encephalitis: relationship with neuropsychological abnormalities (Giometto et al) 1997;42:34

correlation of MRI and neurological and neuropsychological function in children with symptomatic HIV infection (Legido et al) 1997;42:521A

dendritic injury is a pathologic substrate for human immunodeficiency virus–related cognitive disorders (Masliah et al) 1997;42:963

dissociative disorder associated with HIV infection in a male patient (Bianchin et al) 1997;42:395A

double-blind, randomized clinical trial of amitriptyline and mexiletine for painful neuropathy in human immunodeficiency virus infection (Kieburtz et al) 1997;42:429A

human immunodeficiency virus infection of dorsal root ganglion neurons detected by polymerase chain reaction in situ hybridization (Brannagan et al) 1997;42:368

measuring the "viral load" in cerebrospinal fluid in human immunodeficiency virus infection: window into brain infection? (Price and Staprans) 1997;42:675 (Editorial)

randomized, double-blind, placebo-controlled trial of deprenyl and thioctic acid in HIV-associated cognitive impairment (Dana Consortium on the Therapy of HIV Dementia and Related Cognitive Disorders) 1997;42:425A

relationship between human immunodeficiency virus–associated dementia and viral load in cerebrospinal fluid and brain (McArthur et al) 1997;42:689

HIV-1

cerebrospinal fluid human immunodeficiency virus type 1 RNA levels are elevated in neurocognitively impaired individuals with acquired immunodeficiency syndrome (Ellis et al) 1997;42:679

functional status of patients with HIV-1–associated cognitive motor disorders (Albert et al) 1997;42:393A

human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847

HLA-DR antigens

polymorphism of the 5′ flanking region to the human MBP gene due to a deletion in the repetitive (TGGA)n area is related to multiple sclerosis in Italian HLA-DR2–positive patients (Guerini et al) 1997;42:419A

Homocarnosine

human occipital lobe homocarnosine increased after starting vigabatrin (Petroff et al) 1997;42:473A

Hormones

melatonin: a clinical perspective (Penev and Zee) 1997;42:545 (Neurological progress)

Hospitalization

impact of inpatient rehabilitation on progressive multiple sclerosis (Freeman et al) 1997;42:236

Hu antibody; *see* Antibodies

Human amniotic epithelial cells; *see* Epithelial cells

Huntingtin

differential distribution of the normal and mutated forms of huntingtin in the human brain (Gourfinkel-An et al) 1997;42:712

huntingtin localization in brains of normal and Huntington's disease patients (Sapp et al) 1997;42:604

Huntington chorea

dopamine D_1 and D_2 receptor gene expression in the striatum in Huntington's disease (Augood et al) 1997;42:215

huntingtin localization in brains of normal and Huntington's disease patients (Sapp et al) 1997;42:604

mechanisms involved in the pathogenesis of Huntington's disease (Tabrizi et al) 1997;42:443A

Hybridization

human immunodeficiency virus infection of dorsal root ganglion neurons detected by polymerase chain reaction in situ hybridization (Brannagan et al) 1997;42:368

Hydrocephalus

induction of neuronal nitric oxide synthase during the late stage of congenital hydrocephalus in the HTX rat (Kinsman et al) 1997;42:533A

Hyperexplexia

hyperexplexia in Coffin-Lowry syndrome (Cheyette et al) 1997;42:505A

Hyperglycemia

cysteine protease–initiated cell death precedes disruption of the actin cytoskeleton in hyperglycemic neurons (Russell and Feldman) 1997;42:419A

Hyperkalemia

proposed mutation, Val781Ile, associated with hyperkalemic periodic paralysis and cardiac dysrhythmia is a benign polymorphism (Green et al) 1997;42:253

Hypernatremia

extrapontine myelinolysis with involvement of the hippocampus in three children with severe hypernatremia (Caruso et al) 1997;42:534A

Hypertension

hypertonic saline as a treatment method for cerebral edema and intracranial hypertension: clinical and radiographic correlation (Suarez et al) 1997;42:474A

stroke prevention: assessment of risk in a community. the SPARC Study, Part 1: blood pressure trends, treatment, and control (Meissner et al) 1997;42:433A

Hypertonic saline; *see* Saline solution, hypertonic

Hypokalemia

dichlorphenamide is effective in the treatment of hypokalemic periodic paralysis (Griggs et al) 1997;42:428A

Hyponatremia

central pontine myelinolysis: characterization of a new model (McDonald and Choi) 1997;42:427A

Hypotension, orthostatic

are portable folding chairs useful to combat orthostatic hypotension? (Smit et al) 1997;42:975

Hypothalamus

intrinsic epileptogenesis of hypothalamic hamartomas in gelastic epilepsy (Kuzniecky et al) 1997;42:60

Ibuprofen

ibuprofen does not suppress active multiple sclerosis lesions on gadolinium-enhanced MR images (Barkhof et

al) 1997;42:982 (Letter)
Idiopathic torsion dystonia; *see* Dystonia musculorum deformans
IgA
long-term clinical course of predominantly sensory neuropathy associated with IgA monoclonal gammopathy (Carlo et al) 1997;42:410A
IgG
specificity of Lambert-Eaton myasthenic syndrome immunoglobulin (IgG) for cloned neuronal voltage-gated calcium channels (Pinto et al) 1997;42:452A
Immunoblotting
immunoblot characterization of antineuronal antibody targets in Sydenham's chorea (Frucht et al) 1997;42:533A
Immunoglobulins, intravenous
intravenous immunoglobulin does not reverse recently acquired, apparently permanent weakness in multiple sclerosis (Noseworthy et al) 1997;42:421A
intravenous immunoglobulin—an often overlooked treatment—produces rapid, remarkable, sustained benefit in diabetic neuropathy complex, suggesting a dysimmune mechanism (Engel) 1997;42:414A
Immunohistochemistry
clinical use of dystrophin immunohistochemical staining (Goh et al) 1997;42:530A
nitric oxide and its toxic products in a patient with Schilder's disease: an immunohistochemical study (Oleszak et al) 1997;42:515A
Immunostaining; *see* Stains and staining
Immunotoxins
destruction of midbrain dopaminergic neurons using intraventricular immunotoxin to the dopamine transporter (Wiley et al) 1997;42:445A
In situ hybridization; *see* Hybridization
Inclusion bodies; *see* Cellular inclusions
Infant, newborn
agreement between the neonatal neurological examination findings and a standardized neurobehavioral assessment in a group of high-risk newborns (Limperopoulos et al) 1997;42:524A
DNA fragmentation in ischemic neonatal rat dentate gyrus and cortex (Pulera et al) 1997;42:458A
dose-response effect of fetal cocaine exposure on newborn neurological function (Chiriboga et al) 1997;42:492A
early EMG denervation after neonatal brachial plexus injury: neurophysiological correlates in newborn piglets (McCormick et al) 1997;42:528A
EEG evaluation of brain death in newborns (Roddy and Ashwal) 1997;42:526A
evaluation of apparent diffusion and diffusion anisotropy in normal premature and full-term infants (Neil et al) 1997;42:493A
evolving patterns of neurological disorders in the neonatal intensive care unit between 1986 and 1995 (Sheth et al) 1997;42:494A
excitotoxic injury stimulates chemokine receptor gene expression in neonatal rat brain (Galasso et al) 1997;42:491A
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
malformations of the cerebral cortex presenting with neonatal seizures (da Silva et al) 1997;42:492A
neonatal sonography brain imaging may have a predictive value concerning developmental outcome in neural tube disorders (Ronen et al) 1997;42:523A
Infant, premature
bronchopulmonary dysplasia increases risk for later neurological sequelae in preterm survivors (Majnemer et al) 1997;42:527A
evaluation of apparent diffusion and diffusion anisotropy in normal premature and full-term infants (Neil et al) 1997;42:493A
intraventricular hemorrhage, ventriculomegaly, and white matter disease of prematurity (Kuban et al) 1997;42:493A
maturation of the suck reflex does not predict apnea of prematurity (Richards et al) 1997;42:526A
thalamic echodensities identified by cranial ultrasound scan in the preterm infant: a marker of hypoxic injury? (Perlman et al) 1997;42:525A
Infantile spasms; *see* Spasms, infantile
Infection
acute myopathy of intensive care (Latronico) (Letter); (Lacomis and Giuliani) (Reply) 1997;42:131
infection of chickens with *Campylobacter jejuni* induces an antiganglioside antibody response (Nachamkin et al) 1997;42:412A
Inflammation
acute myopathy of intensive care (Latronico) (Letter); (Lacomis and Giuliani) (Reply) 1997;42:131
inflammatory central nervous system demyelination: correlation of magnetic resonance imaging findings with lesion pathology (Brück et al) 1997;42:783
reactive oxygen species production of inflammatory cells as a prognostic factor in bacterial meningitis? (Böttcher et al) 1997;42:424A
unusual presentation of familial inflammatory myopathy (Sripathi et al) 1997;42:417A
Infrared rays
usefulness of near-infrared light as a communication tool for amyotrophic lateral sclerosis patients (Shinohara et al) 1997;42:404A
Inner ear; *see* Ear
Inpatients
impact of inpatient rehabilitation on progressive multiple sclerosis (Freeman et al) 1997;42:236
Insulin-like growth factor I
insulin-like growth factor-1 promotes the interaction of Schwann cells with axons (Cheng et al) 1997;42:418A
Intensive care
acute myopathy of intensive care (Latronico) (Letter); (Lacomis and Giuliani) (Reply) 1997;42:131
Intensive care units, neonatal
evolving patterns of neurological disorders in the neonatal intensive care unit between 1986 and 1995 (Sheth et al) 1997;42:494A
Interferon-β
interferon β-1a is efficacious and well tolerated by patients with relapsing-remitting multiple sclerosis who discontinue use of interferon β-1b (Wabant et al) 1997;42:468A
multiple sclerosis PRISMS study: prevention of relapses and disability by interferon β-1a subcutaneously in multiple sclerosis (Ebers et al) 1997;42:986A
ongoing efficacy and safety analysis of interferon-β1a (AVONEX) in patients with multiple sclerosis (Herndon et al) 1997;42:987A
serial magnetization transfer ratio imaging in relapsing-remitting multiple sclerosis patients: effect of interferon

β-1b (Richert et al) 1997;42:421A
Interleukin-2
immunotherapy of experimental myasthenia gravis: selective effects of CTLA4Ig and synergistic combination with an IL-2 diphtheria toxin fusion protein (Drachman et al) 1997;42:450A
Interleukin-4
immune deviation following pulse cyclophosphamide/methylprednisolone treatment of multiple sclerosis: increased interleukin-4 production and associated eosinophilia (Smith et al) 1997;42:313
Interleukin-10
allelic association study of an interleukin-10 gene polymorphism in multiple sclerosis (McDonnell et al) 1997;42:420A
Interleukins
interleukin-converting enzyme YVAD protects the inner retina from transient ischemia (Rosenbaum et al) 1997;42:441A
Intermediate filaments
monoclonal antibodies to purified cortical Lewy bodies recognize the mid-size neurofilament subunit (Galvin et al) 1997;42:595
monoclonal antibodies to purified Lewy bodies recognize the mid-sized neurofilament subunit (Galvin et al) 1997;42:396A
neural serine-protease/serpin-like complexes in neurofilament aggregations of amyotrophic lateral sclerosis (Taniguchi et al) 1997;42:404A
role of SOD1 in nitration of neurofilamentous aggregation induced by IDPN in rats (Wang et al) 1997;42:415A
Internal pallidum; *see* Globus pallidus
Intracerebral hemorrhage; *see* Cerebral hemorrhage
Intracranial aneurysm; *see* Cerebral aneurysm
Intracranial hemorrhage; *see* Cerebral hemorrhage
Intracranial hypertension; *see* Hypertension
Intrauterine growth retardation; *see* Fetal growth retardation
Intravenous immunoglobulins; *see* Immunoglobulins, intravenous
Iodine
concurrent carboplatin and iodine-125 brachytherapy for recurrent glioblastoma multiforme (Chamberlain and Kormanik) 1997;42:431A
Ischemia
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:405A
Ischemic stroke; *see* Cerebrovascular disorders
Isotope labeling
central levodopa metabolism in Parkinson's disease after administration of stable isotope–labeled levodopa (Durso et al) 1997;42:300
Italy
reappraisal of multiple sclerosis risk among Sardinians (Rosati et al) 1997;42:469A

Japan
analysis of SCA6 mutation in late-onset pure cerebellar ataxia in the Japanese (Yabe et al) 1997;42:455A
α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115
axonal form of Guillain-Barré syndrome in Japan (Yoshii et al) 1997;42:453A
R505Q and 1207V substitutions in the *HEXB* gene of the first Japanese adult case of Sandhoff's disease (Uyama et al) 1997;42:404A
spinocerebellar ataxia type 6: CAG repeat expansion in α_{1A} voltage-dependent calcium channel gene and clinical variations in Japanese population (Ikeuchi et al) 1997;42:879
JC virus
analysis of the presence of JC virus DNA in brain biopsy specimens and CSF specimens of AIDS patients with progressive multifocal leukoencephalopathy during treatment with cytosine arabinoside (Major et al) 1997;42:426A
Jews
adult polyglucosan body disease (APBD) in Ashkenazi Jews caused by the Tyr329Ser mutation in the glycogen branching enzyme (GBE) gene (Lossos et al) 1997;42:987A
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A

Ketamine
behavioral effects of ketamine cannot be explained by cingulate activation (Heidebrink et al) 1997;42:403A
phenobarbital does not reduce the adverse effects of low-dose ketamine (Heidebrink et al) 1997;42:403A
Ketones
blood B-OH butyrate levels and management of the ketogenic diet (Gilbert et al) 1997;42:502A
ketogenic diet in the treatment of acquired epileptic aphasia (Bergqvist and Brooks-Kayal) 1997;42:505A
long-term cognitive and behavioral effects of the ketogenic diet on children and young adults (Demeritte et al) 1997;42:508A
Kidney neoplasms
primary brain tumors as a secondary malignancy in patients with systemic cancer (Blumenthal and DeAngelis) 1997;42:431A

Lactates
temporal lobe lactate elevation MRI spectroscopy in childhood idiopathic language deterioration (Dager et al) 1997;42:529A
Lambert-Eaton myasthenic syndrome
effect of Lambert-Eaton myasthenic syndrome antibodies on autonomic neurons in the mouse (Waterman et al) 1997;42:147
specificity of Lambert-Eaton myasthenic syndrome immunoglobulin (IgG) for cloned neuronal voltage-gated calcium channels (Pinto et al) 1997;42:452A
Lamictal; *see* Lamotrigine
Lamotrigine
Lamictal is effective for the treatment of typical absence seizures in children and adolescents (Frank et al) 1997;42:489A
lamotrigine therapy of epilepsy in tuberous sclerosis (Franz et al) 1997;42:509A
lamotrigine-induced parkinsonism: report of three cases in non-Parkinson's patients (Ho et al) 1997;42:446A
population pharmacokinetics of add-on lamotrigine in pediatric patients (Chen et al) 1997;42:508A
rash associated with lamotrigine in children with epilepsy (Hahn et al) 1997;42:504A

single-dose pharmacokinetics of lamotrigine in children with epilepsy (Chen et al) 1997;42:507A

Landau-Kleffner syndrome
type of language disorder in Landau-Kleffner syndrome (Kaga) 1997;42:524A

Language disorders
comorbidity in elementary schoolchildren with developmental language disorders (Gross-Tsur et al) 1997;42:525A
interictal EEG and SPECT scan findings in children with language regression (Yaylali et al) 1997;42:507A
serum autoantibodies to human temporal lobe cortex in children with epilepsy and language dysfunction (Connolly et al) 1997;42:490A
temporal lobe lactate elevation MRI spectroscopy in childhood idiopathic language deterioration (Dager et al) 1997;42:529A
type of language disorder in Landau-Kleffner syndrome (Kaga) 1997;42:524A

Lasers
detection of mitochondrial defects by laser fluorimetry and fluorescence microscopy (Lins et al) 1997;42:454A

Laughter
intrinsic epileptogenesis of hypothalamic hamartomas in gelastic epilepsy (Kuzniecky et al) 1997;42:60

Learning disorders
comorbidity in elementary schoolchildren with developmental language disorders (Gross-Tsur et al) 1997;42:525A
differential neurological examination and cognitive characteristics of methylphenidate- versus pemoline-responsive boys with ADD/LD (Duane and Raikhelkar) 1997;42:524A
persistence of developmental dyscalculia: what counts? results from a 3-year prospective follow-up study (Shalev et al) 1997;42:522

Leber's disease
T-cell response to mitochondrial antigens in multiple sclerosis and Leber's disease (Salvetti et al) 1997;42:423A

Leber's hereditary optic neuropathy; *see* Optic atrophy, hereditary

Left ventricular assist devices; *see* Heart-assist devices

Lennox-Gastaut syndrome
topiramate add-on therapy in Lennox-Gastaut syndrome (Glauser et al) 1997;42:489A

Leptomeninges; *see* Arachnoid; Pia mater

Leukemia
spectrum of neurological disease in children with cancer (Antunes et al) 1997;42:537A

Leukoaraiosis
does leukoaraiosis predict morbidity and mortality? (Brooks et al) 1997;42:436A

Leukodystrophy
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A

Leukodystrophy, globoid cell
multiple mutations in the galactocerebrosidase gene are associated with a very mild late-onset form of globoid cell leukodystrophy (Kolodny et al) 1997;42:442A

Leukoencephalopathy
cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: clinical, pathological, and radiological findings in a North American family (Desmond et al) 1997;42:435A
could a herpesvirus mimic tacrolimus-induced leukoencephalopathy? (Paterson et al) (Letter); (Small and Eidelman) (Reply) 1997;42:270

Leukoencephalopathy, progressive multifocal
analysis of the presence of JC virus DNA in brain biopsy specimens and CSF specimens of AIDS patients with progressive multifocal leukoencephalopathy during treatment with cytosine arabinoside (Major et al) 1997;42:426A

Leukomalacia, periventricular
incidence of bilateral cystic periventricular leukomalacia remains unchanged after introduction of antenatal steroids (Perlman) 1997;42:525A
twin study of cystic periventricular leukomalacia (Fine-Smith et al) 1997;42:525A

Levodopa
alterations in opioid receptor binding in Parkinson's disease patients with levodopa-induced dyskinesias (Piccini et al) 1997;42:720
central levodopa metabolism in Parkinson's disease after administration of stable isotope–labeled levodopa (Durso et al) 1997;42:300
entacapone improves motor fluctuations in levodopa-treated Parkinson's disease patients (Parkinson Study Group) 1997;42:747
glial cell line–derived neurotrophic factor–levodopa interactions and reduction of side effects in parkinsonian monkeys (Miyoshi et al) 1997;42:208
levodopa-inhibiting effect of pallidal surgery (Krack et al) (Letter); (Baron et al) (Reply) 1997;42:129
long-duration response to levodopa influences the pharmacodynamics of short-duration response in Parkinson's disease (Zappia et al) 1997;42:245
multiple transcripts due to alternative splicing of the GTP cyclohydrolase I RNA in dopa-responsive dystonia (Hirano et al) 1997;42:407A
short- and long-duration responses to levodopa during the first year of levodopa therapy (Nutt et al) 1997;42:349
typical parkinsonism in dopa-responsive dystonia (Saunders-Pullman et al) 1997;42:447A

Lewy bodies; *see also* Parkinson's disease
dementia with Lewy bodies: analysis of clinical criteria (Verghese et al) 1997;42:399A
divergent Lewy body burden in limbic versus neocortex across Alzheimer's disease severity stages (Wang et al) 1997;42:402A
familial parkinsonism, dementia, and Lewy body disease: study of Family G (Denson et al) 1997;42:638
medial temporal lobe area helps differentiate Lewy body disease from Alzheimer's disease (Lippa et al) 1997;42:399A
monoclonal antibodies to purified cortical Lewy bodies recognize the mid-size neurofilament subunit (Galvin et al) 1997;42:595
monoclonal antibodies to purified Lewy bodies recognize the mid-sized neurofilament subunit (Galvin et al) 1997;42:396A
probable diffuse Lewy body disease presenting as rapid eye movement sleep behavior disorder (Turner et al) 1997;42:401A

Libya
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A

Life support care
terminal extubation in critically ill neurological patients: frequency, procedures, and clinical course (Mayer et al) 1997;42:425A
Limb-girdle muscular dystrophy; *see* Muscular dystrophy
Linkage
childhood absence epilepsy: linkage to chromosome 8q24 (Gee et al) 1997;42:987A
congenital X-linked nonprogressive ataxia: linkage studies in a second family (Bertini et al) 1997;42:499A
linkage of a novel locus for autosomal recessive familial amyotrophic lateral sclerosis (Hentati et al) 1997; 42:453A
megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A
Linomide
prerandomization characteristics of relapsing and secondary progressive multiple sclerosis: subjects evaluated for the North American Linomide Trial by automated quantitative MRI (Wolinsky et al) 1997;42:458A
Lipodystrophy
unique lipodystrophy with spinocerebellar degeneration (Berger et al) 1997;42:444A
Lipodystrophy, intestinal
polymerase chain reaction–based detection of *Tropheryma whippelii* in central nervous system Whipple's disease (Lynch et al) 1997;42:120
Lipoproteins
GFAP-APOE transgenic mice: differences in biological effects of astrocyte produced apoE3 and apoE4/lipoproteins (Holtzman et al) 1997;42:987A
Lipoproteins, HDL
high-density lipoprotein: a protective stroke risk factor—the Northern Manhattan Stroke Study (Kargman et al) 1997;42:392A
Liver diseases
late-onset progressive neuronal degeneration of childhood with liver disease: clinical variability and MR imaging (Wollack et al) 1997;42:516A
Lumbar puncture; *see* Spinal puncture
Lung neoplasms
carcinomatous meningitis secondary to non–small cell lung cancer: combined-modality therapy (Chamberlain and Kormanik) 1997;42:464A
Lyme disease
clinical symptoms and Lyme serology in children with seventh nerve palsy (Mandelbaum et al) 1997;42:520A
cognitive-specific deficits in chronic Lyme disease (Pollina et al) 1997;42:395A
localization of Lyme disease and relapsing fever spirochetes to the meninges and peripheral nerves in experimental neuroborreliosis by immunohistochemistry (Cadavid et al) 1997;42:391A
postinfectious encephalomyelitis/multiple sclerosis versus Lyme disease (Coyle and Krupp) 1997;42:467A
psychiatric status and cognitive functioning in Lyme disease (Krupp et al) 1997;42:395A
Lymphocytes
disturbed glucocorticoid receptor pharmacology in peripheral blood lymphocytes in multiple sclerosis (Then Bergh et al) 1997;42:422A
lymphocyte autovaccine for multiple sclerosis and other demyelinating autoimmune diseases: results of a Phase I-II clinical trial (Moviglla et al) 1997;42:461A
Lymphoma
analysis of Epstein-Barr virus subtypes in AIDS-related primary CNS lymphoma (Tagliati and Morgello) 1997; 42:431A
is the incidence of primary CNS lymphoma increasing? a population-based study of incidence, clinicopathological features, and outcomes in Alberta from 1975 to 1996 (Hao et al) 1997;42:463A
non–AIDS-related lymphomatous meningitis: combined-modality therapy (Chamberlain and Kormanik) 1997; 42:463A
risk factors for primary central nervous system lymphoma: a case-control study (Schiff et al) 1997;42:431A
spectrum of neurological disease in children with cancer (Antunes et al) 1997;42:537A

Macrocephaly; *see* Brain, abnormalities
Macrophages
prospective study of neurological responses to treatment with macrophage-targeted glucocerebrosidase in patients with type 3 Gaucher's disease (Schiffmann et al) 1997;42:613
Magnetic resonance imaging
clinical and magnetic resonance imaging findings in Batten disease: analysis of the major mutation (1.02-kb deletion) (Järvelä et al) 1997;42:799
clinical application of magnetic resonance axonography (Nakada et al) 1997;42:418A
clinical syndrome of early-life bilateral hippocampal sclerosis (DeLong and Heinz) 1997;42:11
correlation of MRI and neurological and neuropsychological function in children with symptomatic HIV infection (Legido et al) 1997;42:521A
detection of active multiple sclerosis lesions with T_2-weighted, echo planar, diffusion-weighted MRI (Gass et al) 1997;42:469A
frequency and clinical correlates of occlusive lesions of intracranial and extracranial arteries in stroke-free population: evaluation by MR angiography (Uehara et al) 1997;42:439A
functional magnetic resonance imaging of single motor events reveals human presupplementary motor area (Humberstone et al) 1997;42:632
functional MRI: an imaging technique particularly suited for children (Logan et al) 1997;42:530A
ibuprofen does not suppress active multiple sclerosis lesions on gadolinium-enhanced MR images (Barkhof et al) 1997;42:982 (Letter)
inflammatory central nervous system demyelination: correlation of magnetic resonance imaging findings with lesion pathology (Brück et al) 1997;42:783
ischemic lesion volumes in acute stroke by diffusion-weighted magnetic resonance imaging correlate with clinical outcome (Lövblad et al) 1997;42:164
late-onset progressive neuronal degeneration of childhood with liver disease: clinical variability and MR imaging (Wollack et al) 1997;42:516A
longitudinal MRI findings in pyridoxine-dependent seizures (Gospe and Hecht) 1997;42:509A
magnetic resonance imaging in classification of congenital muscular dystrophies with brain abnormalities (van der Knaap et al) 1997;42:50
morphometry of in vivo human white matter association pathways with diffusion-weighted magnetic resonance imaging (Makris et al) 1997;42:951

MR neurography in diagnosis of thoracic outlet syndrome (Filler et al) 1997;42:444A
MRA studies should have a more selective indication (Flasterstein et al) 1997;42:518A
MRI and pathology findings in low-flow ischemic lesions (Pullicino et al) 1997;42:434A
MRI findings in 16 patients with chronic progressive radiation myelopathy (Goldsmith et al) 1997;42:428A
MRI results of a Phase III trial of oral myelin in relapsing-remitting multiple sclerosis (Francis et al) 1997;42:467A
noninvasive imaging of the ischemic penumbra (Rowley) 1997;42:539 (Editorial)
"open-ring enhancement": a neuroimaging sign that separates myelinoclastic diffuse sclerosis from common causes of ring enhancement on CT or MRI (Masdeu et al) 1997;42:391A
prerandomization characteristics of relapsing and secondary progressive multiple sclerosis: subjects evaluated for the North American Linomide Trial by automated quantitative MRI (Wolinsky et al) 1997;42:458A
proton magnetic resonance spectroscopic imaging and magnetic resonance imaging volumetry in the lateralization of temporal lobe epilepsy: a series of 100 patients (Cendes et al) 1997;42:737
quantitative neuropathology and quantitative magnetic resonance imaging of the hippocampus in temporal lobe epilepsy (Van Paesschen et al) 1997;42:756
serial magnetization transfer ratio imaging in relapsing-remitting multiple sclerosis patients: effect of interferon β-1b (Richert et al) 1997;42:421A
serial monthly magnetization transfer ratio analysis in relapsing-remitting multiple sclerosis patients: effect of high-dose steroid therapy (Richert et al) 1997;42:460A
trends in Creutzfeldt-Jakob disease 1976–1996: the Mayo Clinic experience (Aksamit and Chung) 1997;42:426A
ventricular volume correlates best with cognitive function in vascular dementia: a prospective MRI study (Murdock et al) 1997;42:398A

Magnetic resonance spectroscopy; *see* Nuclear magnetic resonance

Magnetic stimulation
insights into the pathophysiology of Parkinson's disease and amyotrophic lateral sclerosis provided by paired cortical magnetic stimulation (McCarthy et al) 1997;42:411A
magnetic cortical stimulation and fatigue in multiple sclerosis (Petajan et al) 1997;42:452A
ontogeny of ipsilateral corticospinal projections: a developmental study with transcranial magnetic stimulation (Müller et al) 1997;42:705

Magnetoencephalography
functional and metabolic analysis of cerebral ischemia using magnetoencephalography and proton magnetic resonance spectroscopy (Kamada et al) 1997;42:554
magnetoencephalography in partial epilepsy: clinical yield and localization accuracy (Knowlton et al) 1997;42:622

Mathematics
comorbidity in elementary schoolchildren with developmental language disorders (Gross-Tsur et al) 1997;42:525A
persistence of developmental dyscalculia: what counts? results from a 3-year prospective follow-up study (Shalev et al) 1997;42:522

McArdle's disease; *see* Glycogen storage disease type V

Mechanical heart valve; *see* Heart valve prosthesis

Medulloblastoma
childhood primitive neuroectodermal tumors/medulloblastoma: treatment directions of the Children's Cancer Group (Packer et al) 1997;42:536A
long-term oral VP-16 for recurrent medulloblastoma (Chamberlain) 1997;42:536A
neurocognitive outcome in children with medulloblastoma: results of prospective, longitudinal testing (Packer et al) 1997;42:497A

Megalencephaly; *see* Head, growth and development

Melatonin
melatonin: a clinical perspective (Penev and Zee) 1997;42:545 (Neurological progress)

Memory
amygdalar atrophy and emotional memory in Alzheimer's disease (Mori et al) 1997;42:394A
factors influencing electrophysiologic and behavioral response to novel events (Daffner et al) 1997;42:394A

Memory disorders
Memory Impairment Screen: a very brief test of memory and dementia (Buschke et al) 1997;42:400A
reversal of chronic memory impairment induced by long-term brain hypoperfusion in aging rats (de la Torre et al) 1997;42:398A
subjective memory complaints in aging: gender-associated cognitive differences (Murdock et al) 1997;42:398A

Meninges
meningeal derived chemotrophic factor inhibits growth of cerebellar granule cell axons (Bicknese et al) 1997;42:494A

Meningitis
carcinomatous meningitis secondary to non–small cell lung cancer: combined-modality therapy (Chamberlain and Kormanik) 1997;42:464A
focal posterior hemisphere invasive cryptococcal encephalitis: a distinct clinical neuroimaging entity complicating cryptococcal meningitis in AIDS (McGuire et al) 1997;42:467A
non–AIDS-related lymphomatous meningitis: combined-modality therapy (Chamberlain and Kormanik) 1997;42:463A

Meningitis, bacterial
reactive oxygen species production of inflammatory cells as a prognostic factor in bacterial meningitis? (Böttcher et al) 1997;42:424A

Mental disorders
do parents of children with Tourette's syndrome have significant psychopathology? (Camfield et al) 1997;42:523A

Mental retardation
family with epilepsy and mental retardation limited to females defines a new inheritance pattern: X-linkage with male sparing (Ryan et al) 1997;42:489A
Rett syndrome: a disorder affecting early brain growth (Naidu) 1997;42:3 (Neurological progress)

Mesencephalon
destruction of midbrain dopaminergic neurons using intraventricular immunotoxin to the dopamine transporter (Wiley et al) 1997;42:445A
dissociated sleep components in a patient with a pontomesencephalic astrocytoma (Bianchin et al) 1997;42:470A
periodic alternating nystagmus from a midbrain lesion (Fife et al) 1997;42:470A

Metalloproteinases
mRNA expression of tissue inhibitors of metalloproteinases 1 to 4 in human brain tumors: a putative relationship between inhibitor levels and tumor histopathology (Groft et al) 1997;42:464A
Methionine
PET using [^{18}F]fluorodeoxyglucose and [^{11}C]L-methionine to metabolically characterize dysembryoplastic neuroepithelial tumors (Kaplan et al) 1997;42:535A
Methotrexate
oral methotrexate dose-escalation study in progressive multiple sclerosis (Rensel et al) 1997;42:423A
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
functional study of motor circuits in MPTP parkinsonian primates (Schwartzman et al) 1997;42:448A
PET imaging of the dopamine transporter in MPTP-treated monkeys: a window on dopamine neuron regeneration? (Madras et al) 1997;42:443A
Methylphenidate
differential neurological examination and cognitive characteristics of methylphenidate- versus pemoline-responsive boys with ADD/LD (Duane and Raikhelkar) 1997;42:524A
methylphenidate may unmask obsessive-compulsive symptoms in attention-disordered adults (Duane) 1997;42:396A
striatal dopamine transporters studied with methylphenidate decline during normal aging (Chan et al) 1997;42:446A
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
MPTP-like parkinsonism secondary to Ara-C: neurochemical and PET findings (Bojko et al) 1997;42:529A
Methylprednisolone
immune deviation following pulse cyclophosphamide/methylprednisolone treatment of multiple sclerosis: increased interleukin-4 production and associated eosinophilia (Smith et al) 1997;42:313
Mexiletine
double-blind, randomized clinical trial of amitriptyline and mexiletine for painful neuropathy in human immunodeficiency virus infection (Kieburtz et al) 1997;42:429A
Mice, transgenic
GFAP-APOE transgenic mice: differences in biological effects of astrocyte produced apoE3 and apoE4/lipoproteins (Holtzman et al) 1997;42:987A
Microbodies
docosahexaenoic acid therapy in peroxisome biogenesis disorders (Raymond et al) 1997;42:510A
Microglia; *see* Neuroglia
Microscopy, fluorescence
detection of mitochondrial defects by laser fluorimetry and fluorescence microscopy (Lins et al) 1997;42:454A
Microtubules
platelet-activating factor receptor–mediated cytoskeletal rearrangements of microtubules and F-actin in developing neural processes (McNeil et al) 1997;42:495A
Midbrain; *see* Mesencephalon
Migraine
genetic heterogeneity of familial migraine: no evidence for mutations in the CACNL1A4 gene in four German pedigrees with common forms of familial migraine (Wieser et al) 1997;42:430A
hippocampal spreading depression may trigger migraine pain (Kraig and Kunkler) 1997;42:445A
mapping of a second locus for familial hemiplegic migraine to 1q21–q23 and evidence of further heterogeneity (Ducros et al) 1997;42:885
neurological diagnoses affecting Gulf War veterans: an analysis of the data in the Comprehensive Clinical Evaluation Program (Dutka et al) 1997;42:470A
PET study of serotonin synthesis in patients with migraine headache (Chaturvedi et al) 1997;42:429A
Missense allele; *see* Alleles
Mitochondria
coenzyme Q_{10} levels correlate with the activities of complexes I and II/III in mitochondria from parkinsonian and nonparkinsonian subjects (Shults et al) 1997;42:261
frataxin gene of Friedreich's ataxia is targeted to mitochondria (Priller et al) 1997;42:265 (Expedited publication)
new familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency (Dionisi-Vici et al) 1997;42:661
T-cell response to mitochondrial antigens in multiple sclerosis and Leber's disease (Salvetti et al) 1997;42:423A
underlying biochemical defects in mitochondrial encephalomyopathies do not correlate with clinical or neuroradiological findings (Selak et al) 1997;42:511A
Mitochondria, muscle
detection of mitochondrial defects by laser fluorimetry and fluorescence microscopy (Lins et al) 1997;42:454A
in vivo skeletal muscle mitochondrial function in Leber's hereditary optic neuropathy assessed by ^{31}P magnetic resonance spectroscopy (Lodi et al) 1997;42:573
mitochondrial dysfunction in various myopathies (Zhang et al) 1997;42:454A
possible defect in pyruvate transport in skeletal muscle mitochondria from four children with encephalomyopathies and myopathies (Selak et al) 1997;42:514A
Mitochondrial DNA; *see* DNA, mitochondrial
Mitogens
human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847
Mitosis
mitotic arrest, and not DNA damage, is the trigger for apoptosis or morphological differentiation in neural crest tumor cells (Schor et al) 1997;42:535A
Modafinil
modafinil for the long-term treatment of excessive daytime sleepiness in narcolepsy (Sahota et al) 1997;42:425A
Molecular genetics; *see* Genetics, biochemical
Monoamine oxidase inhibitors
selegiline, and not its metabolites, is the principal active moiety in monoamine oxidase-B inhibition in brain (Johnson et al) 1997;42:409A
Monoclonal antibodies; *see* Antibodies, monoclonal
Monoclonal gammopathy; *see* Paraproteinemias
Monocytes
monocyte chemoattractant protein-1 expression in the nervous system of trangenic mice (Tani et al) 1997;42:461A
Mortality; *see* Death
Mosaicism
schwannomatosis resulting from somatic mosaicism of the NF2 gene (MacCollin et al) 1997;42:513A
Motor activity
functional magnetic resonance imaging of single motor events reveals human presupplementary motor area

(Humberstone et al) 1997;42:632

Motor cortex

anticipation and reading of single words alter cortical excitability (Seyal et al) 1997;42:420A

functional magnetic resonance imaging of single motor events reveals human presupplementary motor area (Humberstone et al) 1997;42:632

ontogeny of ipsilateral corticospinal projections: a developmental study with transcranial magnetic stimulation (Müller et al) 1997;42:705

Motor evoked potentials; *see* Evoked potentials

Motor neurons

dissociation of glycosylation and phosphorylation in chromatolytic motor neurons of Werdnig-Hoffmann disease (Chou and Wang) 1997;42:531A

improved gene transfer into spinal and bulbar motor neurons by adenovirus-mediated gene transfer (Acsadi et al) 1997;42:498A

motor nerve biopsy in Guillain-Barré syndrome (Lange et al) 1997;42:450A

neuronal nitric oxide synthase inhibitor, 7-nitroindazole, attenuates motor dysfunction and spinal motoneuron degeneration in the Wobbler mouse (Ikeda et al) 1997;42:450A

pigment epithelial–derived factor protects motor neurons against chronic glutamate-mediated toxicity (Bilak et al) 1997;42:451A

spinal muscular atrophy–determining gene, survival motor neuron: identification and characterization of the mouse homologue (Bergin et al) 1997;42:499A

Movement disorders

alterations in opioid receptor binding in Parkinson's disease patients with levodopa-induced dyskinesias (Piccini et al) 1997;42:720

computerized registry for a movement disorders clinic (Uc) 1997;42:449A

effects of pallidotomy on dyskinesias and motor signs in Parkinson's disease (Gancher et al) 1997;42:446A

movement disorders associated with xeroderma pigmentosum (Warner et al) 1997;42:411A

pallidotomy for hemiballismus: efficacy and characteristics of neuronal activity (Suarez et al) 1997;42:807

pattern of defective dopamine receptors in pure akinesia (Chaudhuri and Behan) 1997;42:410A

Moyamoya disease

neurological outcome in patients with sickle syndromes and Moyamoya phenomenon (Thorarensen et al) 1997;42:518A

MPTP; *see* 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine

mRNA; *see* RNA, messenger

Multiple sclerosis, analysis

allelic association study of an interleukin-10 gene polymorphism in multiple sclerosis (McDonnell et al) 1997;42:420A

cytokine profile of myelin basic protein–reactive T cells in multiple sclerosis and healthy individuals (Hermans et al) 1997;42:18

disturbed glucocorticoid receptor pharmacology in peripheral blood lymphocytes in multiple sclerosis (Then Bergh et al) 1997;42:422A

T-cell response to mitochondrial antigens in multiple sclerosis and Leber's disease (Salvetti et al) 1997;42:423A

Multiple sclerosis, complications

cause of osteoporosis in multiple sclerosis (Schwid et al) 1997;42:422A

Multiple sclerosis, diagnosis

application of the Poser criteria in primary progressive multiple sclerosis (McDonnell and Hawkins) 1997;42:982 (Letter)

postinfectious encephalomyelitis/multiple sclerosis versus Lyme disease (Coyle and Krupp) 1997;42:467A

Multiple sclerosis, drug therapy

ibuprofen does not suppress active multiple sclerosis lesions on gadolinium-enhanced MR images (Barkhof et al) 1997;42:982 (Letter)

immune deviation following pulse cyclophosphamide/methylprednisolone treatment of multiple sclerosis: increased interleukin-4 production and associated eosinophilia (Smith et al) 1997;42:313

multiple sclerosis PRISMS study: prevention of relapses and disability by interferon β-1a subcutaneously in multiple sclerosis (Ebers et al) 1997;42:986A

ongoing efficacy and safety analysis of interferon-β1a (AVONEX) in patients with multiple sclerosis (Herndon et al) 1997;42:987A

oral methotrexate dose-escalation study in progressive multiple sclerosis (Rensel et al) 1997;42:423A

plasma concentrations of tizanidine following single doses of Zanaflex: tizanidine hydrochloride association with decreased muscle tone and adverse events (Shellenberger et al) 1997;42:466A

prerandomization characteristics of relapsing and secondary progressive multiple sclerosis: subjects evaluated for the North American Linomide Trial by automated quantitative MRI (Wolinsky et al) 1997;42:458A

recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force (Rudick et al) 1997;42:379 (Special report)

serial monthly magnetization transfer ratio analysis in relapsing-remitting multiple sclerosis patients: effect of high-dose steroid therapy (Richert et al) 1997;42:460A

Multiple sclerosis, epidemiology

epidemiologic aspects of multiple sclerosis in U.S. veterans: long-term survival for World War II veterans (Wallin et al) 1997;42:469A

reappraisal of multiple sclerosis risk among Sardinians (Rosati et al) 1997;42:469A

Multiple sclerosis, etiology

multiple sclerosis and retroviruses (Brahic and Bureau) 1997;42:984 (Letter)

Multiple sclerosis, genetics

genetic susceptibility to multiple sclerosis: a candidate gene approach (Liblau et al) 1997;42:424A

polymorphism of the 5′ flanking region to the human MBP gene due to a deletion in the repetitive (TGGA)n area is related to multiple sclerosis in Italian HLA-DR2–positive patients (Guerini et al) 1997;42:419A

Multiple sclerosis, immunology

evaluation of a T-cell receptor β-chain gene polymorphism in primary progressive multiple sclerosis (McDonnell et al) 1997;42:457A

frequency and fine specificity of T-cell clones reactive to myelin oligodendrocyte glycoprotein in a multiplex family with multiple sclerosis (Koehler et al) 1997;42:458A

neuroendocrine–immune system interactions: dehydroepiandrosterone plasma levels in multiple sclerosis (Kuempfel et al) 1997;42:428A

T-cell responses to myelin oligodendrocyte protein and other myelin antigens in multiple sclerosis (Diaz-Villoslada et al) 1997;42:459A

Multiple sclerosis, microbiology
multiple sclerosis and retroviruses (Brahic and Bureau) 1997;42:984 (Letter)
Multiple sclerosis, pathology
clinically definite multiple sclerosis following optic neuritis (Beck) (Letter); (Jacobs et al) (Reply) 1997;42:815
detection of active multiple sclerosis lesions with T_2-weighted, echo planar, diffusion-weighted MRI (Gass et al) 1997;42:469A
multiple sclerosis: oligodendrocytes display cell death–related molecules in situ but do not undergo apoptosis (Bonetti and Raine) 1997;42:74
tracing active demyelinating plaques in postmortem multiple sclerosis cerebellum (Tourtellotte et al) 1997;42:426A
Multiple sclerosis, physiopathology
cognitive performance and regional lesion burden in multiple sclerosis (Sperling et al) 1997;42:393A
correlation of Ashworth score with automated Wartenberg pendulum measurement of quadriceps spasticity in multiple sclerosis (Sheremata et al) 1997;42:466A
evoked potential abnormality scores are a useful measure of disease burden in relapsing-remitting multiple sclerosis (O'Connor et al) 1997;42:423A
magnetic cortical stimulation and fatigue in multiple sclerosis (Petajan et al) 1997;42:452A
non–physician-based continuous measures of manual dexterity and ambulation can by used to improve the ability of the EDSS to detect clinical worsening in an MS clinical trial (Goodkin et al) 1997;42:468A
"voice matching" can quantify dysarthritic speech in multiple sclerosis (Pollins et al) 1997;42:466A
Multiple sclerosis, psychology
relationship of stress, psychological distress, and disease activity in multiple sclerosis patients (Mohr et al) 1997;42:443A
Multiple sclerosis, rehabilitation
impact of inpatient rehabilitation on progressive multiple sclerosis (Freeman et al) 1997;42:236
Multiple sclerosis, therapy
clinical results of a Phase III trial of oral myelin in relapsing-remitting multiple sclerosis (Panitch et al) 1997;42:459A
interferon β-1a is efficacious and well tolerated by patients with relapsing-remitting multiple sclerosis who discontinue use of interferon β-1b (Wabant et al) 1997;42:468A
intravenous immunoglobulin does not reverse recently acquired, apparently permanent weakness in multiple sclerosis (Noseworthy et al) 1997;42:421A
lymphocyte autovaccine for multiple sclerosis and other demyelinating autoimmune diseases: results of a Phase I-II clinical trial (Moviglla et al) 1997;42:461A
MRI results of a Phase III trial of oral myelin in relapsing-remitting multiple sclerosis (Francis et al) 1997;42:467A
neuropsychological status in patients with multiple sclerosis after treatment with copolymer-1 (Weinstein et al) 1997;42:459A
recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force (Rudick et al) 1997;42:379 (Special report)
serial magnetization transfer ratio imaging in relapsing-remitting multiple sclerosis patients: effect of interferon β-1b (Richert et al) 1997;42:421A
Multiple-system atrophy; *see* Atrophy
Muscle, genetics
novel muscle sodium channel mutation causes painful congenital myotonia (Rosenfeld et al) 1997;42:811
Muscle, microbiology
evidence for prion replication in skeletal muscle (Bosque et al) 1997;42:986A
Muscle contraction
distinct patterns of weakness in facioscapulohumeral muscular dystrophy (McDermott et al) 1997;42:450A
"slurp" test for bulbar muscle fatigue in myasthenia gravis (Crawford and Kuncl) 1997;42:532A
strength improvement on prednisolone in a patient with limb-girdle muscular dystrophy 2C (primary γ-sarcoglycanopathy) (Bönnemann et al) 1997;42:531A
stretched position of spastic muscles aggravates their co-contraction in hemiplegic patients (Gracies et al) 1997;42:438A
Muscle spasticity
correlation of Ashworth score with automated Wartenberg pendulum measurement of quadriceps spasticity in multiple sclerosis (Sheremata et al) 1997;42:466A
plasma concentrations of tizanidine following single doses of Zanaflex: tizanidine hydrochloride association with decreased muscle tone and adverse events (Shellenberger et al) 1997;42:466A
stretched position of spastic muscles aggravates their co-contraction in hemiplegic patients (Gracies et al) 1997;42:438A
task-oriented treadmill exercise training reduces spasticity and improves hamstring strength in chronic hemiparetic stroke patients: a preliminary report (Smith et al) 1997;42:427A
Muscular atrophy, spinal
congenital axonal neuropathy caused by deletions in the spinal muscular atrophy region (Korinthenberg et al) 1997;42:364
extensive DNA deletion associated with severe disease alleles on spinal muscular atrophy homologues (Wang et al) 1997;42:41
spinal muscular atrophy–determining gene, survival motor neuron: identification and characterization of the mouse homologue (Bergin et al) 1997;42:499A
Muscular diseases, analysis
underlying biochemical defects in mitochondrial encephalomyopathies do not correlate with clinical or neuroradiological findings (Selak et al) 1997;42:511A
Muscular diseases, diagnosis
unusual presentation of familial inflammatory myopathy (Sripathi et al) 1997;42:417A
Muscular diseases, etiology
acute myopathy of intensive care (Latronico) (Letter); (Lacomis and Giuliani) (Reply) 1997;42:131
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A
Muscular diseases, genetics
association of myopathy with large-scale mitochondrial DNA duplications and deletions: which is pathogenic? (Manfredi et al) 1997;42:180
molecular genetics of autosomal recessive hereditary inclusion body myopathy (Middleton et al) 1997;42:414A
Muscular diseases, pathology
complex I defects in children with encephalomyopathies and myopathies are associated with heterogenous clinical profiles (Selak et al) 1997;42:514A

mitochondrial dysfunction in various myopathies (Zhang et al) 1997;42:454A
possible defect in pyruvate transport in skeletal muscle mitochondria from four children with encephalomyopathies and myopathies (Selak et al) 1997;42:514A
Muscular dystrophy, analysis
altered immunoreactivity and ultrastructure changes of sarcolemma and basal lamina in limb-girdle muscular dystrophy (Li et al) 1997;42:415A
biochemical, genetic, and clinical survey of autosomal recessive limb girdle muscular dystrophies in Turkey (Dinçer et al) 1997;42:222
Muscular dystrophy, diagnosis
X-linked Emery-Dreifuss muscular dystrophy can be diagnosed from skin biopsy or blood sample (Mora et al) 1997;42:249
Muscular dystrophy, drug therapy
strength improvement on prednisolone in a patient with limb-girdle muscular dystrophy 2C (primary γ-sarcoglycanopathy) (Bönnemann et al) 1997;42:531A
Muscular dystrophy, genetics
application of definitive molecular diagnostic criteria in facioscapulohumeral dystrophy (FSHD): clinical implications of position effect variegation (Orrell et al) 1997;42:986A
biochemical, genetic, and clinical survey of autosomal recessive limb girdle muscular dystrophies in Turkey (Dinçer et al) 1997;42:222
Muscular dystrophy, pathology
magnetic resonance imaging in classification of congenital muscular dystrophies with brain abnormalities (van der Knaap et al) 1997;42:50
Muscular dystrophy, physiopathology
distinct patterns of weakness in facioscapulohumeral muscular dystrophy (McDermott et al) 1997;42:450A
Mutation
adult polyglucosan body disease (APBD) in Ashkenazi Jews caused by the Tyr329Ser mutation in the glycogen branching enzyme (GBE) gene (Lossos et al) 1997;42:987A
analysis of the M6B gene in patients with Rett syndrome (Narayanan et al) 1997;42:517A
calcium channels in neurological disease (Greenberg) 1997;42:275 (Neurological progress)
carnitine palmityltransferase II deficiency: three novel mutations (Wieser et al) 1997;42:414A
clinical and magnetic resonance imaging findings in Batten disease: analysis of the major mutation (1.02-kb deletion) (Järvelä et al) 1997;42:799
copper and zinc levels in familial amyotrophic lateral sclerosis patients with CuZnSOD gene mutations (Radunović et al) 1997;42:130 (Letter)
copper/zinc superoxide dismutase 1 and sporadic amyotrophic lateral sclerosis: analysis of 155 cases and identification of a novel insertion mutation (Jackson et al) 1997;42:803
cytochrome c oxidase deficiency associated with a new stop codon mutation in mitochondrial DNA (Hanna et al) 1997;42:412A
differential distribution of the normal and mutated forms of huntingtin in the human brain (Gourfinkel-An et al) 1997;42:712
early-onset Alzheimer's disease with a presenilin-1 mutation at the site corresponding to the Volga German presenilin-2 mutation (Crook et al) 1997;42:124
early-onset dementia as a manifestation of the 4269 mitochondrial DNA mutation (Fadic et al) 1997;42:443A
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
familial spongiform encephalopathy associated with a novel prion protein gene mutation (Nitrini et al) 1997;42:138
genetic heterogeneity of familial migraine: no evidence for mutations in the CACNL1A4 gene in four German pedigrees with common forms of familial migraine (Wieser et al) 1997;42:430A
genetic mutations in late-onset dominant and sporadic ataxia in South Africa (Bryer et al) 1997;42:428A
idiopathic torsion dystonia linked to chromosome 8 in two Mennonite families (Almasy et al) 1997;42:670
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326
manifesting heterozygosity in carnitine palmitoyl transferase II deficiency resulting from the ser 113 leu mutation (Tein et al) 1997;42:516A
multiple mutations in the galactocerebrosidase gene are associated with a very mild late-onset form of globoid cell leukodystrophy (Kolodny et al) 1997;42:442A
mutations in glutamate transporter gene (EAAT2) in amyotrophic lateral sclerosis (Aoki et al) 1997;42:412A
novel muscle sodium channel mutation causes painful congenital myotonia (Rosenfeld et al) 1997;42:811
postmortem study of Friedreich-like ataxia with retinitis pigmentosa caused by the mutation of α-tocopherol transfer protein gene (Yokota et al) 1997;42:987A
proposed mutation, Val781Ile, associated with hyperkalemic periodic paralysis and cardiac dysrhythmia is a benign polymorphism (Green et al) 1997;42:253
R505Q and 1207V substitutions in the *HEXB* gene of the first Japanese adult case of Sandhoff's disease (Uyama et al) 1997;42:404A
spontaneous mutation in CACNL1A4 caused acetazolamide-responsive episodic ataxia (Baloh et al) 1997;42:468A
Myasthenia gravis
immunotherapy of experimental myasthenia gravis: selective effects of CTLA4Ig and synergistic combination with an IL-2 diphtheria toxin fusion protein (Drachman et al) 1997;42:450A
"slurp" test for bulbar muscle fatigue in myasthenia gravis (Crawford and Kuncl) 1997;42:532A
Myelin
alteration of brain neutral glycosphingolipids in myelin disease (Hogan and Dasgupta) 1997;42:420A
central pontine myelinolysis: characterization of a new model (McDonald and Choi) 1997;42:427A
clinical results of a Phase III trial of oral myelin in relapsing-remitting multiple sclerosis (Panitch et al) 1997;42:459A
developmental defect of myelination resulting from proteolipid protein mutation in hereditary spastic paraplegia of childhood (Mimault et al) 1997;42:495A
extrapontine myelinolysis with involvement of the hippocampus in three children with severe hypernatremia (Caruso et al) 1997;42:534A
frequency and fine specificity of T-cell clones reactive to myelin oligodendrocyte glycoprotein in a multiplex family with multiple sclerosis (Koehler et al) 1997;42:458A
MRI results of a Phase III trial of oral myelin in relapsing-remitting multiple sclerosis (Francis et al) 1997;42:467A

T-cell responses to myelin oligodendrocyte protein and other myelin antigens in multiple sclerosis (Diaz-Villoslada et al) 1997;42:459A

Myelin basic protein; *see* Encephalitogenic basic proteins

Myelin proteins

correlation between PMP-22 messenger RNA expression and phenotype in hereditary neuropathy with liability to pressure palsies (Schenone et al) 1997;42:866

Myelinoclastic diffuse sclerosis; *see* Encephalitis periaxialis

Myelitis, transverse

presentation and outcome of childhood transverse myelitis (Rust et al) 1997;42:521A

Myelopathy; *see* Spinal diseases

Myocardial infarction

dihydroergotamine-precipitated myocardial infarction in a 53-year-old woman (Steward et al) 1997;42:430A

Myoclonus

acute myoclonus secondary to group A β-hemolytic streptococcus infection: a PANDAS variant (DiFazio et al) 1997;42:521A

antineuronal antibodies in patients with neuroblastoma and paraneoplastic opsoclonus-myoclonus (Antunes et al) 1997;42:534A

effects of specific serotonergic antagonists on the rat cardiac arrest model of posthypoxic myoclonus (Pappert et al) 1997;42:408A

gabapentin therapy for essential myoclonus in children (DiFazio and Davis) 1997;42:507A

neurological outcome in chlidren with opsoclonus-myoclonus-ataxia syndrome and neuroblastoma: a report from the Children's Cancer Group (Khakoo et al) 1997;42:496A

Myopathy; *see* Muscular diseases

Myositis

clinical and pathologic features of focal myositis (Smith et al) 1997;42:414A

increased accumulation of transciption factor NF-κB in vacuolated muscle fibers of inclusion body myositis (Yang et al) 1997;42:451A

SMI-31 immunoreactivity in inclusion body myositis (Spuler and Engel) (Letter); (Askanas et al) (Reply) 1997;42:815

Myotonia

novel muscle sodium channel mutation causes painful congenital myotonia (Rosenfeld et al) 1997;42:811

Myotonia atrophica

floppy head syndrome resulting from proximal myotonic dystrophy (Evidente and Cook) 1997;42:417A

postzygotic instability of the CTG trinucleotide repeat in congenital myotonic dystrophy (Ashizawa and Wong) 1997;42:413A

***N*-acetylaspartate**

hippocampal *N*-acetylaspartate in neocortical epilepsy and mesial temporal lobe epilepsy (Vermathen et al) 1997;42:194

Narcolepsy

modafinil for the long-term treatment of excessive daytime sleepiness in narcolepsy (Sahota et al) 1997;42:425A

National Multiple Sclerosis Society

recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force (Rudick et al) 1997;42:379 (Special report)

Navigation

virtual maze navigation studied using PET (Flitman et al) 1997;42:394A

Near-infrared light; *see* Infrared rays

Neocortex; *see* Cerebral cortex

Neonate; *see* Infant, newborn

Neoplasm metastasis

carcinomatous meningitis secondary to non–small cell lung cancer: combined-modality therapy (Chamberlain and Kormanik) 1997;42:464A

herpes simplex encephalitis in two patients treated for metastatic brain tumor (Maniar et al) 1997;42:462A

intra-arterial carboplatin and intravenous etoposide for the treatment of metastatic brain tumors: preliminary results (Newton et al) 1997;42:432A

neurological complications of ovarian cancer (Abrey and Dalmau) 1997;42:430A

outcome for leptomeningeal metastases in childhood treated with intrathecal thiotepa (Fisher et al) 1997;42:536A

prospective randomized study of prophylactic anticonvulsants in patients with primary or metastatic brain tumors and without prior seizures (Weaver et al) 1997;42:430A

Neoplasms; *see also specific neoplasms*

brain abscesses in pediatric patients with cancer (Antunes et al) 1997;42:521A

spectrum of neurological disease in children with cancer (Antunes et al) 1997;42:537A

Neoplasms, embryonal and mixed

childhood primitive neuroectodermal tumors/medulloblastoma: treatment directions of the Children's Cancer Group (Packer et al) 1997;42:536A

Nerve degeneration

CLN3 defines a novel antiapoptotic pathway operative in neurodegeneration and mediated by ceramide (Puranam et al) 1997;42:490A

late-onset progressive neuronal degeneration of childhood with liver disease: clinical variability and MR imaging (Wollack et al) 1997;42:516A

neurodegenerative diseases with cytoskeletal pathology: a biochemical classification (Dickson) 1997;42:541 (Editorial)

nicotinic receptor stimulation protects neurons against β-amyloid toxicity (Kihara et al) 1997;42:159

Rett syndrome: a disorder affecting early brain growth (Naidu) 1997;42:3 (Neurological progress)

Nerve fibers

assessment of epidermal nerve fibers to determine the pathobiology of aging (Erdem et al) 1997;42:416A

post-herpetic neuralgia pain correlates with a generalized decrease in number and function of cutaneous nerve fibers (Oaklander et al) 1997;42:987A

Nerve growth factors

high-dose nerve growth factor inhibition of neurite outgrowth correlates with reduced phosphorylation of focal adhesion kinase (Conti and Windebank) 1997;42:451A

inhibition of axonal growth from sensory neurons by excess nerve growth factor (Conti et al) 1997;42:838

Nerve regeneration

biological foundations underlying novel CNS regenerative strategies: multipotential neural stem cells in the cerebrum exist outside of periventricular generative zones (Mehler et al) 1997;42:456A

in vitro survival and regeneration of adult human CNS neurons isolated 100 hours postmortem (Kim) 1997;42:427A

PET imaging of the dopamine transporter in MPTP-treated monkeys: a window on dopamine neuron regeneration? (Madras et al) 1997;42:443A

Nervous system diseases, mortality
survival rates of children with severe neurological disabilities (Plioplys et al) 1997;42:501A

Neural conduction
cryptogenic sensory polyneuropathy: clinical and electrophysiologic features (Baker et al) 1997;42:455A

Neural crest
bcl-2 alters glutathione handling in neural crest tumor cells: implications for targeted therapy of chemoresistant tumors (Schor) 1997;42:491A
mitotic arrest, and not DNA damage, is the trigger for apoptosis or morphological differentiation in neural crest tumor cells (Schor et al) 1997;42:535A

Neural transmission
neuromuscular transmission defect caused by carbamazepine (Zaidat et al) 1997;42:453A

Neural tube defects
neonatal sonography brain imaging may have a predictive value concerning developmental outcome in neural tube disorders (Ronen et al) 1997;42:523A

Neuralgia
post-herpetic neuralgia pain correlates with a generalized decrease in number and function of cutaneous nerve fibers (Oaklander et al) 1997;42:987A

Neuregulin
novel neuregulin isoform characterized in embryonic mouse (Mason et al) 1997;42:511A

Neurites
high-dose nerve growth factor inhibition of neurite outgrowth correlates with reduced phosphorylation of focal adhesion kinase (Conti and Windebank) 1997;42:451A

Neuritis, experimental allergic
Fas mRNA expression in peripheral nerves: possible role in experimental allergic neuritis pathogenesis (Sheikh et al) 1997;42:413A

Neurobehavioral assessment
agreement between the neonatal neurological examination findings and a standardized neurobehavioral assessment in a group of high-risk newborns (Limperopoulos et al) 1997;42:524A

Neuroblastoma
antineuronal antibodies in patients with neuroblastoma and paraneoplastic opsoclonus-myoclonus (Antunes et al) 1997;42:534A
infection of murine dorsal root ganglion neurons–neuroblastoma (N18TG2) hybrid cells with herpes simplex virus type I: an in vitro model of viral latency? (Kastrukoff et al) 1997;42:426A
neurological outcome in chlidren with opsoclonus-myoclonus-ataxia syndrome and neuroblastoma: a report from the Children's Cancer Group (Khakoo et al) 1997;42:496A

Neuroborreliosis; *see Borrelia burgdorferi*

Neuroepithelial tumor
PET using [^{18}F]fluorodeoxyglucose and [^{11}C]L-methionine to metabolically characterize dysembryoplastic neuroepithelial tumors (Kaplan et al) 1997;42:535A

Neurofibrillary tangles
autosomal dominant dementia with widespread neurofibrillary tangles (Reed et al) 1997;42:564

Neurofibromatosis 1
changes in brain volume in children with neurofibromatosis 1 (Greenwood et al) 1997;42:500A

Neurofibromatosis 2
schwannomatosis resulting from somatic mosaicism of the NF2 gene (MacCollin et al) 1997;42:513A

Neurofilaments; *see* Intermediate filaments

Neuroglia
cytokine networks in human CNS identified in cultured human neurons, astrocytes, and microglia (Kim) 1997;42:424A
glial cell line–derived neurotrophic factor–levodopa interactions and reduction of side effects in parkinsonian monkeys (Miyoshi et al) 1997;42:208
prostaglandin-induced modulation of outwardly rectifying K^+ channels in microglia (Caggiano and Kraig) 1997;42:456A

Neurokinin receptors; *see* Receptors, neurokinin

Neurological examination
agreement between the neonatal neurological examination findings and a standardized neurobehavioral assessment in a group of high-risk newborns (Limperopoulos et al) 1997;42:524A

Neurological manifestations
spectrum of neurological disease in children with cancer (Antunes et al) 1997;42:537A

Neuronal ceroid-lipofuscinosis
clinical and magnetic resonance imaging findings in Batten disease: analysis of the major mutation (1.02-kb deletion) (Järvelä et al) 1997;42:799
molecular analysis of CLN3 to clarify an atypical, protracted juvenile neuronal ceroid lipofuscinosis (Wisniewski et al) 1997;42:512A

Neurons
cysteine protease–initiated cell death precedes disruption of the actin cytoskeleton in hyperglycemic neurons (Russell and Feldman) 1997;42:419A
cytokine networks in human CNS identified in cultured human neurons, astrocytes, and microglia (Kim) 1997;42:424A
destruction of midbrain dopaminergic neurons using intraventricular immunotoxin to the dopamine transporter (Wiley et al) 1997;42:445A
effect of Lambert-Eaton myasthenic syndrome antibodies on autonomic neurons in the mouse (Waterman et al) 1997;42:147
effects of apomorphine on globus pallidus neurons in parkinsonian patients (Hutchison et al) 1997;42:767
human immunodeficiency virus infection of dorsal root ganglion neurons detected by polymerase chain reaction in situ hybridization (Brannagan et al) 1997;42:368
human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847
hypoxia–ischemia causes abnormalities in glutamate transporters and death of astroglia and neurons in newborn striatum (Martin et al) 1997;42:335
in vitro survival and regeneration of adult human CNS neurons isolated 100 hours postmortem (Kim) 1997;42:427A
induction of neuronal nitric oxide synthase during the late stage of congenital hydrocephalus in the HTX rat (Kinsman et al) 1997;42:533A
platelet-activating factor receptor stimulation disrupts neuronal migration in vivo (Bix and Clark) 1997;42:494A
simultaneous multineuronal recordings from freely behaving rats (Jog et al) 1997;42:417A

Neurons, afferent
inhibition of axonal growth from sensory neurons by excess nerve growth factor (Conti et al) 1997;42:838
Neuron-specific enolase; *see* Phosphopyruvate hydratase
Neuropathies, hereditary with liability to pressure palsies
correlation between PMP-22 messenger RNA expression and phenotype in hereditary neuropathy with liability to pressure palsies (Schenone et al) 1997;42:866
hereditary neuropathy with liability to pressure palsies: a cause of nontraumatic unexplained diaphragmatic paralysis (Machkhas et al) 1997;42:454A
Neuropathies, sensory
congenital panneuropathy with central nervous system involvement (Cilio et al) 1997;42:531A
cryptogenic sensory polyneuropathy: clinical and electrophysiologic features (Baker et al) 1997;42:455A
GD1b-induced sensory ataxic neuropathy: anti-GD1b antibody is an essential pathogenetic factor (Kusunoki et al) 1997;42:461A
long-term clinical course of predominantly sensory neuropathy associated with IgA monoclonal gammopathy (Carlo et al) 1997;42:410A
Neuropsychological tests
accumulation of β-amyloid precursor protein in HIV encephalitis: relationship with neuropsychological abnormalities (Giometto et al) 1997;42:34
correlation of MRI and neurological and neuropsychological function in children with symptomatic HIV infection (Legido et al) 1997;42:521A
effects of pain, sleep, and fatigue on neuropsychological performance in eosinophilia-myalgia syndrome (Krupp et al) 1997;42:396A
Memory Impairment Screen: a very brief test of memory and dementia (Buschke et al) 1997;42:400A
neuropsychiatric features of corticobasal degeneration (Litvan et al) 1997;42:395A
neuropsychological status in patients with multiple sclerosis after treatment with copolymer-1 (Weinstein et al) 1997;42:459A
non–physician-based continuous measures of manual dexterity and ambulation can by used to improve the ability of the EDSS to detect clinical worsening in an MS clinical trial (Goodkin et al) 1997;42:468A
protein S-100B: a neurobiochemical marker for neuropsychological and neuropsychiatric disorders following heart surgery (Herrmann et al) 1997;42:393A
screening for dementia: results from the Einstein aging study (Lipton et al) 1997;42:400A
Neurosarcoidosis; *see* Sarcoidosis
Neurosteroids; *see* Steroids
Neurotoxins
excitotoxic injury stimulates chemokine receptor gene expression in neonatal rat brain (Galasso et al) 1997;42:491A
substance P–saporin conjugate is selectively toxic to neurons expressing the neurokinin-1 receptor (Wiley and Lappi) 1997;42:429A
Neurotrophic factors
GDNF-inducible zinc finger transcription factor (Mouradian et al) 1997;42:455A
glial cell line–derived neurotrophic factor–levodopa interactions and reduction of side effects in parkinsonian monkeys (Miyoshi et al) 1997;42:208
neuroprotective transforming growth factor β family neurotrophic factors: a comparison of GDNF, nodal, cardiotropin-1, and neurturin (Bar-Peled et al) 1997;42:452A
Neurotrophin
GABA and reelin are expressed by NT-4–induced excess neurons in the marginal zone of developing neocortex (Brunstrom et al) 1997;42:494A
localization of neurotrophin-3 prohormone isoforms in developing and adult rat hippocampus and cerebellum (Huff et al) 1997;42:500A
Newborn; *see* Infant, newborn
NF-κB
increased accumulation of transciption factor NF-κB in vacuolated muscle fibers of inclusion body myositis (Yang et al) 1997;42:451A
Nicotinic receptors; *see* Receptors, nicotinic
Night terrors; *see* Sleep disorders
Nitric oxide
core and prenumbral nitric oxide synthase activity during ischemia and reperfusion (Ashwal et al) 1997;42:532A
induction of neuronal nitric oxide synthase during the late stage of congenital hydrocephalus in the HTX rat (Kinsman et al) 1997;42:533A
neuronal nitric oxide synthase inhibitor, 7-nitroindazole, attenuates motor dysfunction and spinal motoneuron degeneration in the Wobbler mouse (Ikeda et al) 1997;42:450A
nitric oxide and its toxic products in a patient with Schilder's disease: an immunohistochemical study (Oleszak et al) 1997;42:515A
superoxide dismutase inhibits nitric oxide–induced presynaptic release of glutamate through a cyclic GMP-independent pathway (Yepes et al) 1997;42:419A
ultrastructural localization of α1-syntrophin and neuronal nitric oxide synthase in normal skeletal myofiber, and their relation to each other and to dystrophin (Wakayama et al) 1997;42:415A
Nitroindazole
neuronal nitric oxide synthase inhibitor, 7-nitroindazole, attenuates motor dysfunction and spinal motoneuron degeneration in the Wobbler mouse (Ikeda et al) 1997;42:450A
Nitrotyrosine
elevated protein nitrotyrosine immunoreactivity in patients with amyotrophic lateral sclerosis (Delanty et al) 1997;42:442A
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326
increased 3-nitrotyrosine in both sporadic and familial amyotrophic lateral sclerosis (Beal et al) 1997;42:644
progressive accumulation of protein nitrotyrosine in brain and spinal cord in transgenic mice bearing FALS-associated (G93A) superoxide dismutase 1 (Trifiletti et al) 1997;42:442A
NMDA receptor; *see* Receptors, *N*-methyl-D-aspartate
Non–small cell lung carcinoma; *see* Carcinoma, non–small cell lung
Nuclear magnetic resonance
functional and metabolic analysis of cerebral ischemia using magnetoencephalography and proton magnetic resonance spectroscopy (Kamada et al) 1997;42:554
^{1}H-MR spectroscopy in acute brain injury: outcome prediction in pediatric patients (Ashwal et al) 1997;42:527A
in vivo estimation of human cerebral glutamate with proton magnetic resonance spectroscopy: results of preliminary studies in amyotrophic lateral sclerosis (Cwik et al) 1997;42:454A

in vivo skeletal muscle mitochondrial function in Leber's hereditary optic neuropathy assessed by ^{31}P magnetic resonance spectroscopy (Lodi et al) 1997;42:573
predictive value of proton MRS in closed head injury in children (Shu et al) 1997;42:528A
presurgical multimodality neuroimaging in electroencephalographic lateralized temporal lobe epilepsy (Knowlton et al) 1997;42:829
proton magnetic resonance spectroscopic imaging and magnetic resonance imaging volumetry in the lateralization of temporal lobe epilepsy: a series of 100 patients (Cendes et al) 1997;42:737
proton magnetic resonance spectroscopy in patients with sporadic cerebellar degeneration (Terakawa et al) 1997;42:444A
proton magnetic resonance spectroscopy study of epilepsia partialis continua in children (Park et al) 1997;42:508A
temporal lobe lactate elevation MRI spectroscopy in childhood idiopathic language deterioration (Dager et al) 1997;42:529A
vigabatrin increases both cerebrospinal fluid GABA and brain GABA as measured by MRS (Theodore et al) 1997;42:393A

Nucleotides
unstable 24-nucleotide repeat expansion in transmissible spongiform encephalopathies (Cervenáková et al) 1997;42:390A

Nystagmus
periodic alternating nystagmus from a midbrain lesion (Fife et al) 1997;42:470A
spinocerebellar ataxia type 6: gaze-evoked and vertical nystagmus, Purkinje cell degeneration, and variable age of onset (Gomez et al) 1997;42:933

Obsessive-compulsive disorder
methylphenidate may unmask obsessive-compulsive symptoms in attention-disordered adults (Duane) 1997;42:396A

Occipital lobe
bilateral parasagittal parietooccipital polymicrogyria and epilepsy (Sotrel) (Letter); (Guerrini et al) (Reply) 1997;42:272
human occipital lobe homocarnosine increased after starting vigabatrin (Petroff et al) 1997;42:473A

Olfactory nerve
abnormal olfactory receptor neuronal development in Rett syndrome (Naidu et al) 1997;42:513A

Oligodendroglia
CD56-dependent cytotoxicity of human oligodendrocytes (Antel et al) 1997;42:422A
multiple sclerosis: oligodendrocytes display cell death–related molecules in situ but do not undergo apoptosis (Bonetti and Raine) 1997;42:74

Oligonucleotides, antisense
Bcl-2 antisense oligonucleotide increases α-amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) toxicity in cortical cultures (White et al) 1997;42:580

Oncodiuretics; *see* Diuretics

Ophthalmoplegia
short-chain acyl-CoA dehydrogenase deficiency in cultured fibroblasts: new cause for progressive external ophthalmoplegia, cataracts, cardiomyopathy, and multicore myopathy (Tein et al) 1997;42:513A

Opioid receptors; *see* Receptors, endorphin

Opsoclonus
antineuronal antibodies in patients with neuroblastoma and paraneoplastic opsoclonus-myoclonus (Antunes et al) 1997;42:534A
neurological outcome in chlidren with opsoclonus-myoclonus-ataxia syndrome and neuroblastoma: a report from the Children's Cancer Group (Khakoo et al) 1997;42:496A

Optic atrophy, hereditary
in vivo skeletal muscle mitochondrial function in Leber's hereditary optic neuropathy assessed by ^{31}P magnetic resonance spectroscopy (Lodi et al) 1997;42:573

Optic neuritis
clinically definite multiple sclerosis following optic neuritis (Beck) (Letter); (Jacobs et al) (Reply) 1997;42:815

Orthostatic hypotension; *see* Hypotension, orthostatic

Orthostatic tremor; *see* Tremor

Osteoporosis
cause of osteoporosis in multiple sclerosis (Schwid et al) 1997;42:422A

Otolithic membrane
otolith–ocular responses in familial episodic ataxia linked to chromosome 19p (Furman) 1997;42:189

Outcomes assessment
recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force (Rudick et al) 1997;42:379 (Special report)

Ovarian neoplasms
neurological complications of ovarian cancer (Abrey and Dalmau) 1997;42:430A

Oxidation
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326
indices of oxidant stress change with age in the nigrostrial system (Sanchez-Ramos et al) 1997;42:457A
induction of endogenous protein biotinylation after oxidative stress involves multiple intracellular signaling pathways (Nguyen et al) 1997;42:491A
transforming growth factor β1 protects skeletal muscle cells from oxidative stress–induced injury and apoptosis (Selcen et al) 1997;42:455A

Oxygen
reactive oxygen species production of inflammatory cells as a prognostic factor in bacterial meningitis? (Böttcher et al) 1997;42:424A

Palate
palatal tremor on command: the "switch-on/off" variant of palatal tremor in a pair of siblings (Klein et al) 1997;42:449A

Pallidotomy; *see* Globus pallidus

Pancreatic transplantation
long-term effects of pancreatic transplantation on diabetic neuropathy (Navarro et al) 1997;42:727

Panneuropathy; *see* Neuropathies, sensory

Paralysis
abducens nerve palsy after lumbar puncture: a literature analysis (Goforth et al) 1997;42:470A
clinical symptoms and Lyme serology in children with seventh nerve palsy (Mandelbaum et al) 1997;42:520A
dichlorphenamide is effective in the treatment of hypokalemic periodic paralysis (Griggs et al) 1997;42:428A
paraparesis complicating scoliosis surgery in familial dysautonomia (Shah et al) 1997;42:515A
proposed mutation, Val781Ile, associated with hyperkalemic periodic paralysis and cardiac dysrhythmia is a benign polymorphism (Green et al) 1997;42:253

Paralysis, familial periodic
Andersen's syndrome: a distinct periodic paralysis (Sansone et al) 1997;42:305
Paraneoplastic syndromes
antineuronal antibodies in patients with neuroblastoma and paraneoplastic opsoclonus-myoclonus (Antunes et al) 1997;42:534A
immunoreactivity of HuR, a novel paraneoplastic antigen: evidence for antibody subspecificity among Hu-positive sera (Nabors and King) 1997;42:462A
type I (anti-Yo) antibody–positive paraneoplastic cerebellar degeneration associated with transitional cell carcinoma of the bladder (Greenlee et al) 1997;42:463A
Paraparesis; *see* Paralysis
Paraparesis, tropical spastic
cognitive impairment in families with "pure" hereditary spastic paraparesis (Webb and Hutchinson) 1997;42:403A
Paraproteinemias
long-term clinical course of predominantly sensory neuropathy associated with IgA monoclonal gammopathy (Carlo et al) 1997;42:410A
Parents
do parents of children with Tourette's syndrome have significant psychopathology? (Camfield et al) 1997;42:523A
Parietal lobe
bilateral parasagittal parietooccipital polymicrogyria and epilepsy (Sotrel) (Letter); (Guerrini et al) (Reply) 1997;42:272
Parkinson's disease, analysis; *see also* Lewy bodies
coenzyme Q_{10} levels correlate with the activities of complexes I and II/III in mitochondria from parkinsonian and nonparkinsonian subjects (Shults et al) 1997;42:261
dopamine D3 receptor is decreased and D2 receptor is unchanged in the forebrain of patients with Parkinson's disease (Joyce and Ryoo) 1997;42:410A
pathological τ proteins in postencephalitic parkinsonism: comparison with Alzheimer's disease and other neurodegenerative disorders (Buée-Scherrer et al) 1997;42:356
striatonigral peptides, tolerance, and sensitization in a rodent model of Parkinson's disease (Gancher et al) 1997;42:447A
Parkinson's disease, complications
parkinsonism associated with Sjögren's syndrome (Walker et al) 1997;42:411A
Parkinson's disease, drug therapy
amantadine palliates motor response complications in Parkinson's disease (Verhagen Metman et al) 1997;42:409A
central levodopa metabolism in Parkinson's disease after administration of stable isotope–labeled levodopa (Durso et al) 1997;42:300
effects of apomorphine on globus pallidus neurons in parkinsonian patients (Hutchison et al) 1997;42:767
entacapone improves motor fluctuations in levodopa-treated Parkinson's disease patients (Parkinson Study Group) 1997;42:747
glial cell line–derived neurotrophic factor–levodopa interactions and reduction of side effects in parkinsonian monkeys (Miyoshi et al) 1997;42:208
long-duration response to levodopa influences the pharmacodynamics of short-duration response in Parkinson's disease (Zappia et al) 1997;42:245
short- and long-duration responses to levodopa during the first year of levodopa therapy (Nutt et al) 1997;42:349
6-month open-label trial of tolcapone in Parkinson's disease (Charles et al) 1997;42:408A
typical parkinsonism in dopa-responsive dystonia (Saunders-Pullman et al) 1997;42:447A
Zydis selegiline: evidence for rapid pregastric absorption of selegiline (Clarke et al) 1997;42:410A
Parkinson's disease, epidemiology
incidence of parkinsonism in Olmsted County, Minnesota, 1976–1990 (Bower et al) 1997;42:447A
Parkinson's disease, etiology
lamotrigine-induced parkinsonism: report of three cases in non-Parkinson's patients (Ho et al) 1997;42:446A
MPTP-like parkinsonism secondary to Ara-C: neurochemical and PET findings (Bojko et al) 1997;42:529A
Parkinson's disease, genetics
familial parkinsonism, dementia, and Lewy body disease: study of Family G (Denson et al) 1997;42:638
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
modulation of the age at onset of Parkinson's disease by apolipoprotein E genotypes (Zareparsi et al) 1997;42:655
Parkinson's disease, mortality
transferrin receptor levels as a risk factor for mortality in Parkinson's disease (Marder et al) 1997;42:411A
Parkinson's disease, pathology
alterations in opioid receptor binding in Parkinson's disease patients with levodopa-induced dyskinesias (Piccini et al) 1997;42:720
computerized posturography comparison of early progressive supranuclear palsy and Parkinson's disease (Ondo et al) 1997;42:449A
dominantly inherited chorea-parkinsonism-dementia-acanthocytosis with red cell protein membrane abnormalities (Walker et al) 1997;42:407A
PET imaging of the dopamine transporter in MPTP-treated monkeys: a window on dopamine neuron regeneration? (Madras et al) 1997;42:443A
young-onset versus late-onset Parkinson's disease: clinical features and disease progression (Jankovic et al) 1997;42:448A
Parkinson's disease, physiopathology
changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease (Limousin et al) 1997;42:283
functional study of motor circuits in MPTP parkinsonian primates (Schwartzman et al) 1997;42:448A
high-frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor (Koller et al) 1997;42:292
insights into the pathophysiology of Parkinson's disease and amyotrophic lateral sclerosis provided by paired cortical magnetic stimulation (McCarthy et al) 1997;42:411A
sleep benefit is associated with younger age and milder Parkinson's disease (Comella et al) 1997;42:448A
Parkinson's disease, psychology
acute hallucinations in Parkinson's disease (Goetz) 1997;42:445A
Parkinson's disease, surgery
effects of pallidotomy on dyskinesias and motor signs in Parkinson's disease (Gancher et al) 1997;42:446A
levodopa-inhibiting effect of pallidal surgery (Krack et al) (Letter); (Baron et al) (Reply) 1997;42:129

movement time and reaction time after globus pallidus internum pallidotomy (Ben-Arie et al) 1997;42:408A
short- and long-term survival and function of unilateral intrastriatal dopaminergic grafts in Parkinson's disease (Wenning et al) 1997;42:95
treatment of advanced Parkinson's disease by posterior GPi pallidotomy: long-term follow-up results of a pilot study (Baron et al) 1997;42:410A

Partial epilepsy; *see* Epilepsy, partial

Patent foramen ovale; *see* Heart septal defects, atrial

Pemoline
differential neurological examination and cognitive characteristics of methylphenidate- versus pemoline-responsive boys with ADD/LD (Duane and Raikhelkar) 1997;42:524A

Penicillamine
penicillamine-responsive dystonia with no Kayser-Fleischer rings and normal liver biopsy in an adolescent boy (Gascon and Robbins-Tien) 1997;42:507A

Penumbra
noninvasive imaging of the ischemic penumbra (Rowley) 1997;42:539 (Editorial)

Periodic paralysis; *see* Paralysis, familial periodic

Peripheral nerves
Fas mRNA expression in peripheral nerves: possible role in experimental allergic neuritis pathogenesis (Sheikh et al) 1997;42:413A
monocyte chemoattractant protein-1 expression in the nervous system of trangenic mice (Tani et al) 1997;42:461A
ultrastructural quantification of P0 immunoreactivity on biopsied sural nerves from patients with Charcot-Marie-Tooth disease type 1B (Vallat et al) 1997;42:416A

Peroxisomes; *see* Microbodies

Peroxynitrite
increased 3-nitrotyrosine in both sporadic and familial amyotrophic lateral sclerosis (Beal et al) 1997;42:644

PET; *see* Tomography, emission-computed

Phenobarbital
phenobarbital does not reduce the adverse effects of low-dose ketamine (Heidebrink et al) 1997;42:403A

Phenotype
autosomal dominant cerebellar ataxia: phenotypic differences in genetically defined subtypes? (Schöls et al) 1997;42:924
correlation between PMP-22 messenger RNA expression and phenotype in hereditary neuropathy with liability to pressure palsies (Schenone et al) 1997;42:866
ethylmalonic aciduria in short-chain acyl CoA dehydrogenase deficiency: recognition of the phenotype, genetic polymorphism, and clinical implications (Lavenstein et al) 1997;42:532A
missense allele (A218V) in the rhizomelic chondrodysplasia punctata gene is associated with a milder phenotype (Moser et al) 1997;42:515A
phenotype/genotype trouble through duplication of dystrophin exon 18 (Hübner et al) 1997;42:512A

Phosphocreatine
fast multiecho phosphocreatine imaging shows localized changes in exercising muscle and seizing brain (Holtzman et al) 1997;42:507A

Phosphopyruvate hydratase
prognostic value of S-100B and neuron-specific enolase blood levels in patients undergoing cardiac surgery (Georgiadis et al) 1997;42:471A

Phosphorylation
dissociation of glycosylation and phosphorylation in chromatolytic motor neurons of Werdnig-Hoffmann disease (Chou and Wang) 1997;42:531A
persistent phosphorylation of CREB and ATF-2 transcription factors in rat brain after transient cerebral ischemia (Hu et al) 1997;42:439A

Pia mater
outcome for leptomeningeal metastases in childhood treated with intrathecal thiotepa (Fisher et al) 1997;42:536A

Pigment epithelial-derived factor
pigment epithelial–derived factor protects motor neurons against chronic glutamate-mediated toxicity (Bilak et al) 1997;42:451A

Pineal body
melatonin: a clinical perspective (Penev and Zee) 1997;42:545 (Neurological progress)

Placenta
mouse model for arthrogryposis multiplex congenita induced by placental transfer of human maternal anti-acetylcholine receptor antibodies (Vincent et al) 1997;42:391A

Placental diseases
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372

Platelet activating factor
platelet-activating factor receptor stimulation disrupts neuronal migration in vivo (Bix and Clark) 1997;42:494A
platelet-activating factor receptor–mediated cytoskeletal rearrangements of microtubules and F-actin in developing neural processes (McNeil et al) 1997;42:495A

PMP-22; *see* Myelin proteins

Podophyllin
neuropathic and autonomic effects of intramuscular podophyllin (Freeman et al) 1997;42:416A

Polyglucosans
adult polyglucosan body disease (APBD) in Ashkenazi Jews caused by the Tyr329Ser mutation in the glycogen branching enzyme (GBE) gene (Lossos et al) 1997;42:987A

Polymerase chain reaction
human immunodeficiency virus infection of dorsal root ganglion neurons detected by polymerase chain reaction in situ hybridization (Brannagan et al) 1997;42:368
polymerase chain reaction–based detection of *Tropheryma whippelii* in central nervous system Whipple's disease (Lynch et al) 1997;42:120

Polymicrogyria
bilateral parasagittal parietooccipital polymicrogyria and epilepsy (Sotrel) (Letter); (Guerrini et al) (Reply) 1997;42:272
bilateral perisylvian polymicrogyria presenting as congenital hemiplegia: a report of three cases (Miller et al) 1997;42:530A

Polyradiculoneuritis
association of *Campylobacter jejuni* serotype with antiganglioside antibody in Guillain-Barré syndrome and Fisher's syndrome (Yuki et al) 1997;42:28
axonal form of Guillain-Barré syndrome in Japan (Yoshii et al) 1997;42:453A
circulating tumor necrosis factor-α correlates with electrodiagnostic abnormalities in Guillain-Barré syndrome (Sharief et al) 1997;42:68
electrophysiological studies in Guillain-Barré syndrome: distinguishing the subtypes (Alam et al) 1997;42:453A

motor nerve biopsy in Guillain-Barré syndrome (Lange et al) 1997;42:450A
quantitative assessment of cardiovascular autonomic function in Guillain-Barré syndrome (Flachenecker et al) 1997;42:171
Pons
central pontine myelinolysis: characterization of a new model (McDonald and Choi) 1997;42:427A
clinical profiles predictive of outcome in pontine hemorrhage (Wijdicks and St. Louis) 1997;42:472A
Portable folding chairs; *see* Chairs
Poser criteria
application of the Poser criteria in primary progressive multiple sclerosis (McDonnell and Hawkins) 1997;42:982 (Letter)
Potassium channels
prostaglandin-induced modulation of outwardly rectifying K^+ channels in microglia (Caggiano and Kraig) 1997;42:456A
Prednisone
developmental aphasia with epileptiform abnormalities on EEG: clinical features and response to prednisone (Trauner et al) 1997;42:465A
strength improvement on prednisolone in a patient with limb-girdle muscular dystrophy 2C (primary γ-sarcoglycanopathy) (Bönnemann et al) 1997;42:531A
Predominantly axial dystonia; *see* Dystonia
Pregnancy proteins
early pregnancy factor and experimental autoimmune encephalomyelitis (McCombe et al) 1997;42:423A
Premature infant; *see* Infant, premature
Presenilin
early-onset Alzheimer's disease with a presenilin-1 mutation at the site corresponding to the Volga German presenilin-2 mutation (Crook et al) 1997;42:124
presenilin-1 polymorphism and hereditary cerebral hemorrhage with amyloidosis, Dutch type (Bornebroek et al) 1997;42:108
Presupplementary motor cortex; *see* Motor cortex
Primitive neuroectodermal tumor; *see* Neoplasms, embryonal and mixed
Prions
evidence for prion replication in skeletal muscle (Bosque et al) 1997;42:986A
familial spongiform encephalopathy associated with a novel prion protein gene mutation (Nitrini et al) 1997;42:138
filamentous intraneuronal depositions in a patient with telencephalic Gerstmann-Sträussler syndrome (Jin et al) 1997;42:402A
during scrapie prion propagation protein X binds to a discontinuous epitope on the cellular prion protein (Kaneko et al) 1997;42:986A
type 1 prion protein in a patient with valine/valine at codon 129 of the prion protein gene (Worrall et al) 1997;42:402A
Progressive multifocal leukoencephalopathy; *see* Leukoencephalopathy, progressive multifocal
Progressive supranuclear palsy; *see* Supranuclear palsy, progressive
Propionic acids
Bcl-2 antisense oligonucleotide increases α-amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) toxicity in cortical cultures (White et al) 1997;42:580
calcium-permeable α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors: a molecular determinant of selective vulnerability in amyotrophic lateral sclerosis (Williams et al) 1997;42:200
Prosencephalon
dopamine D3 receptor is decreased and D2 receptor is unchanged in the forebrain of patients with Parkinson's disease (Joyce and Ryoo) 1997;42:410A
Prostaglandins
prostaglandin-induced modulation of outwardly rectifying K^+ channels in microglia (Caggiano and Kraig) 1997;42:456A
Prostatic neoplasms
primary brain tumors as a secondary malignancy in patients with systemic cancer (Blumenthal and DeAngelis) 1997;42:431A
Prosthetic heart valve; *see* Heart valve prosthesis
Protein
reduced *TSC2* RNA and protein in sporadic astrocytomas and ependymomas (Wienecke et al) 1997;42:230
tuberin loss from cerebral tissues (Vinters et al) (Letter); (Mizuguchi and Takashima) (Reply) 1997;42:270
Protein C
brain-specific protein C activation during carotid artery occlusion in humans (Macko et al) 1997;42:438A
Protein kinases
effect of ischemia and reperfusion on the stress-activated protein kinases, JNK/SAPK (Shackelford et al) 1997;42:439A
human immunodeficiency virus type 1 and its coat protein gp120 induce apoptosis and activate JNK and ERK mitogen-activated protein kinases in human neurons (Lannuzel et al) 1997;42:847
Protein S-100
protein S-100B: a neurobiochemical marker for neuropsychological and neuropsychiatric disorders following heart surgery (Herrmann et al) 1997;42:393A
Protein X
during scrapie prion propagation protein X binds to a discontinuous epitope on the cellular prion protein (Kaneko et al) 1997;42:986A
Proteolipids
developmental defect of myelination resulting from proteolipid protein mutation in hereditary spastic paraplegia of childhood (Mimault et al) 1997;42:495A
Proton magnetic resonance spectroscopy; *see* Nuclear magnetic resonance
Pseudotumor cerebri
vitamin A hypothesis in idiopathic psuedotumor cerebri (Selhorst et al) 1997;42:457A
Psychological stress; *see* Stress, psychological
Psychopathology; *see* Mental disorders
Psychotic disorders
psychosis and Alzheimer's disease (Harrell et al) 1997;42:401A
Purkinje cells
ataxia due to loss of the Purkinje cell–specific glutamate transporter EAAT4 (Maragakis et al) 1997;42:390A
spinocerebellar ataxia type 6: gaze-evoked and vertical nystagmus, Purkinje cell degeneration, and variable age of onset (Gomez et al) 1997;42:933
Pursuit, smooth
unilateral cerebellar lesions affect initiation of ipsilateral smooth pursuit eye movements in humans (Straube et al) 1997;42:891
Pyridoxine
longitudinal MRI findings in pyridoxine-dependent seizures (Gospe and Hecht) 1997;42:509A

Pyruvates
possible defect in pyruvate transport in skeletal muscle mitochondria from four children with encephalomyopathies and myopathies (Selak et al) 1997;42:514A

Quality of life
economic-, caregiver-, and ventilator-dependent stages of amyotrophic lateral sclerosis: prospective correlation with ALS Functional Rating Scale, isometric muscle strength, pulmonary function, SF-36, and Sickness Impact Profile quality of life measures (Brooks et al) 1997; 42:473A

Racial factors; *see* Ethnic factors
Radiation injuries
MRI findings in 16 patients with chronic progressive radiation myelopathy (Goldsmith et al) 1997;42:428A
Radiotherapy
8-in-1 chemotherapy and radiotherapy for high-grade spinal cord astrocytoma (Allen et al) 1997;42:536A
Rapid eye movement sleep disorders; *see* Sleep disorders
Rash
rash associated with lamotrigine in children with epilepsy (Hahn et al) 1997;42:504A
Reading
anticipation and reading of single words alter cortical excitability (Seyal et al) 1997;42:420A
Receptors, antigen, T-cell
evaluation of a T-cell receptor β-chain gene polymorphism in primary progressive multiple sclerosis (McDonnell et al) 1997;42:457A
modeling of a myelin basic protein–specific human T-cell receptor (Wang et al) 1997;42:420A
Receptors, chemokine
excitotoxic injury stimulates chemokine receptor gene expression in neonatal rat brain (Galasso et al) 1997;42: 491A
Receptors, cholinergic
mouse model for arthrogryposis multiplex congenita induced by placental transfer of human maternal anti-acetylcholine receptor antibodies (Vincent et al) 1997; 42:391A
Receptors, corticotropin-releasing hormone
corticotropin-releasing factor receptors are downregulated in chronically stressed developing rats (Gilles et al) 1997;42:495A
Receptors, dopamine
dopamine D_1 and D_2 receptor gene expression in the striatum in Huntington's disease (Augood et al) 1997;42: 215
dopamine D3 receptor is decreased and D2 receptor is unchanged in the forebrain of patients with Parkinson's disease (Joyce and Ryoo) 1997;42:410A
pattern of defective dopamine receptors in pure akinesia (Chaudhuri and Behan) 1997;42:410A
Receptors, endorphin
alterations in opioid receptor binding in Parkinson's disease patients with levodopa-induced dyskinesias (Piccini et al) 1997;42:720
Receptors, GABA-benzodiazepine
benzodiazepine receptor distribution and hippocampal volume in temporal lobe epilepsy (Szelies et al) 1997; 42:406A
increased synthesis of $GABA_A$ receptor–active neurosteroids associated wtih global ischemia (Romeo et al) 1997;42:527A
Receptors, glucocorticoid
disturbed glucocorticoid receptor pharmacology in peripheral blood lymphocytes in multiple sclerosis (Then Bergh et al) 1997;42:422A
Receptors, glutamate
calcium-permeable α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors: a molecular determinant of selective vulnerability in amyotrophic lateral sclerosis (Williams et al) 1997;42:200
metatropic glutamate receptors: basic mechanisms for novel clinical therapy (Maiese et al) 1997;42:417A
Receptors, neurokinin
substance P–saporin conjugate is selectively toxic to neurons expressing the neurokinin-1 receptor (Wiley and Lappi) 1997;42:429A
Receptors, nicotinic
nicotinic receptor stimulation protects neurons against β-amyloid toxicity (Kihara et al) 1997;42:159
Receptors, *N*-methyl-D-aspartate
developmental sensitivity profile to traumatic injury in the rat brain: potentiation by NMDA receptor antagonists (Bittigau et al) 1997;42:500A
Receptors, olfactory
abnormal olfactory receptor neuronal development in Rett syndrome (Naidu et al) 1997;42:513A
Receptors, platelet activating factor
platelet-activating factor receptor stimulation disrupts neuronal migration in vivo (Bix and Clark) 1997;42:494A
platelet-activating factor receptor–mediated cytoskeletal rearrangements of microtubules and F-actin in developing neural processes (McNeil et al) 1997;42:495A
Receptors, serotonin
effects of specific serotonergic antagonists on the rat cardiac arrest model of posthypoxic myoclonus (Pappert et al) 1997;42:408A
Receptors, transferrin
transferrin receptor levels as a risk factor for mortality in Parkinson's disease (Marder et al) 1997;42:411A
Red cell membrane; *see* Erythrocyte membrane
Reelin; *see* Glycoproteins
Reflex
maturation of the suck reflex does not predict apnea of prematurity (Richards et al) 1997;42:526A
Reflex, vestibulo-ocular
otolith–ocular responses in familial episodic ataxia linked to chromosome 19p (Furman) 1997;42:189
Registries
acute encephalitis registry, the Hospital for Sick Children, 1994–1996 (Kolski et al) 1997;42:520A
computerized registry for a movement disorders clinic (Uc) 1997;42:449A
Relapsing-remitting multiple sclerosis; *see* Multiple sclerosis
Reperfusion
core and prenumbral nitric oxide synthase activity during ischemia and reperfusion (Ashwal et al) 1997;42:532A
ischemic brain tissue reperfused after early systemic thrombolytic therapy (Heiss et al) 1997;42:433A
Reperfusion injury
effect of ischemia and reperfusion on the stress-activated protein kinases, JNK/SAPK (Shackelford et al) 1997; 42:439A
Respiratory paralysis
hereditary neuropathy with liability to pressure palsies: a cause of nontraumatic unexplained diaphragmatic paralysis (Machkhas et al) 1997;42:454A

Restless legs
dopaminergic therapy in restless legs syndrome/periodic limb movements in sleep with attention-deficit hyperactivity disorder (Kugler et al) 1997;42:522A
Retina
interleukin-converting enzyme YVAD protects the inner retina from transient ischemia (Rosenbaum et al) 1997;42:441A
Retinal diseases
microangiopathy of the brain, retina, and cochlea (Susac's syndrome): report of five new cases and review of the literature (Berger et al) 1997;42:461A
Retinitis pigmentosa
postmortem study of Friedreich-like ataxia with retinitis pigmentosa caused by the mutation of α-tocopherol transfer protein gene (Yokota et al) 1997;42:987A
Retroviridae
multiple sclerosis and retroviruses (Brahic and Bureau) 1997;42:984 (Letter)
Rett syndrome
abnormal olfactory receptor neuronal development in Rett syndrome (Naidu et al) 1997;42:513A
analysis of the M6B gene in patients with Rett syndrome (Narayanan et al) 1997;42:517A
decreased cerebrospinal fluid levels of substance P in patients with Rett syndrome (Matsuishi et al) 1997;42:978
is there a genetic marker for Rett syndrome on mitochondrial DNA? analysis of the 22 transfer RNA genes (Castora et al) 1997;42:516A
molecular studies in patients with Rett syndrome (Narayanan et al) 1997;42:515A
possible genetic markers for Rett syndrome on mitochondrial DNA: sequence analysis of the large ribosomal RNA gene (Castora et al) 1997;42:514A
Rett syndrome: ^{1}H spectroscopic imaging at 4.1 tesla (Percy et al) 1997;42:498A
Rett syndrome: a disorder affecting early brain growth (Naidu) 1997;42:3 (Neurological progress)
Reviewers
ad hoc reviewers 1997;42:2
Rhabdomyolysis
acute pediatric rhabdomyolysis: 7-year experience (Watemberg et al) 1997;42:531A
Rhizotomy; *see* Spinal nerve roots
Ribosomal RNA; *see* RNA, ribosomal
Risk factors
α_1-antichymotrypsin as a risk modifier for late-onset Alzheimer's disease in Japanese apolipoprotein E ε4 allele carriers (Yoshiiwa et al) 1997;42:115
apolipoprotein E ε2 does not increase risk of early-onset sporadic Alzheimer's disease (Scott et al) 1997;42:376
apolipoprotein E–associated risk for Alzheimer's disease in the African-American population is genotype dependent (Sahota et al) 1997;42:659
bronchopulmonary dysplasia increases risk for later neurological sequelae in preterm survivors (Majnemer et al) 1997;42:527A
risk factors and clinical predictors in children with intrauterine growth retardation: a 4-year follow-up (Fattal-Valevski et al) 1997;42:526A
RNA
cerebrospinal fluid human immunodeficiency virus type 1 RNA levels are elevated in neurocognitively impaired individuals with acquired immunodeficiency syndrome (Ellis et al) 1997;42:679
measuring the "viral load" in cerebrospinal fluid in human immunodeficiency virus infection: window into brain infection? (Price and Staprans) 1997;42:675 (Editorial)
multiple transcripts due to alternative splicing of the GTP cyclohydrolase I RNA in dopa-responsive dystonia (Hirano et al) 1997;42:407A
reduced *TSC2* RNA and protein in sporadic astrocytomas and ependymomas (Wienecke et al) 1997;42:230
relationship between human immunodeficiency virus–associated dementia and viral load in cerebrospinal fluid and brain (McArthur et al) 1997;42:689
RNA, messenger
correlation between PMP-22 messenger RNA expression and phenotype in hereditary neuropathy with liability to pressure palsies (Schenone et al) 1997;42:866
detection of mutant glutamate transporter mRNA species in amyotrophic lateral sclerosis: a diagnostic marker? (Lin et al) 1997;42:412A
Fas mRNA expression in peripheral nerves: possible role in experimental allergic neuritis pathogenesis (Sheikh et al) 1997;42:413A
mRNA expression of tissue inhibitors of metalloproteinases 1 to 4 in human brain tumors: a putative relationship between inhibitor levels and tumor histopathology (Groft et al) 1997;42:464A
severe form of ataxia with isolate vitamin E deficiency caused by exon skipping of α-tocopherol transfer protein mRNA (Ueno et al) 1997;42:402A
RNA, ribosomal
possible genetic markers for Rett syndrome on mitochondrial DNA: sequence analysis of the large ribosomal RNA gene (Castora et al) 1997;42:514A
RNA, transfer
is there a genetic marker for Rett syndrome on mitochondrial DNA? analysis of the 22 transfer RNA genes (Castora et al) 1997;42:516A
maternally inherited encephalopathy associated with a single-base insertion in the mitochondrial $tRNA^{Trp}$ gene (Santorelli et al) 1997;42:256
Ryanodine
calcium channels in neurological disease (Greenberg) 1997;42:275 (Neurological progress)
ryanodine receptor gene expression in thymomas (Kaminski et al) 1997;42:416A

S-100
prognostic value of S-100B and neuron-specific enolase blood levels in patients undergoing cardiac surgery (Georgiadis et al) 1997;42:471A
Safety
fosphenytoin pharmacokinetics and safety in children (Morton et al) 1997;42:504A
Saline solution, hypertonic
hypertonic saline as a treatment method for cerebral edema and intracranial hypertension: clinical and radiographic correlation (Suarez et al) 1997;42:474A
Sandhoff's disease
R505Q and 1207V substitutions in the *HEXB* gene of the first Japanese adult case of Sandhoff's disease (Uyama et al) 1997;42:404A
Saporin
substance P–saporin conjugate is selectively toxic to neurons expressing the neurokinin-1 receptor (Wiley and Lappi) 1997;42:429A

Sarcoidosis
selective vestibular damage in neurosarcoidosis (von Brevern et al) 1997;42:117
Sarcolemma
altered immunoreactivity and ultrastructure changes of sarcolemma and basal lamina in limb-girdle muscular dystrophy (Li et al) 1997;42:415A
Sardinia; *see* Italy
Schilder's disease; *see* Encephalitis periaxialis
Schwann cells
insulin-like growth factor-1 promotes the interaction of Schwann cells with axons (Cheng et al) 1997;42:418A
Schwannoma
schwannomatosis resulting from somatic mosaicism of the NF2 gene (MacCollin et al) 1997;42:513A
Sclerosis
clinical syndrome of early-life bilateral hippocampal sclerosis (DeLong and Heinz) 1997;42:11
Scoliosis
paraparesis complicating scoliosis surgery in familial dysautonomia (Shah et al) 1997;42:515A
Scrapie
evidence for prion replication in skeletal muscle (Bosque et al) 1997;42:986A
during scrapie prion propagation protein X binds to a discontinuous epitope on the cellular prion protein (Kaneko et al) 1997;42:986A
Seizures, diagnosis
malformations of the cerebral cortex presenting with neonatal seizures (da Silva et al) 1997;42:492A
Seizures, diet therapy
blood B-OH butyrate levels and management of the ketogenic diet (Gilbert et al) 1997;42:502A
ketogenic diet in the treatment of acquired epileptic aphasia (Bergqvist and Brooks-Kayal) 1997;42:505A
Seizures, drug therapy
fosphenytoin pharmacokinetics and safety in children (Morton et al) 1997;42:504A
intravenous fosphenytoin in infants (Takeoka et al) 1997;42:504A
topiramate add-on therapy in Lennox-Gastaut syndrome (Glauser et al) 1997;42:489A
topiramate as add-on therapy in generalized seizures of nonfocal origin (Biton et al) 1997;42:502A
topiramate as adjunctive therapy in children with partial-onset seizures (Elterman et al) 1997;42:503A
Seizures, etiology
etiology predicts seizure outcome in new-onset temporal lobe epilepsy in childhood (Harvey et al) 1997;42:505A
seizures after asphyxic arrest in piglets are associated with increased neocortical injury (Ichord et al) 1997;42:503A
Seizures, febrile; *see* Convulsions, febrile
Seizures, pathology
fast multiecho phosphocreatine imaging shows localized changes in exercising muscle and seizing brain (Holtzman et al) 1997;42:507A
longitudinal MRI findings in pyridoxine-dependent seizures (Gospe and Hecht) 1997;42:509A
Seizures, physiopathology
dynamical interaction of the epileptogenic focus with extrafocal sites in temporal lobe epilepsy (Iasemidis et al) 1997;42:429A
idiopathic generalized tonic and tonic-clonic seizures of childhood (Kramer et al) 1997;42:510A
outcome from seizures in the first year of life (Kramer and Harel) 1997;42:509A
Seizures, prevention and control
prospective randomized study of prophylactic anticonvulsants in patients with primary or metastatic brain tumors and without prior seizures (Weaver et al) 1997;42:430A
Seizures, surgery
outcome after temporal lobectomy in bilateral temporal lobe epilepsy (Sirven et al) 1997;42:873
Seizures, therapy
six-year follow-up of autonomic (vagal) control of seizures (Clarke et al) 1997;42:406A
Selegiline
randomized, double-blind, placebo-controlled trial of deprenyl and thioctic acid in HIV-associated cognitive impairment (Dana Consortium on the Therapy of HIV Dementia and Related Cognitive Disorders) 1997;42:425A
selegiline, and not its metabolites, is the principal active moiety in monoamine oxidase-B inhibition in brain (Johnson et al) 1997;42:409A
Zydis selegiline: evidence for rapid pregastric absorption of selegiline (Clarke et al) 1997;42:410A
Sensitivity and specificity
immunostaining in vasculitic neuropathy: sensitivity and specificity of findings (Collins et al) 1997;42:415A
Sensory neurons; *see* Neurons, afferent
Sensory neuropathies; *see* Neuropathies, sensory
Serine proteinases
neural serine-protease/serpin-like complexes in neurofilament aggregations of amyotrophic lateral sclerosis (Taniguchi et al) 1997;42:404A
Serotonin
altered serotonin synthesis in the dentatothalamocortical pathway in autistic boys (Chugani et al) 1997;42:666
differences in brain serotonin synthesis capacity during development in autistic and nonautistic children (Chugani et al) 1997;42:497A
identification of epileptogenic tubers in children with tuberous sclerosis complex: brain serotonin synthesis imaging with PET (Chugani and Chugani) 1997;42:490A
PET study of serotonin synthesis in patients with migraine headache (Chaturvedi et al) 1997;42:429A
Serpins
neural serine-protease/serpin-like complexes in neurofilament aggregations of amyotrophic lateral sclerosis (Taniguchi et al) 1997;42:404A
Seventh nerve; *see* Facial nerve
Sickle cell disease
long-term stroke risk in children with sickle cell disease screened with transcranial Doppler (Adams et al) 1997;42:699
neurological complications in a murine sickle cell disease model (Sekul et al) 1997;42:517A
neurological outcome in patients with sickle syndromes and Moyamoya phenomenon (Thorarensen et al) 1997;42:518A
Signal transduction
induction of endogenous protein biotinylation after oxidative stress involves multiple intracellular signaling pathways (Nguyen et al) 1997;42:491A
Sinus thrombosis
neurodevelopmental outcome after pediatric arterial ischemic stroke and sinovenous thrombosis (deVeber et al) 1997;42:519A
Sjögren's syndrome
parkinsonism associated with Sjögren's syndrome (Walker et al) 1997;42:411A

Skin biopsy; *see* Biopsy
Sleep
correlation of increases in cortical blood volume and cytochrome aa_3 oxidation with enhanced γ-electrocorticographic activity and eye movement bursts during REM sleep in cats (Vern et al) 1997;42:458A
dopaminergic therapy in restless legs syndrome/periodic limb movements in sleep with attention-deficit hyperactivity disorder (Kugler et al) 1997;42:522A
gene expression in selected brain regions during sleep (Apfel and Wiideman) 1997;42:457A
heart period variability in sleep of patients with epilepsy (Vaughn et al) 1997;42:406A
sleep benefit is associated with younger age and milder Parkinson's disease (Comella et al) 1997;42:448A
Sleep apnea syndromes
central apnea and acute cardiac ischemia in a sheep model of epileptic sudden death (Johnston et al) 1997;42:405A, 1997;42:588
Sleep disorders
dissociated sleep components in a patient with a pontomesencephalic astrocytoma (Bianchin et al) 1997;42:470A
effects of pain, sleep, and fatigue on neuropsychological performance in eosinophilia-myalgia syndrome (Krupp et al) 1997;42:396A
electroencephalographic evaluation of night terrors with atypical features (Spencer et al) 1997;42:510A
modafinil for the long-term treatment of excessive daytime sleepiness in narcolepsy (Sahota et al) 1997;42:425A
probable diffuse Lewy body disease presenting as rapid eye movement sleep behavior disorder (Turner et al) 1997;42:401A
SMI-31; *see* Antibodies, monoclonal
Smoking
multiple intracranial aneurysms are associated with cigarette smoking (Qureshi et al) 1997;42:434A
Smooth pursuit; *see* Pursuit, smooth
Sodium channels
novel muscle sodium channel mutation causes painful congenital myotonia (Rosenfeld et al) 1997;42:811
Somatosensory evoked potentials; *see* Evoked potentials, somatosensory
Sonography; *see* Ultrasonography
South Africa; *see* Africa
Spasms, infantile
ganaxolone in the treatment of refractory infantile spasms (Shields et al) 1997;42:503A
natural history of Aicardi's syndrome (Rajasingham et al) 1997;42:513A
topiramate in patients with infantile spasms: a pilot study (Glauser et al) 1997;42:489A
X-linked infantile spasms syndrome (MIM 308350) maps to Xp11.4–Xpter in two pedigrees (Claes et al) 1997;42:360
Spastic paraparesis; *see* Paraparesis, tropical spastic
Spastic paraplegia, hereditary
developmental defect of myelination resulting from proteolipid protein mutation in hereditary spastic paraplegia of childhood (Mimault et al) 1997;42:495A
motor and somatosensory evoked potentials in uncomplicated hereditary spastic paraplegia presenting in childhood (Di Capua et al) 1997;42:532A
sequence variant of the glutamate transporter gene GLT-1 in a family with autosomal dominant hereditary spastic paraplegia (Meyer et al) 1997;42:445A
Spasticity, muscle; *see* Muscle spasticity
SPECT; *see* Tomography, emission-computed, single-photon
Spectrum analysis
Rett syndrome: ^1H spectroscopic imaging at 4.1 tesla (Percy et al) 1997;42:498A
Speech
"voice matching" can quantify dysarthritic speech in multiple sclerosis (Pollins et al) 1997;42:466A
Spina bifida
altered cell proliferative capacity in children with spina bifida (Graf and Oleinik) 1997;42:501A
Spinal cord
ontogeny of ipsilateral corticospinal projections: a developmental study with transcranial magnetic stimulation (Müller et al) 1997;42:705
Spinal cord neoplasms
8-in-1 chemotherapy and radiotherapy for high-grade spinal cord astrocytoma (Allen et al) 1997;42:536A
Spinal diseases
MRI findings in 16 patients with chronic progressive radiation myelopathy (Goldsmith et al) 1997;42:428A
spontaneous spinal epidural hematoma in children (Patel and Garg) 1997;42:520A
Spinal muscular atrophy; *see* Muscular atrophy, spinal
Spinal nerve roots
selective dorsal rhizotomy for cerebral palsy children: preoperative and intraoperative factors predicting improvement in upper limb function (Koo et al) 1997;42:500A
Spinal puncture
abducens nerve palsy after lumbar puncture: a literature analysis (Goforth et al) 1997;42:470A
worst headache and subarachnoid hemorrhage: a prospective modern CT and spinal fluid analysis (Morgenstern et al) 1997;42:471A
Spinocerebellar degeneration
analysis of SCA6 mutation in late-onset pure cerebellar ataxia in the Japanese (Yabe et al) 1997;42:455A
CAG repeat expansions in patients with sporadic cerebellar ataxia (Futamura et al) 1997;42:402A
genetic mutations in late-onset dominant and sporadic ataxia in South Africa (Bryer et al) 1997;42:428A
phenotype variation correlates with CAG repeat length in SCA2 (Sasaki et al) 1997;42:419A
spinocerebellar ataxia type 6: CAG repeat expansion in α_{1A} voltage-dependent calcium channel gene and clinical variations in Japanese population (Ikeuchi et al) 1997;42:879
spinocerebellar ataxia type 6: gaze-evoked and vertical nystagmus, Purkinje cell degeneration, and variable age of onset (Gomez et al) 1997;42:933
unique lipodystrophy with spinocerebellar degeneration (Berger et al) 1997;42:444A
Spirochaetales infections
localization of Lyme disease and relapsing fever spirochetes to the meninges and peripheral nerves in experimental neuroborreliosis by immunohistochemistry (Cadavid et al) 1997;42:391A
Spongiform encephalopathy; *see* Encephalopathy, spongiform
Spreading cortical depression
hippocampal spreading depression may trigger migraine pain (Kraig and Kunkler) 1997;42:445A
propagating calcium waves precede spreading depression (Kunkler and Kraig) 1997;42:435A

Stains and staining
clinical use of dystrophin immunohistochemical staining (Goh et al) 1997;42:530A
immunostaining in vasculitic neuropathy: sensitivity and specificity of findings (Collins et al) 1997;42:415A
Startle reaction
hyperexplexia in Coffin-Lowry syndrome (Cheyette et al) 1997;42:505A
Status epilepticus
status epilepticus in 149 consecutive pediatric patients (Shu et al) 1997;42:508A
Stem cells
biological foundations underlying novel CNS regenerative strategies: multipotential neural stem cells in the cerebrum exist outside of periventricular generative zones (Mehler et al) 1997;42:456A
Steroids
incidence of bilateral cystic periventricular leukomalacia remains unchanged after introduction of antenatal steroids (Perlman) 1997;42:525A
increased synthesis of $GABA_A$ receptor–active neurosteroids associated wtih global ischemia (Romeo et al) 1997;42:527A
neuroactive steroids can enhance or impair cognition in the rat (Samuel et al) 1997;42:460A
serial monthly magnetization transfer ratio analysis in relapsing-remitting multiple sclerosis patients: effect of high-dose steroid therapy (Richert et al) 1997;42:460A
Streptococcus
antibodies to human basal ganglia and antistreptococcal antibodies in Tourette's syndrome (Singer et al) 1997;42:533A
Streptococcus pyogenes
acute myoclonus secondary to group A β-hemolytic streptococcus infection: a PANDAS variant (DiFazio et al) 1997;42:521A
Stress
corticotropin-releasing factor receptors are downregulated in chronically stressed developing rats (Gilles et al) 1997;42:495A
effects of prenatal cocaine on foot shock–induced behavior, neurochemistry, and CRF expression in the paraventricular nucleus (Planeta et al) 1997;42:523A
Stress, psychological
relationship of stress, psychological distress, and disease activity in multiple sclerosis patients (Mohr et al) 1997;42:443A
Stroke; *see* Cerebrovascular disorders
Sturge-Weber syndrome
cerebral hypoxia and glucose deprivation in Sturge-Weber syndrome (Maria et al) 1997;42:511A
Subacute diencephalic angioencephalopathy; *see* Diencephalic angioencephalopathy, subacute
Subarachnoid hemorrhage
worst headache and subarachnoid hemorrhage: a prospective modern CT and spinal fluid analysis (Morgenstern et al) 1997;42:471A
Substance abuse
dose-response effect of fetal cocaine exposure on newborn neurological function (Chiriboga et al) 1997;42:492A
effects of prenatal cocaine on foot shock–induced behavior, neurochemistry, and CRF expression in the paraventricular nucleus (Planeta et al) 1997;42:523A
Substance P
decreased cerebrospinal fluid levels of substance P in patients with Rett syndrome (Matsuishi et al) 1997;42:978
substance P–saporin conjugate is selectively toxic to neurons expressing the neurokinin-1 receptor (Wiley and Lappi) 1997;42:429A
Substantia nigra
indices of oxidant stress change with age in the nigrostrial system (Sanchez-Ramos et al) 1997;42:457A
striatonigral peptides, tolerance, and sensitization in a rodent model of Parkinson's disease (Gancher et al) 1997;42:447A
Subthalamic nucleus; *see* Thalamic nuclei
Sucking behavior
maturation of the suck reflex does not predict apnea of prematurity (Richards et al) 1997;42:526A
Sudden death; *see* Death, sudden
Superoxide dismutase
copper and zinc levels in familial amyotrophic lateral sclerosis patients with CuZnSOD gene mutations (Radunović et al) 1997;42:130 (Letter)
copper/zinc superoxide dismutase 1 and sporadic amyotrophic lateral sclerosis: analysis of 155 cases and identification of a novel insertion mutation (Jackson et al) 1997;42:803
CuZnSOD-associated amyotrophic lateral sclerosis (Radunović et al) (Letter); (Cudkowicz and Brown) (Reply) 1997;42:273
do posttranslational modifications of CuZnSOD lead to sporadic amyotrophic lateral sclerosis? (Bredesen et al) 1997;42:135 (Point of view)
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326
progressive accumulation of protein nitrotyrosine in brain and spinal cord in transgenic mice bearing FALS-associated (G93A) superoxide dismutase 1 (Trifiletti et al) 1997;42:442A
role of SOD1 in nitration of neurofilamentous aggregation induced by IDPN in rats (Wang et al) 1997;42:415A
superoxide dismutase inhibits nitric oxide–induced presynaptic release of glutamate through a cyclic GMP-independent pathway (Yepes et al) 1997;42:419A
Supranuclear palsy, progressive
computerized posturography comparison of early progressive supranuclear palsy and Parkinson's disease (Ondo et al) 1997;42:449A
Sural nerve
ultrastructural quantification of P0 immunoreactivity on biopsied sural nerves from patients with Charcot-Marie-Tooth disease type 1B (Vallat et al) 1997;42:416A
Survival rate
survival rates of children with severe neurological disabilities (Plioplys et al) 1997;42:501A
Sweating, gustatory
treatment of gustatory sweating with botulinum toxin (Naumann et al) 1997;42:973
Sydenham's chorea; *see* Chorea
Synaptophysin
FDG-PET corrected with synaptophysin density is inversely related to Aβ burden in Alzheimer's disease (Mega et al) 1997;42:398A
Syntrophin
ultrastructural localization of α1-syntrophin and neuronal nitric oxide synthase in normal skeletal myofiber, and their relation to each other and to dystrophin (Wakayama et al) 1997;42:415A

Tacrolimus
could a herpesvirus mimic tacrolimus-induced leukoencephalopathy? (Paterson et al) (Letter); (Small and Eidelman) (Reply) 1997;42:270
Tau proteins
pathological τ proteins in postencephalitic parkinsonism: comparison with Alzheimer's disease and other neurodegenerative disorders (Buée-Scherrer et al) 1997;42:356
T-cell receptors; *see* Receptors, antigen, T-cell
Telangiectasia
delayed diagnosis of ataxia-telangiectasia (Cabana et al) 1997;42:510A
Telencephalon
filamentous intraneuronal depositions in a patient with telencephalic Gerstmann-Sträussler syndrome (Jin et al) 1997;42:402A
Temporal lobe
localization of frontotemporal dementia with parkinsonism in an Australian kindred to chromosome 17q21–22 (Baker et al) 1997;42:794
medial temporal lobe area helps differentiate Lewy body disease from Alzheimer's disease (Lippa et al) 1997;42:399A
motor activation in the temporal lobe after perinatal middle cerebral artery stroke: a single-case PET study (Müller et al) 1997;42:518A
outcome after temporal lobectomy in bilateral temporal lobe epilepsy (Sirven et al) 1997;42:873
serum autoantibodies to human temporal lobe cortex in children with epilepsy and language dysfunction (Connolly et al) 1997;42:490A
temporal lobe lactate elevation MRI spectroscopy in childhood idiopathic language deterioration (Dager et al) 1997;42:529A
Temporal lobe epilepsy; *see* Epilepsy, temporal lobe
Terminal extubation; *see* Treatment refusal
Testosterone
testosterone therapy ameliorates experimental autoimmune encephalomyelitis and induces a Th2 bias in the autoantigen-specific T-lymphocyte response (Voskuhl et al) 1997;42:421A
Thalamic nuclei
changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease (Limousin et al) 1997;42:283
high-frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor (Koller et al) 1997;42:292
Thalamus
thalamic echodensities identified by cranial ultrasound scan in the preterm infant: a marker of hypoxic injury? (Perlman et al) 1997;42:525A
Thiamine
pediatric Wernicke's encephalopathy: clues for an early diagnosis (Vasconcelos et al) 1997;42:534A
Thioctic acid
randomized, double-blind, placebo-controlled trial of deprenyl and thioctic acid in HIV-associated cognitive impairment (Dana Consortium on the Therapy of HIV Dementia and Related Cognitive Disorders) 1997;42:425A
Thiotepa
outcome for leptomeningeal metastases in childhood treated with intrathecal thiotepa (Fisher et al) 1997;42:536A
Thoracic outlet syndrome
MR neurography in diagnosis of thoracic outlet syndrome (Filler et al) 1997;42:444A
Thrombolytic therapy
ischemic brain tissue reperfused after early systemic thrombolytic therapy (Heiss et al) 1997;42:433A
Thrombophlebitis
neurodevelopmental outcome after pediatric arterial ischemic stroke and sinovenous thrombosis (deVeber et al) 1997;42:519A
Thrombosis
anticardiolipin antibody titers and risk of recurrent thrombo-occlusive events or death (Tanne et al) 1997;42:438A
factor V Leiden mutation: an unrecognized cause of hemiplegic cerebral palsy, neonatal stroke, and placental thrombosis (Thorarensen et al) 1997;42:372
Thymoma
ryanodine receptor gene expression in thymomas (Kaminski et al) 1997;42:416A
Tilt
you cannot perceive two verticals at once: the cortical matching of visual and vestibular 3-D coordinate maps (Brandt) 1997;42:983 (Letter)
Time factors
movement time and reaction time after globus pallidus internum pallidotomy (Ben-Arie et al) 1997;42:408A
Tissue plasminogen activator; *see* Alteplase
Tizanidine
correlation of Ashworth score with automated Wartenberg pendulum measurement of quadriceps spasticity in multiple sclerosis (Sheremata et al) 1997;42:466A
plasma concentrations of tizanidine following single doses of Zanaflex: tizanidine hydrochloride association with decreased muscle tone and adverse events (Shellenberger et al) 1997;42:466A
T-lymphocytes
cytokine profile of myelin basic protein–reactive T cells in multiple sclerosis and healthy individuals (Hermans et al) 1997;42:18
frequency and fine specificity of T-cell clones reactive to myelin oligodendrocyte glycoprotein in a multiplex family with multiple sclerosis (Koehler et al) 1997;42:458A
T-cell response to mitochondrial antigens in multiple sclerosis and Leber's disease (Salvetti et al) 1997;42:423A
T-cell responses to myelin oligodendrocyte protein and other myelin antigens in multiple sclerosis (Diaz-Villoslada et al) 1997;42:459A
testosterone therapy ameliorates experimental autoimmune encephalomyelitis and induces a Th2 bias in the autoantigen-specific T-lymphocyte response (Voskuhl et al) 1997;42:421A
Tocopherol; *see* Vitamin E
Tolcapone
6-month open-label trial of tolcapone in Parkinson's disease (Charles et al) 1997;42:408A
Tomography, emission-computed
FDG-PET corrected with synaptophysin density is inversely related to Aβ burden in Alzheimer's disease (Mega et al) 1997;42:398A
functional brain mapping with PET in the preoperative neurosurgical planning for pediatric brain tumors (Kaplan et al) 1997;42:496A
identification of epileptogenic tubers in children with tuberous sclerosis complex: brain serotonin synthesis imaging with PET (Chugani and Chugani) 1997;42:490A

motor activation in the temporal lobe after perinatal middle cerebral artery stroke: a single-case PET study (Müller et al) 1997;42:518A
MPTP-like parkinsonism secondary to Ara-C: neurochemical and PET findings (Bojko et al) 1997;42:529A
PET imaging of the dopamine transporter in MPTP-treated monkeys: a window on dopamine neuron regeneration? (Madras et al) 1997;42:443A
PET study of serotonin synthesis in patients with migraine headache (Chaturvedi et al) 1997;42:429A
PET using [^{18}F]fluorodeoxyglucose and [^{11}C]L-methionine to metabolically characterize dysembryoplastic neuroepithelial tumors (Kaplan et al) 1997;42:535A
presurgical multimodality neuroimaging in electroencephalographic lateralized temporal lobe epilepsy (Knowlton et al) 1997;42:829
virtual maze navigation studied using PET (Flitman et al) 1997;42:394A

Tomography, emission-computed, single-photon
interictal EEG and SPECT scan findings in children with language regression (Yaylali et al) 1997;42:507A
practical utility of performing periictal SPECT in the evaluation of children with partial epilepsy (O'Brien et al) 1997;42:503A
restricted unilateral Sydenham's chorea: reversible contralateral striatal hypermetabolism demonstrated on SPECT scanning (Dilenge et al) 1997;42:529A

Tomography, x-ray computed
clinical indications and the emergency CT scan (Serruya and Kanner) 1997;42:474A
noninvasive imaging of the ischemic penumbra (Rowley) 1997;42:539 (Editorial)
"open-ring enhancement": a neuroimaging sign that separates myelinoclastic diffuse sclerosis from common causes of ring enhancement on CT or MRI (Masdeu et al) 1997;42:391A
permeability and physiological spaces in gliomas (Paleologos et al) 1997;42:432A
worst headache and subarachnoid hemorrhage: a prospective modern CT and spinal fluid analysis (Morgenstern et al) 1997;42:471A

Tonic epilepsy; *see* Epilepsy, generalized

Tonic pupil
paroxysmal tonic upgaze: a reappraisal of outcome (Hayman et al) 1997;42:533A

Tonic-clonic epilepsy; *see* Epilepsy, tonic-clonic

Topiramate
topiramate add-on therapy in Lennox-Gastaut syndrome (Glauser et al) 1997;42:489A
topiramate as add-on therapy in generalized seizures of nonfocal origin (Biton et al) 1997;42:502A
topiramate as adjunctive therapy in children with partial-onset seizures (Elterman et al) 1997;42:503A
topiramate in patients with infantile spasms: a pilot study (Glauser et al) 1997;42:489A

Torsion dystonia; *see* Dystonia musculorum deformans

Tourette's syndrome
antibodies to human basal ganglia and antistreptococcal antibodies in Tourette's syndrome (Singer et al) 1997;42:533A
do parents of children with Tourette's syndrome have significant psychopathology? (Camfield et al) 1997;42:523A
increased intrasynaptic dopamine release in Tourette's syndrome (Singer et al) 1997;42:528A

Transcranial Doppler ultrasonography; *see* Ultrasonography

Transcranial duplex ultrasonography; *see* Ultrasonography

Transcranial magnetic stimulation; *see* Magnetic stimulation

Transcription factor NF-κB; *see* NF-κB

Transcription factors
GDNF-inducible zinc finger transcription factor (Mouradian et al) 1997;42:455A
persistent phosphorylation of CREB and ATF-2 transcription factors in rat brain after transient cerebral ischemia (Hu et al) 1997;42:439A

Transesophageal echocardiography; *see* Echocardiography

Transfection
improved gene transfer into spinal and bulbar motor neurons by adenovirus-mediated gene transfer (Acsadi et al) 1997;42:498A

Transfer RNA; *see* RNA, transfer

Transferrin receptors; *see* Receptors, transferrin

Transforming growth factor β
host response to transplantation of astrocytes from adult brains, a possible role for transforming growth factor β (Azizi and Chitnis) 1997;42:422A
neuroprotective transforming growth factor β family neurotrophic factors: a comparison of GDNF, nodal, cardiotropin-1, and neurturin (Bar-Peled et al) 1997;42:452A
transforming growth factor β1 protects skeletal muscle cells from oxidative stress–induced injury and apoptosis (Selcen et al) 1997;42:455A

Transgenic mice; *see* Mice, transgenic

Transient cerebral ischemia; *see* Cerebral ischemia, transient

Transitional cell carcinoma; *see* Carcinoma, transitional cell

Transplantation
bone marrow transplant for adrenoleukodystrophy: 5-year follow-up of 12 engrafted cases (Shapiro et al) 1997;42:498A
critical illness polyneuropathy in patients with bone marrow transplantation for hematological malignancies (Openshaw and Slatkin) 1997;42:473A
host response to transplantation of astrocytes from adult brains, a possible role for transforming growth factor β (Azizi and Chitnis) 1997;42:422A
long-term effects of pancreatic transplantation on diabetic neuropathy (Navarro et al) 1997;42:727

Transverse myelitis; *see* Myelitis, transverse

Trauma; *see* Wounds and injuries

Treatment refusal
terminal extubation in critically ill neurological patients: frequency, procedures, and clinical course (Mayer et al) 1997;42:425A

Tremor
hearing loss in essential tremor (Ondo and Jankovic) 1997;42:449A
high-frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor (Koller et al) 1997;42:292
orthostatic tremor responsive to gabapentin (Evidente et al) 1997;42:448A
palatal tremor on command: the "switch-on/off" variant of palatal tremor in a pair of siblings (Klein et al) 1997;42:449A

pharmacology of delayed-onset cerebellar tremors (Sechi et al) 1997;42:424A

Trinucleotide repeats

CAG repeat expansion associated with acetazolamide-responsive episodic ataxia (Jen et al) 1997;42:390A

CAG repeat expansions in patients with sporadic cerebellar ataxia (Futamura et al) 1997;42:402A

phenotype variation correlates with CAG repeat length in SCA2 (Sasaki et al) 1997;42:419A

postzygotic instability of the CTG trinucleotide repeat in congenital myotonic dystrophy (Ashizawa and Wong) 1997;42:413A

spinocerebellar ataxia type 6: CAG repeat expansion in α_{1A} voltage-dependent calcium channel gene and clinical variations in Japanese population (Ikeuchi et al) 1997;42:879

unstable 24-nucleotide repeat expansion in transmissible spongiform encephalopathies (Cervenáková et al) 1997;42:390A

$tRNA^{Trp}$; *see* RNA, transfer

Tropheryma whippelii

polymerase chain reaction–based detection of *Tropheryma whippelii* in central nervous system Whipple's disease (Lynch et al) 1997;42:120

Tuberous sclerosis

identification of epileptogenic tubers in children with tuberous sclerosis complex: brain serotonin synthesis imaging with PET (Chugani and Chugani) 1997;42:490A

lamotrigine therapy of epilepsy in tuberous sclerosis (Franz et al) 1997;42:509A

reduced *TSC2* RNA and protein in sporadic astrocytomas and ependymomas (Wienecke et al) 1997;42:230

tuberin loss from cerebral tissues (Vinters et al) (Letter); (Mizuguchi and Takashima) (Reply) 1997;42:270

Tumor necrosis factor

circulating tumor necrosis factor-α correlates with electrodiagnostic abnormalities in Guillain-Barré syndrome (Sharief et al) 1997;42:68

Turkey

biochemical, genetic, and clinical survey of autosomal recessive limb girdle muscular dystrophies in Turkey (Dinçer et al) 1997;42:222

megalencephaly-leukodystrophy (Van der Knaap syndrome) in 11 children of Jewish-Libyan and Turkish families: an opportunity for a genetic linkage study (Ben-Zeev et al) 1997;42:512A

Twins

twin study of cystic periventricular leukomalacia (Fine-Smith et al) 1997;42:525A

Ubiquinone

coenzyme Q_{10} levels correlate with the activities of complexes I and II/III in mitochondria from parkinsonian and nonparkinsonian subjects (Shults et al) 1997;42:261

Ultrasonography

Doppler microembolic signals in 580 patients with prosthetic cardiac valves (Georgiadis and Sliwka) 1997;42:437A

hyperechoic middle cerebral artery sign after acute occlusion detected by transcranial duplex ultrasonography (Kadimi et al) 1997;42:435A

long-term stroke risk in children with sickle cell disease screened with transcranial Doppler (Adams et al) 1997;42:699

neonatal sonography brain imaging may have a predictive value concerning developmental outcome in neural tube disorders (Ronen et al) 1997;42:523A

thalamic echodensities identified by cranial ultrasound scan in the preterm infant: a marker of hypoxic injury? (Perlman et al) 1997;42:525A

Upper limb; *see* Arm

Urography

computerized posturography comparison of early progressive supranuclear palsy and Parkinson's disease (Ondo et al) 1997;42:449A

Vaccines

lymphocyte autovaccine for multiple sclerosis and other demyelinating autoimmune diseases: results of a Phase I-II clinical trial (Moviglla et al) 1997;42:461A

Vagus nerve

heart period variability during chronic vagal nerve stimulation (Setty et al) 1997;42:405A

six-year follow-up of autonomic (vagal) control of seizures (Clarke et al) 1997;42:406A

Valine

type 1 prion protein in a patient with valine/valine at codon 129 of the prion protein gene (Worrall et al) 1997;42:402A

Vascular dementia; *see* Dementia, vascular

Vasculitis

immunostaining in vasculitic neuropathy: sensitivity and specificity of findings (Collins et al) 1997;42:415A

Vegetative state; *see* Coma

Vertebrobasilar artery

ischemic strokes in the vertebrobasilar artery distribution in children (Sokol et al) 1997;42:519A

Vertical nystagmus; *see* Nystagmus

Vertigo

selective vestibular damage in neurosarcoidosis (von Brevern et al) 1997;42:117

Vestibular function tests

you cannot perceive two verticals at once: the cortical matching of visual and vestibular 3-D coordinate maps (Brandt) 1997;42:983 (Letter)

Vestibular nerve

selective vestibular damage in neurosarcoidosis (von Brevern et al) 1997;42:117

Veterans

epidemiologic aspects of multiple sclerosis in U.S. veterans: long-term survival for World War II veterans (Wallin et al) 1997;42:469A

neurological diagnoses affecting Gulf War veterans: an analysis of the data in the Comprehensive Clinical Evaluation Program (Dutka et al) 1997;42:470A

Vigabatrin

human occipital lobe homocarnosine increased after starting vigabatrin (Petroff et al) 1997;42:473A

vigabatrin increases both cerebrospinal fluid GABA and brain GABA as measured by MRS (Theodore et al) 1997;42:393A

Viruses

apoptosis and virus-induced demyelination (Roos et al) 1997;42:425A

Vision tests

you cannot perceive two verticals at once: the cortical matching of visual and vestibular 3-D coordinate maps (Brandt) 1997;42:983 (Letter)

Visual perception
factors influencing electrophysiologic and behavioral response to novel events (Daffner et al) 1997;42:394A
Vitamin A
vitamin A hypothesis in idiopathic psuedotumor cerebri (Selhorst et al) 1997;42:457A
Vitamin E
postmortem study of Friedreich-like ataxia with retinitis pigmentosa caused by the mutation of α-tocopherol transfer protein gene (Yokota et al) 1997;42:987A
severe form of ataxia with isolate vitamin E deficiency caused by exon skipping of α-tocopherol transfer protein mRNA (Ueno et al) 1997;42:402A
Volga German kindred; *see* Germany
VP-16; *see* Etoposide

Werdnig-Hoffman disease
dissociation of glycosylation and phosphorylation in chromatolytic motor neurons of Werdnig-Hoffmann disease (Chou and Wang) 1997;42:531A
Wernicke's encephalopathy
pediatric Wernicke's encephalopathy: clues for an early diagnosis (Vasconcelos et al) 1997;42:534A
Whipple's disease; *see* Lipodystrophy, intestinal
White matter
intraventricular hemorrhage, ventriculomegaly, and white matter disease of prematurity (Kuban et al) 1997;42:493A
morphometry of in vivo human white matter association pathways with diffusion-weighted magnetic resonance imaging (Makris et al) 1997;42:951
World War II
epidemiologic aspects of multiple sclerosis in U.S. veterans: long-term survival for World War II veterans (Wallin et al) 1997;42:469A
Wounds and injuries
primary arteriopathy in traumatic cervicocephalic arterial dissections (Mokri et al) 1997;42:433A

X chromosome
analysis of the M6B gene in patients with Rett syndrome (Narayanan et al) 1997;42:517A
congenital X-linked nonprogressive ataxia: linkage studies in a second family (Bertini et al) 1997;42:499A
family with epilepsy and mental retardation limited to females defines a new inheritance pattern: X-linkage with male sparing (Ryan et al) 1997;42:489A
X-chromosome inactivation in symptomatic heterozygotes of X-linked adrenoleukodystrophy (Naidu et al) 1997;42:498A
X-linked Emery-Dreifuss muscular dystrophy can be diagnosed from skin biopsy or blood sample (Mora et al) 1997;42:249
X-linked infantile spasms syndrome (MIM 308350) maps to Xp11.4–Xpter in two pedigrees (Claes et al) 1997;42:360
Xanthochromia
pathogenesis of xanthochromia (Turner et al) 1997;42:432A
Xeroderma pigmentosum
movement disorders associated with xeroderma pigmentosum (Warner et al) 1997;42:411A

Zinc
copper and zinc levels in familial amyotrophic lateral sclerosis patients with CuZnSOD gene mutations (Radunović et al) 1997;42:130 (Letter)
copper/zinc superoxide dismutase 1 and sporadic amyotrophic lateral sclerosis: analysis of 155 cases and identification of a novel insertion mutation (Jackson et al) 1997;42:803
CuZnSOD-associated amyotrophic lateral sclerosis (Radunović et al) (Letter); (Cudkowicz and Brown) (Reply) 1997;42:273
do posttranslational modifications of CuZnSOD lead to sporadic amyotrophic lateral sclerosis? (Bredesen et al) 1997;42:135 (Point of view)
GDNF-inducible zinc finger transcription factor (Mouradian et al) 1997;42:455A
increased 3-nitrotyrosine and oxidative damage in mice with a human copper/zinc superoxide dismutase mutation (Ferrante et al) 1997;42:326
Zydis selegiline; *see* Selegiline